Radio ∫haek


1983 TRS-80 CATALOG




THE BIGGEST NAME IN LITTLE COMPUTERS • 1983 TRS-80 CATALOG



THE BIGGEST NAME IN LITTLE COM





PUTERS • 1983 TRS-80 CATALOG

Why Radio Shack is the Place

Radio Shack started a microcomputer revolution with the introduction of the first TRS-80. Today, we continue as the industry leader by bringing you the broadest line of microcomputers available. We have over 400 Radio Shack Computer Centers nationwide, staffed by professionals who can help you select just the system you need.

High Performance, Yet Low Cost

Each computer in our line starts at much less than you would expect to pay for its powerful capabilities and features. The reason is simple: economies of scale and our own manufacturing facilities make every TRS-80 model a tremendous value.

It's Easy to Expand a TRS-80 Computer

You can enjoy the TRS-80 computer system you need right now, without having to pay for "more computer" than you will use. Later, as your needs grow or change, you can add more capacity through accessories and expansion options. You can purchase a TRS-80 with full confidence that it can expand to meet tomorrow's requirements.

Wide Selection of Softw

We offer more ready-to-ru microcomputer manufactu of personal programs and sionals can use our softwarting, engineering Educators appreciate our fithere's much, much more

Complete Line of Acces

We have a full line of perip complement your TRS-8 matrix and formed-charact and digitizers, external fl drives for increased capact communications, plus accommunications, plus accommunications and the state of th

Leasing Plans

We offer a 37-month leasued over \$1500. And sinments may be fully tax expense.



e to Shop for Your Computer

are

n software than any other irer. Choose from a variety d problem-solvers. Profesvare for accounting, foreand word processing. full line of courseware. And

sories

therals and accessories to 0 computer: quality dotster printers, color plotters oppy disk and hard disk sity, modems for telephone essories and supplies that m your TRS-80 system.

e plan for any system valce it is a true lease, pay-

deductible as a business

Service Agreements

Over 275 company-operated repair centers nationwide service only our computers. We also offer "Carry-In" and "On-Site" service. And our Customer Service Representatives will help you with any afterthe-sale questions or problems.

Technical Hotline

Help is just a phone call away. The experts in our Computer Services Department will assist you with any TRS-80-related question you might have.

TRS-80 Newsletter

This monthly publication is packed with operating tips, product news and tutorials, plus programs and ideas from TRS-80 users.


The Best Support

Over 8700 outlets worldwide stock our TRS-80 equipment. So stop by your nearest Radio Shack store, Computer Center, or participating dealer for a hands-on demonstration today!



Choosing the Right TRS-80 Co

Ours is the broadest line of small computers in the world. Most contain BASIC languaged-Only Memory). Models 12 and 16 load their languages from disk. Random A temporary storage for programs and data, and can vary from 1.9K (1,900) to over 53l byte can be considered one typewritten character. You will see reference to the vi 80×24 or 32×16 . This means 16 lines of 64 characters per line, 24 lines of 80 charathose explanations, here's an overview of our computer line.











TRS-80 Model 16—The Most Powerful TRS

Our top-of-the-line single or multi-user computer. Attach to and you can run three jobs (such as billing, inventory, and ously using common data files on hard disk. Note: Model Model 16, but not in the multi-user mode. Expanded mespreadsheet-oriented planning and forecasting. Loads law onds—an advantage when using various languages. 8 128K to 512K. Disk storage 1.25Mb to over 53Mb.

TRS-80 Model 12-A Versatile, Multi-Purpo

Our best single-user multi-purpose workstation for busine accounting, inventory control, management planning, we synchronous communications to your mainframe. It's affe easily to full Model 16 capabilities. 80 x 24 screen, men storage from 1.25Mb to over 53Mb.

TRS-80 Model III—The Ideal Personal Con

A disk-equipped Model III is the perfect compact system for planning, filing, communication, time management economically-priced cassette Model III to learn program engineering uses. Cassette Model IIIs upgrade easily memory 16K to 48K. Disk storage 175K to over 20Mb.

TRS-80 Color Computer—Hard-Working an

Attach it to any TV, and you have a very powerful, expanda used for forecasting, word processing, budget managementertain your family. You won't "give up" computing capa home computer. 32 × 16 screen, memory 16K to 32K. Storable to 626K on disks.

TRS-80 Pocket Computers—Pocket-Sized

For the on-the-go business or professional person with protective powerful pocket computers. Our store personnel can are printers for each—one even has four-color graphic language. Memory .54K to 10.6K. Cassette program/da

© 1983 Tandy Corporation, Fort Worth, Texas 76102. Retail prices shown in this catalog may vary at individual stores and dealers. The Registered TM VisiCorp. Time Manager, Project Manager, Personnel Manager/TM Image Producers. ReformaTTer/TM Microtech Expl. Machines Corp. Apple/Registered TM Apple Computers. CompuServe/Registered TM CompuServe, Inc. Dow Jones News/Retrieval/Registered TM Parker Brothers. Inc. Desktop/Plan/TM Marton. Inc. Electronic Standard & Poor's, Inc. PET/Registered TM Commodore Computers. Agri/Star/TM AgriData Resources, for its information and compuResearch Associates. XENIX/TM Microsoft Corp. UNIX/TM Bell Laboratories. CHAMPS/TM, J.R. Dewey, and M.L. Routh

mputer

age in ROM (permanent ccess Memory (RAM) is M (53 million) bytes. One deo screens as 64 x 16, cters, and so on. So with

-80 Ever

to inexpensive terminals order entry) simultaneel II software will run on emory allows very large nguage from disk in sec-80 x 24 screen, memory

se Workstation

ss. Model 12 can handle ord processing, even biordable, and it upgrades nory 80K to 768K. Disk

puter for Managers

m for an executive. Use and more. Choose an ming or for education or to disk. 64 × 16 screen,

d Entertaining

ble computer that can be nent—even to teach and ability with this affordable rage is cassette, expand-

Problem-Solvers

oblems to solve. We offer help you choose. There is plotting. Uses BASIC ta storage optional.

HANDY INDEX

	HANDY INDEX
Anti-Glare S	Screens
Anti-Static F	Products
Cables	Printer
Odbies	RS-23240
Cassette	Recorder
Cassette	Tapes42
C-1 C	
Color Com	puters
	Software
UNIVERSE	Color Disk
Diskettes	
Education [Division Products 52-55
	Forms Storage
Hard Disk	12 Mb Model 12/169
natu Disk	5 Mb Model 1/111
Madel I For	
	pansion Options 40
Model 12	Computers 6
	Expansion Options
	Graphics Board 8
	Software
Model III	Cassette Computer 18
	Cassette Software 20, 21
	Disk Computers
	Disk Software 25-27
Model 16	Computers4
model 10	Software
14-d/A-	coustic Coupler
Plotters	
	nputer PC-1, Acc. & Software 57
Pocket Cor	mputer PC-2, Acc. & Software 58, 59
	mputer PC-4, Acc. & Software 56
Printers	
	Supplies
Storage Ac	cessories and Supplies 42-44
Switch Box	es/Control Products 40
TRS-80 VID	PEOTEX
1110-00 VIL	Terminal
	Software
	- PLANTY PRINTED

Quantity Discounts

Product	6-11 of 1 item	12-49 of 1 item	50-499 of 1 item	of 1 iter			
Software, Books, Accessories, Ribbons, Paper	10%	15%	1796	20%			
Pocket Computers, Color Computers, Printers, Peripherals	596	10%	15%	20%			
Model III Cassette Computers	5%	796	10%	15%			
Model III Disk Computers, Model 12 and 16 Computers	5%	1096	for qui	manager antities 20).			

For discounts on diskettes and cassettes, see page 42.

the Company cannot be liable for pictorial or typographical errors. Some computer equipment may require special order. VisiCalc/ orts. WESTLAW/TM West Publishing Co. DEC/Registered TM Digital Equipment Corp. IBM/Registered TM International Business stered TM Dow Jones & Co., Inc. Monty/TM Ritam Corp. ZORK/TM Infocom, Inc. Gammon Gambler/TM Dream Machine Collective. Broker/TM Electronic Broker, Inc. TeleVideo/Registered TM TeleVideo Systems, Inc. LDOS/TM Logical System, Inc. STOCKPAK/TM uting network. Poltergeist/ 1982 Metro-Goldwyn-Mayer Film Co., and SLM Entertainment LTD. Computer Discovery/TM Science

Our Most Advanced TRS-80 Ever Model 16 With 16-Bit Processing

Priced From 499900

128K 1-Disk

- Unique Dual-Processor Design Features
 MC68000 16-Bit and Z-80A Microprocessors
- 128,000 Characters of Internal Memory, Expandable to 512,000 Characters
- One or Two Built-In 1,250,000-Character Double-Sided, Double-Density 8" Disk Drives
- Expandable to Over 48 Million Characters of Program and Data Storage on Hard Disks
- Model II Mode Runs All Model II/12 Programs
- Multi-User Capability Allows Execution of Several Programs Simultaneously

The TRS-80 Model 16 puts compact desktop system! tasks can be accomplished

Advanced 16/32-Bit Tec

The Model 16 is designed 68000 microprocessor that processes it internally as microprocessor— the Z80 and other "housekeeping Model 16 to utilize much no data at much higher specific processor— the Z80 and other "housekeeping Model 16 to utilize much no data at much higher specific processor— the Z80 and other "housekeeping Model 16 to utilize much no data at much higher specific processor— the Z80 and other processor—

Large Memory Capacity

Model 16 comes with 128k Memory (RAM) that can b up to 512K.



r— Power

superior performance in a Now complex computing ed with ease.

hnology

around a state-of-the-art at accepts 16-bit data and 32-bit "words." A second 0A—handles input/output chores." This permits the nore memory and process ads than 8-bit micros.

bytes of Random Access e expanded in 128K steps



Software Compatible with Model II/12

Dual-processor design permits the Model 16 to operate as a TRS-80 Model II/12 and use existing Model II/12 software. That means a large library of ready-to-run programs is available now. (Model II/12 software can operate in the single-user mode only.) In addition, we're building a new library of software designed to take advantage of Model 16's advanced features.

Expandable

Model 16 features two RS-232C serial communication interfaces and a parallel printer interface which allow expansion with a printer, plotter, digitizer, modem and more. A hard disk port can be added to use from one to four 12-megabyte Hard Disk Drives.

Deluxe Features

Model 16 includes a high-resolution 12" green video display with 24 lines of 80 characters, and a detachable typewriter-style keyboard with numeric keypad and two special function keys. And you can choose a Model 16 with one or two built-in 8" slim-line disk drives.

Multi-User Capability

Model 16 is so advanced it can become the hub of a multi-user office system (see page 5). One or two low-cost terminals, like our TRS-80 DT-1 (see page 30), can simultaneously access different programs on the Model 16—without any perceived loss of performance.

Who Is the Model 16 for?

Anyone who wants the most advanced microcomputer technology at their disposal needs the TRS-80 Model 16. It's ideally suited for today's offices, providing simultaneous jobhandling without the expense of multiple computers. It offers the high operating speeds and large memory capacity that many business users require. And it can handle complex, computation-intensive jobs and highly sophisticated programs that only a 16-bit computer can.

com

TRS-80 Model 16 Specifications

Microprocessors: 6 MHz MC68000 16/32-bit CPU and 4 MHz Z-80A 8-bit CPU. Direct memory access and vectored interrupts. Memory management includes protected system mode and three user spaces. Memory: 128K RAM bytes, expandable to 512K. 16K I/O memory and 2K video memory. Keyboard: 76-key professional-type, including Numeric Entry Keypad. Special Keys include HOLD, ESCape, BREAK, CTRL, CAPS and REPEAT, plus Up, Down, Right and Left arrow keys and two programmable Special Function Keys (F1 and F2). Video Display: High-resolution 12" green display monitor with 80 or 40 characters per line by 24 lines. Displays upper and lower case characters with descenders, plus 32 "business graphics" characters. Automatic scrolling. Partial screen scroll protect available. Disk Drive: One or two built-in double-sided, double-density 8" slim-line floppies. Add up to two 1.25-megabyte external floppies and four 12-megabyte hard disks. Internal Expansion: Two plug-in card slots. External Connections: One standard parallel port and two RS-232C serial ports. Dimensions: 14 x 211/4 x 231/2". Power Requirements: Built-in filtered power supply for 120VAC, 60 Hz, U.L. listed.

Model 16 Single-User Operating System

The Model 16's operating system is virtually "library command" compatible with our popular TRS-80 Model II TRSDOS, and includes an Editor/ Assembler package for assembly language program development in single-user applications.

Replacement Diskette Only. 26-6105 39.95

Model 16 Manual Set. Set of three books. Included with Model 16 computer. 26-6040 75.00

Thin-Line Disk Bays

For Model 16 And Model 12

129900

209800

Expand your on-line ca External Floppy Disk Exp adds 1.25 megabytes of di The drives are double-sided 8" floppies resembling the and Model 12 computers. drive unit and expand to a by adding the Disk Drive I 1-Drive Unit. 26-4165

New! TRS-XENIX™ Multi-User Operating System

TRS-XENIX is derived from the powerful UNIX™ operating system developed by Bell Laboratories. UNIX has been extensively field-tested for the past decade and has demonstrated outstanding performance under heavy workloads. The TRS-XENIX "core" or runtime package includes the modules required to set up and operate a multi-user system. It includes a hard disk initialization routine, a text editor for modifying the parameters of the system, utilities to transfer files from TRSDOS diskettes, RUNCOBOL to support our COBOL software, and full password protection. Current Model 16 COBOL software will be made available in multi-user versions, so that all current Model 16 users will have an upgrade path. The TRS-XENIX operating system is designed only to run software in a multi-user environment (see page 17 for our new TRS-XENIX multi-user development system). TRS-XENIX and manual are included with the Model 16 computer and Model 16 Upgrade Kit. (Multi-user system requirements are described at right.) www.F

It's Usi

Now you can get the office system with the hub and the TRS-80 workstation. As mult available, you may at two DT-1 terminals at cations, so up to three programs can be runn taneously on the N



16 OPERATING SYSTEMS AND EXPANSION OPTIONS



pacity with one or two

ansion Units. Each drive

ata and program storage.

d, double-density, thin-line

se built into the Model 16

You can choose the one

second drive at any time

<it (26-4167) at right.</p>

Expansion Options

Internal Memory Expansion. The Radio Shack Model 16 comes complete with a 128K-byte Random Access Memory (RAM) board as a standard feature. This board can accept an additional 128K RAM "chip kit" at any time-expanding internal memory to 256K bytes. Another 128K memory board may then be added, complete with the provisions to add still another 128K chip kit, for a total of 512K bytes—over one-half million characters of internal memory.

128K Memory Board. 26-6011 699.00* 128K Memory Kit. 26-6012 499.00*

Internal Disk Expansion. You can add a second disk drive to a single-drive TRS-80 Model 16 (or Model 12) at any time, and have a total of 2.5 million characters of high-speed "on-line" disk storage on interchangeable 8" floppy diskettes. Each doublesided, double-density disk drive is enclosed in the Model 16's (or Model 12's) case, and each provides 1.25 million characters of disk storage for user programs, data files and the Disk Operating System.

Disk Drive Kit. 26-4167 799.00* Price does not include required installation.

. . . 2098.00 Easy to Set Up a Multi-User System ng the DT-1 and the TRS-80 Model 16

. . . 1299.00

efficiency of a multi-user powerful Model 16 as the DT-1 terminal as a remote i-user software becomes

dd one or remote loe different ing simullodel 16, without any perceived loss of performance. One remote DT-1 user can be entering inventory figures, and another accessing a data base management system-while the Model 16 operator is

running a payroll program! The multi-user operation requires a Model 16 with 256K* memory. hard disk, 1 or 2 terminals, cable

and connectors.



Multi-User System

10,59070

Includes 1-Disk TRS-80 Model 16 (26-6001) with 128K Memory Kit (26-6012), 12-megabyte Hard Disk (26-4152), two DT-1 Terminals (26-6050), and 25-foot cable



Introducing the New Standard

Priced From 319900

With 1 Disk Drive

- Big 80K Memory Handles Tough Jobs Easily
- One or Two Built-In 1,250,000-Character Double-Sided, Double-Density 8" Disk Drives
- Detachable 82-Key Keyboard with Numeric Datapad and Eight Function Keys
- Built-In 12" High-Resolution Green Monitor Displays 24 Lines of 80 Characters
- Two RS-232C Serial Interfaces and Parallel Printer Port for Easy Expansion
- Choose Ready-to-Run Business Programs
- Compatible with All Model II Software
- Expandable to Over 48 Million Characters of Program and Data Storage on Hard Disks
- Upgrade to 16-Bit Power and 768K Memory

TRS-80 Model 12 is Radi business microcomputer purpose workstation that low cost. That makes it the less applications.

Accounting

Model 12 has the storage to streamline general ledreceivable, inventory co and other tasks for increacan prepare P&L stateme improve your cash flow, and more. Our user-orient

Program Development

We offer a choice of Mo your specific requiremen Interpretive BASIC, we ha TRAN, Assembler, and C



in Small Business Computers

o Shack's new single-user It's a stand-alone multicombines high power with e right computer for count-

capacity and expandability ger, accounts payable and ntrol, order entry, payroll sed speed and accuracy. It ents, speed up collections, analyze sales information, ed programs make it easy.

del 12 languages to meet ts. In addition to Model II we Compiler BASIC, FOR-OBOL.

Management Assistant

Model 12 is an ideal choice for departmental use in large businesses, too. It lets you do jobs too "hot" for shared computer time or too small for cost-effective handling by your company's mainframe. Model 12 can help with planning and forecasting, word processing, electronic filing, analysis and more.

Bi-Sync Communications

The Model 12 is ideal for use in existing data processing environments because it offers the versatility a mere terminal lacks. With our bi-synchronous communications packages, Model 12 provides low-cost access to mainframe computers.

Easy Expansion

You can use Model 12 by itself or with a variety of peripherals. Add external disk drives (see page 5), a printer, plotter, digitizer, modem and more. The one-drive Model 12 is perfect for expansion to a hard disk system. The two-drive Model 12 is ideal for standalone use.

Comes Complete

Includes a comprehensive reference manual and a diskette that contains Model 12 BASIC and TRSDOS operating system. U.L. listed.

1-Disk TRS-80 Model 12. 26-4004 3199.00 2-Disk TRS-80 Model 12. 26-4005 3999.00

Who is the Model 12 for?

The TRS-80 Model 12 is our best single-user business computer—ideal for professional applications. Its versatility and power in handling word processing, data base filing, planning and accounting tasks make it the logical business machine choice. The Model 12 is also the ideal workstation for large corporations. It can be used as a management assistant, in program development, even for bisynchronous communications with mainframe computers.

An Inside Look at the TRS Model 12 Microcomput

Model 12's compact, desktop cabinet includes one or two built-in 8" disk drives, high-resolution 12" green video display, and a detachable low-profile. typewriter-style keyboard. The double-sided, double-density disk drive provides 1.25 million characters of storage for programs and data. The keyboard is easy to use because "special" keys have been kept to a minimum except for eight programmable function keys (F1 through F8). For quicker and more accurate numeric input, a calculator-type keypad with its own ENTER key is provided. The screen displays 24 lines of 80 upper and lower case characters. Double-width characters—40 per line—and reverse characters can also be program-selected.

Model 12 Specifications

Microprocessor: Z-80A 8-bit processor. Clock speed, 4 MHz. Separate keyboard and video processors. Direct memory access and vectored interrupts for faster throughput.

Memory: 80K RAM. "Bootstrap" ROM is bank-switched out after "boot" startup. Includes power-up diagnostics. Keyboard: 82-key professional-type including numeric entry keypad. Special keys include HOLD, ESCape, BREAK, CTRL, CAPS and REPEAT. Up, Down, Right and Left arrow keys. Eight programmable Special Function keys (F1-F8).

Video Display: High-resolution 12-inch green phosphor monitor with 80 or 40 characters per line by 24 lines. Displays upper and lower case characters with descenders, plus 32 "business graphics" characters. Automatic scrolling. Partial screen scroll protect available.

Disk Drive: One or two built-in dual-density 8" floppies, up to two more available in optional external Disk Expansion Unit. Up to four optional 12-megabyte Hard Disk Drives. Maximum system—4 floppy disks and 4 hard disks.

Internal Expansion: Optional Model 12 Card Cage (requires installation) provides six additional plug-in card slots.

External Connections: One standard parallel port, two RS-232C serial communications ports, one external disk bay port.

Dimensions: 131/2 x 211/2 x 281/8".

Power Requirement: Built-in filtered power supply for 120VAC, 60 Hz.

Model 12 System So

"User-Oriented" Model

TRS-80 Model 12 BASIC is based interpreter, and f flagging and quick editing easy for program developer

Some of the outstanding feature advanced string hand dimensional arrays, error renumbering, hex and cand sequential access to desecute most TRSDOS of BASIC with program and functions to allow BASIC planguage subroutines and errors.

Command compatibility with has been maintained to the for those who decide to make a speed and capability of Mooto run under TRSDOS, bowith Model 12.

TRSDOS-TRS-80 Disk

TRSDOS ("Triss-Doss") is disk operations of the TRS prehensive system with mathe programmer, yet is very "transparent" to the non written software. TRSDOS brary commands, utility prosystem routines that can be programs. It occupies space and is automatically load power-up. The System dist TRSDOS User's Guide a 3-ring binder.

TRSDOS 4.2 Replacemer or 16. Includes BASIC. 26 TRSDOS 2.0 Replacem BASIC. 26-4910

www.RadioSha

MODEL 12 BUSINESS COMPUTER AND CARD CAGE

S-80

ftware

12 BASIC

a full-featured 17K diskeatures detailed errorthat make it especially ment and debugging.

atures of Model 12 BASIC dling, full editing, multitrapping, program line ctal conversion, direct lata in disk files, ability to ommands and return to variables intact, special programs to call machine recovery from operator

h TRS-80 Model I and III greatest possible extent nove up to the additional del 12. BASIC is designed th of which are included

Operating System

the system that manages -80 Model 12. It's a comany powerful features for easy to use and virtually programmer using preprovides a full set of liograms and many useful e called directly by user e on the system diskette ed for use after system kette and comprehensive re included in a deluxe

t Diskette. For Model 12 4912 24.95 ent Diskette. Includes

New! Model 12 Card Cage




19900

Mounts Inside Model 12's Case

The new Model 12 Card Cage gives the TRS-80 Model 12 computer tremendous expansion flexibility. The Card Cage provides six plug-in slots for inserting our optional expansion boards. That means you can tailor your system at any time to the power and capability you need. For example, you can add our powerful Model 16 Upgrade Kit for true 16/32-bit processing and perform complex computing tasks with ease. Memory options can then be added to the Model 16 Kit for up to 768K. You can generate larger planning spreadsheets with the VisiCalc® Memory Expansion Board (and Enhanced VisiCalc program). Create amazingly detailed on-screen charts and graphs to simplify rows of numerical data with our High-Resolution Graphics Board. Access door on back of the "cage" for easy installation. (Card Cage and optional expansion boards require installation, not included.)

Model 12 Card Cage. 26-6017 199.00





Get a 16-Bit CPU—Up to 512K Memory

This Enhancement Option includes installation of two boards. One contains the MC68000 16-bit microprocessor. The other is a 128K memory board, which can be upgraded to 256K. That's one-quarter-million characters of on-line memory directly available for use by the MC68000. Your Model II will be just like a Model 16, but using your existing video and disk drive, and having a maximum of 512K internal memory. (A Model 12 can be expanded to 768K internal memory.)

Compatible With Model II or 12 Software!


Your system is still a "full-function" Model II or 12, and you can use all of your present Model II or 12 software without modification. You may also use the software Radio Shack is developing to take advantage of the MC68000's 16-bit processing power.

Dual-Processor Architecture

With the Enhancement Option, your Model II or 12 will actually contain two microprocessors, because the original Z-80A 8-bit processor and its support circuits are retained for Input/Output. This frees the 16-bit processor to bring its full power to bear on data processing problems and memory management functions.

Multi-User Capability

Your Model II or 12, operating as a Model 16, will be able to support three users simultaneously. Thus two workstations in your office can be low-cost remote terminals like our TRS-80 DT-1. It's like having three computers at a much lower price!



High-Res

- Easy-to-Use Graph
- Assembly Language For Use With Other
- 153,600 Picture Ele
- Unlimited Uses—To Display Into a "Gra

Added Versatility for I

Now Radio Shack's TRS-8 Graphics BASIC languag display screen as a "sket whatever designs you ma sophisticated tables, cha geometric patterns, maps

High Resolution


Your designs will be execu screen is composed of 15 "pixels"! That's 640 point vertically.

Simple to Use

Using the "paint styling" rapidly fill in broad areas use a variety of patterns. V you have "point-to-point" you draw any line at any statement!

Easy to Learn

If you already know TR Graphics BASIC will be a learn only eleven new cor credible. For example, b a BASIC program, you o motion!



plution Graphics for Model II/12/16

ics BASIC e Subroutines r Computer Languages ments (640 × 240) urns Your Video phic Blackboard"

Model II, 12 and 16

30 Graphics Option with our e lets you use your video ch pad" for the creation of ty need. The result can be arts, graphs, illustrations, and more.

ted with fine detail, since the 3,600 picture elements, or s horizontally by 240 points

mode, you can easily and of the screen and you can with the "line styling" mode, graphics options that let angle with just one BASIC

S-80 Model II/12 BASIC. snap because you need to nmands! Their power is iny incorporating them into can create animation and

- Paint Styling—Fills in Spaces Between Lines With a Variety of Patterns
- Line Styling—Draws Lines in a Variety of Styles With One BASIC Statement
- Independent Graphics Memory Can Overlay Text in Regular Video Memory

Summary of Graphics BASIC Commands

CIRCLE—Draws a circle, arc, or ellipse.

CLS—Clears a character or display screen.

GET—Reads the bit-pattern in a block on the display screen into an array for alteration and future use. Used in animation.

LINE—Draws a line in between points.

PAINT—Paints an area in a specified style. POINT—Checks to see if a point is on or off.

PRESET—Turns a pixel on or off.

PUT-Puts contents (bit pattern) of an array onto the screen. Altering these before they are "put" is part of creating animation.

SCREEN—Screen Command/Flash mode. Useful in speeding up the display in painting and motion. Turns graphics screen on or off.

VIEW—Defines the coordinates of a specified block (called the "viewport") on the screen. VIEWPORT—Draws a viewport, which then becomes

the current graphics screen.

Installation is Fast

The Graphics BASIC memory board contains 32,000 characters of dedicated memory to store graphics data and is installed in an unused slot of your Model II, 12 or 16. Includes user's manual, 8" diskette with Graphics BASIC, and subroutine library.

Graphics Option. For Model II, 12 or Model 16. 26-4104

New! 12-Megabyte Hard Disk Driv Forms a Powerful Computer System

Primary Hard Disk System

349500 **2495**00


Secondary Hard Disk System

- Extremely Fast Access to Programs And Data Through Winchester Technology
- Compatible With Most TRS-80 Model II. 12, and 16 Software
- Easily Add Up to Three More Hard Disk Systems for Over 48 Million Bytes Of On-Line Data and Program Storage
- Ideal for Data Base Management
- Uses All Currently Available TRSDOS Library Commands, Plus Enhanced Features Designed Specifically for the Hard Disk System

Now you can have imme amounts of data—12 million Shack's Hard Disk System. I tory control needs, accounting agement systems. And you three "secondary" Hard Dis age capacity of 48 megab Model II, 12, and 16 program hard disk. It's compatible w operating system or TRSDO library commands are availa ties: SAVE and RESTORE, T to save data from the hard back-up diskettes.

Powerful TRS-80 Hard Disk Computer S







TRS-80 Model 16 Hard Disk System

Complete System


849400*

- 128K 1-Drive TRS-80 Model 16 Computer (26-6001)
- 12-Megabyte Primary Hard Disk System (26-4152)

Low-Cost Model 12 Hard I

Complete System

- 80K 1-Drive TRS-Computer (26-40)
- Model 12 Card C
- 12-Megabyte Pring System (26-4152)



diate access to vast characters—with Radio t's ideal for large invenng and data base mancan expand with up to k Drives for a total storytes. Best of all, most is will transfer directly to
ith our new multi-user S. All current TRSDOS
able, plus two new utilinese utilities enable you
disk onto one or more

Hard disks require installation, not included. (Note: The 12-megabyte units cannot be used with our 8-megabyte hard disk drives.)

Primary Hard Disk Unit. 26-4152 3495.00* Secondary Hard Disk Unit. 26-4153 2495.00*

Specifications

A 3-platter, 6 surface, 51/4" disk drive employing sealed media with a self-contained, recirculating filtered air system. Formatted Capacity: Primary drive—11.6 megabytes, secondary drives—12 megabytes each. Disk Format: Each of the 6 disk surfaces has one movable read/write head to access 236 data tracks on that surface. A 6-track cylinder is accessible under all 6 heads with a single seek. Disk Size: Three non-removable 51/4" disks. Data Transfer Rate: 5 megabits/second. Disk Rotation Speed: 3600 RPM. Latency: 8.3 milliseconds (average). Track Access Time: 3 milliseconds (track-to-track). Dimensions: 51/2×14×15". Power: 120VAC, 60 Hz, 1.1 Amps. U.L. listed.

Model II Disk Expansion Units



115000

Gives You More On-Line Storage

For more disk storage, just plug in an external Disk Expansion Unit—available with one, two or three 8-inch disk drives. Each drive adds about 486,000 characters of on-line storage. For a one or two-drive system, drive kits are available to expand to a two or three-drive system. Inquire at your local Radio Shack Computer Center.

1-Drive System. 26-416	0 1150.00
2-Drive System. 26-416	1 1750.00
3-Drive System. 26-416	2 2350.00

Specifications

Number of Drives: 1 to 3. Disk Format: Track 0—system information; Tracks 1 through 76—26 sectors, 256 bytes per sector (double density). Disk Size: 8" diskette. Data Transfer Rate: Double density, 500 kilobits per second. Disk Speed: 360 RPM. Letency: 83 ms, average. Track Access Time: 260 ms average, 10 ms track-to-track. Dimensions: 111/2 x 181/2 x 21". Power: 120VAC, 60 Hz, 150 Watts. U.L. listed.

systems



TRS-80 Disk System

9300*

80 Model 12 04)

age (26-6017) nary Hard Disk

Time-Saving Word Process



SCRIPSIT™ Word Processing

Speeds up any job you're now doing on a typewriter. It's easy to learn and use, with "plain English" prompts and menus that put advanced editing capabilities at your fingertips! Letters, reports and manuscripts can be written and edited right on the

display screen. Then, with an optional printer, you can print as many "letter perfect" copies as you want at an incredible 500-plus words per minute. Frequently used reports, forms or paragraphs can be stored on disk for use again and again—and updated at any time. SCRIPSIT includes automatic block moving and duplication, easy page numbering and renumbering, and an information line that keeps track of cursor position, margins, line spacing and page number. A Global Search mode will locate a specified word wherever it occurs in your text for selective editing. Floating format and reverse indentation make it easy to set up tables and special formats. You can define up to 20 keys to reprint words and phrases or to access special functions. Also store up to 11 formats that you use often and select the one you want with just a few keystrokes. SCRIPSIT offers full headers and footers, as well as underlining, subscripts, superscripts and bold face (depending on the printer you choose). SCRIPSIT's "background" feature even lets you print one document while you're typing or editing a different one. Stores up to 320,000 characters on each diskette with a one-disk Model II/12 system—plus up to 400,000 characters on each external drive you add to your Model II/12 system. Greatly increase storage capacity with a TRS-80 Hard Disk System. Load and store ASCII text files, too. Includes a superb manual and a self-paced training course on audio cassette tape.

SCRIPSIT Spelling and Hyphenation Dictionary

This automatic "proofreader" for SCRIPSIT checks and displays your text on the screen, highlighting misspelled words. Contains over 100,000 words, abbreviations, proper names, contractions and foreign words with hyphenation points. You can add up to 2000 words that are used in your profession—medical, legal, engineering, scientific terms, etc. Requires SCRIPSIT 2.0 and one additional disk drive.



An Ideal Word Processing System

603300

SCRIPSIT Plotter Driver

Now you can add a vivid dime and overhead projector transpour use SCRIPSIT 2.0 to out Plotter (see page 38). Print colors—red, black, blue, gree boxes around your text, straig scripts and subscripts. Simple change character sets, set color pens. Use either a vertical can also move one-half space backward a full space. Supp features, plus character and cation. Requires SCRIPSITED Pen Plotter. 26-4536

VisiCalc® Enhanced

Expanded version of the original the decision-maker, the new efficient management planning everything from corporate find to sales projections. Compared wired. With VisiCalc, the Twindow through which you vie "worksheet" organized in communication of the worksheet organized in communication or communication of the worksheet organized in communication organized in communication or communication

ing and Planning Programs



This TRS-80 system costs less than most dedicated word processors, yet lets you do data processing, too. System includes the 2-Disk TRS-80 Model 12 (26-4005)—ideal for a variety of business and technical jobs in addition to word processing—the Daisy Wheel II Printer (26-1158) and Cable (26-4401). Software extra.

ension of clarity to your text barencies. This program lets but to our TRS-80 Multi-Pen nine character sizes in six en, violet and orange. Draw th lines, underlines, supere commands let you easily character size, and switch cal or horizontal format. You e in any direction, or move orts all plotter text-oriented d word-incremental justifi-T 2.0 and TRS-80 Multi-49.00

inal VisiCalc. Designed for VisiCalc is an amazingly of tool that can be used for lances to engineering work uter experience is not reported by a section of an electronic polumns and rows. In each left a description, number or the worksheet—the related our eyes as the program

instantly recalculates every affected item! For example, you can enter the projected cost of a new employee into a VisiCalc worksheet containing current and projected profit and loss figures. VisiCalc will then recalculate every related figure to show the effect of your addition. Quick "what if . . . " studies like this can give you an effective way to predict the results of important decisions. What might take hours with pencil, eraser, calculator and columnar pad is performed in seconds with VisiCalc! The new entry editor speeds worksheet preparation by allowing you to modify formulas and labels without re-entering them. And new logical and comparison operators let you perform testing and branching. Built-in math functions permit speedy solutions to complex engineering problems. You can also produce simple graphs, and of course save your model on disk for future use. Add a printer and you can print your entire worksheet, or any portion of it. With an additional 64K memory board (below), you can produce even larger worksheets. (Memory board is not required for owners of Model 16 computers or Model II/12 computers equipped with Model 16 upgrade). 26-4521 299.00

64K Memory Expansion Board

Simplify Information Hand

Profile II

One of our most popular programs! It's an electronic filing system that lets you design your own database and can search through your records to find just the files you want-in seconds! No special computer background or programming knowledge is required—our instruction manual leads you through the various features step by step. Keep track of names and addresses, accounts, bills owed and paid, personnel or customer records and more. Unlike a conventional file, which can be searched in only one order-alphabetically or by account number-Profile II files can be searched by up to 36 user-defined criteria! You specify the way your files are set up and how information appears on the screen and printed reports. Profile II even includes options that restrict unauthorized users from accessing confidential files. Store up to 99 data fields in a single record, and print up to five different reports for each file. Reports can include automatic page numbers, current date and column totals. With two or more disk drives, Profile II can merge with SCRIPSIT to "personalize" your letters and reports with names, addresses and other important information. Stores up to 3000 records with a one-disk Model II/12 system, up to 20,000 with additional disk drives.

Profile Plus

An expanded version of Profile II with a number of sensational "extras" for greater flexibility. Allows arithmetic operations between fields—up to 16 equations of 63 characters each. This advanced math pack can be used to perform such functions as extensions, calculating taxes, subtotals and totals. Profile Plus allows you to instantly switch between any of your five screens and display various portions of an individual record. Create customized menus that require only a single keystroke for execution. Index your file in logical order for high speed access to records. When performing a search, Profile Plus will scan all associated fields for the type of information you want. Selectable record lengths prevent wasted disk space and increase the maximum number of multisegment records. Advanced screen editing lets you insert and delete lines during screen creation or report formatting. Then after you've created your screen, a prompting message will ask you if you want a printout. And a new 'type-ahead" feature lets you continue entering keystrokes even while other functions are being executed!

Profile Upgrade

It's Easy to



Define a Screen L

Our Profile II program is e Design your own screen f enter your data on the screen

Profile Training

This informative package give of the endless capabilities of through a carefully sequence perience. Examples are proviibility of the Profile softwal learning foundation for Profile cassettes with an excellent 9 disk. 26-4516

Profile Prosort

High-speed indexing program you to sort and select records file at a time. You can sort or four additional fields, ascent records using up to 16 select to print your records using a dex. You can create up to five index for video inquiry. 26-4558

Profile Forms

This new enhancement progprint one detailed record per file, rather than Profile's norm multi-item reports. Each form wide and up to 66 lines deep, per file can be maintained. S special characters (depending text and Profile data. 26-4556

All Model II Software on this Page Will Bun on Model

lling With Electronic Filing

Create and Use a Profile® II Filing System





			THE THE	1400	
-	40.00	P-2/21	Married Street	277 "	20
3 850	EGE	757	20 E	200	43
N. HOLLES	1000000	- Janes	1870.80	100000	

ayout

Define a Report Format

Get a Printed Report

asy to learn and easy to use. or the data you want stored, en, and design a report—in

virtually any order—in just minutes! Enter your data, and the exact information you want is always just a few simple keystrokes away!

es you a working knowledge f Profile II. You are guided d, step-by-step learning exded to demonstrate the flexre. Provides an excellent Plus users, too. Four audio 6-page manual and training

n for Profile Plus that allows from any one segment of a one field with sub-sorts on ding or descending. Select ion criteria. Also allows you previously created disk inindexes for reports and one

. . . . 149.00

. 125.00

ram for Profile Plus lets you sheet on each item in your nal one or two line listing on can be up to 132 characters Up to five different formats Supports 1/2" line feed and g on printer used). Intermix

Profile Archive

A practical program that lets you purge inactive records from any file in Profile Plus. Deletions can be performed based on up to 16 criteria. You have the option of listing the deleted records to a line printer and/or merging them into a separate archive-or history-file. 26-4557

Menu Generator

Now you can create custom menus in machine code for BASIC or COBOL programs—or special individual applications. It's perfect for the TRS-80 Hard Disk owner who has numerous applications on line at one time. You can create a "master" program menu, or even a menu of menus. A single key can be set up for a series of TRSDOS commands. You indicate the key to be pressed, the prompt you want to see in the menu, and the command line you want executed. Allows 12 selection items per

Versatile

Permits anyone to create a simple computerized filing system-no computer experience is needed! Lets you store almost any type of data—you simply type in a sentence. To retrieve information, just type a "plain English" question. Global search function matches keywords in your question to information on file. With a TRS-80 printer, you can print all or any portion of the files. 26-4510 .

Streamline Your Accounting Sys With TRS-80 Business Packages

A TRS-80 Model II/12 computer system can prepare profit and loss statements, tighten up receivables, speed up collections, control disbursements, improve cash flow, keep a close watch on payroll and budgets, help you with your inventory control, analyze sales information, and much more. Your company's operations will be faster, more efficient, and more accurate—and that can help you save money.


Don't know how to program? That's fine. At Radio Shack, we know you have more important things to do than to learn how to program. And you won't have to hire a programmer either. In fact, anyone in your office can easily and quickly learn to use these powerful TRS-80 Model II/12 business and accounting software packages. That's because each package comes with a very thorough instruction manual that will guide you step-by-step through every important function and will describe day-to-day operation. What's more, with additional disk drives, these packages form an "economical" interactive system. And Model II/12 software will also run on a Model 16 in the Model II (single-user) mode.

System Requirements

These programs require a disk Model 12 microcomp printer and printer cable.

General Ledger

A powerful, labor-saving s paperwork. Handles up to entries per month. Seven and user-defined account balance detection, entry to ing. Automatic audit trails prevention and rapid entrie and error recovery. Report Balance Sheet, Charts of Ament List, Posting Summar Full reporting capabilities status at any time. A second Payroll (26-4503), Account Accounts Payable (26-450)



This affordable TRS-80 Model 12 "Basic Business" system is ideal for many office needs and will run all software shown on this page. It includes the 2-Disk Model 12 (26-4005) with 2,500,000 free bytes of disk storage, DMP-400 Printer (26-1251), and Printer Cable (26-4401). Desk not included.

tem

single-disk Model II or a twouter, a 15"-wide, 132-column

ystem that eliminates tedious 504 accounts, up to 11,420 optional expense categories numbers. Automatic out-of-taling, and document balances. Controlled inputs for error es. Easy document correction is include: Income Statement, accounts, Trial Balance, Docuries, and Ledger Detail Report, allow access to your financial disk drive allows update from ts Receivable (26-4504), and 5). 26-4501 199.00



523300

Payroll

Accounts Receivable

Accounts Payable

Mailing List II

Interactive Programs Team U

Single-User Multi-Disk Business Packages

Each of these powerful interactive accounting pro-grams is designed for the Model II, Model 12 or Model 16. The Model II version requires a TRS-80 Model II and a 2-Drive Disk Expansion Unit or a TRS-80 Hard Disk Unit. The Model 12 version requires a TRS-80 Model 12 with two floppy disk drives or a Hard Disk Unit. The Model 16 version requires the TRS-80 Model 16 with two floppy disk drives or Hard Disk Unit. All require a 15-inch wide printer with tractor. You can also upgrade your Model II or 12 to a Model 16 multi-user system and use your existing data files. COBOL source code is available at extra cost after signing a special license agreement. (Note: Because of the operation of COBOL's Indexed Sequential File Access system, limits of these programs will vary with individual installation.)

General Ledger

Superb "total" system that will interact with the Accounts Payable, Payroll and Accounts Receivable programs on this page. An easy-to-maintain control file allows you to use multiple profit centers. Reports include: Income Statement, Balance Sheet, Supporting Schedules, Chart of Accounts, Financial Statements, General Journal Transaction Register, General Ledger Trial Balance for any specified period, General Ledger Worksheet, General Ledger Source Cross Reference (shows entries for each source), Statements of Cash Flow, Changes in Financial Position, and Changes in Components of Working Capital.

Model 16, 26-6201 .

Accounts Receivable

An open item and/or balance forward system that will interface with the 3-Disk General Ledger, Order Entry/ICS and Sales Analysis programs. The program prints Aging Report (with or without detail) for all or selected customers. It provides a General Ledger Distribution Report and allows easy access to frequently used General Ledger accounts for rapid entries. Prints a Cash Application Worksheet showing balance owing, the valid discount and the net amount due from each customer. Optional user-defined features include: accumulating revenue and expense by profit center (product line), calculation and addition of sales tax based on customer tax code, calculation of commissions and printing commissions due report, and more.

Model II/12. 26-4604											499.00
Model 16. 26-6204											599.00

Accounts Payable

An accrual system that will Ledger program. Reports incl cal Vendor List, Accounts Pa Accounts Payable Aging, Check Writing Accounts, Par eral Ledger Distribution and


Model II/12, 26-4605

Model 16. 26-6205

Payroll

A complete, time-saving pay and prints checks and provi General Ledger accounts (int program). The program give hourly and salaried employe frequencies. Provides a wide and deductions categories, a prepared checks and adjustr tion and sick pay and recall up history. Tables for federal, s taxes are easy to maintain. P withholding reports, W-2 for check register and more.

Model II/12. 26-4603 Model 16. 26-6203



System as Shown

o for Greater Business Control

interface with the General ude: Vendor File, Alphabetiyable Transaction Register, Cash Requirements, Preyable Check Register, Gen-Vendor Analysis.


rroll system that calculates des distribution to multiple eracts with General Ledger is you efficient handling of ses and permits seven pay variety of special earnings and allows entry of manually ments. Lets you track vacato to one year of detailed pay tate and local withholding rints federal, state and local orms, payroll worksheets,

Order Entry/ICS

Allows both single-pass invoicing and two-pass open order entry with separate billing. Requires and interacts with Accounts Receivable program. Allows maintenance of the item file and prints a Numeric Item List and an Alphabetic Item List. Orders can be entered and edited on request. Prints: Item Receivings Register, Billing Edit List, Picking Tickets, Order Edit List, Price List, Item Stock Status Report and Purchasing Advice Report. Also prints Sales Analysis by Item, by Product Category and by Item Sales Volume when used with Sales Analysis (below).

Sales Analysis

Effective way to examine and evaluate sales information. Data is obtained from customer file of A/R or item file of Order Entry/ICS. Shows sales activity by customer, customer type, customer sales volume, salesman, state, item, item category or item sales volume.



An outstanding TRS-80 Model 12 system! Includes the 1-Drive TRS-80 Model 12 (26-4004), 12-Megabyte TRS-80 Hard Disk Unit (26-4152), DMP-500 Printer (26-1252), Cable (26-4401), Printer Stand (26-4305), and System Desk (26-4303). Hard-disk storage gives you massive data capacity with fast Winchester access.

13


Programs for Today's Law

Time Accounting

This versatile accounting program is a must for any business that requires a detailed analysis of the amount of time spent performing specific jobs to supply to its customers. It can handle up to 14 professionals, 1000 clients, 500 jobs, 99 charge code categories—such as expenses and payments—and 2950 transactions. You can easily add, delete, change, list and review all information on file concerning the person who performed the work, customers, contracts and charges. This includes quickly updating charges and payments received, preparing billing worksheets and printing statements. There's even a "statement simulation" for final adjustments before the actual statements are printed. Time Accounting gives you an accurate picture of your firm's profitability by tracking billable and non-billable time, billable and non-billable expenses, amounts billed and amounts paid. Requires four disk drives. 26-4520 . .

Litigation Support


A versatile computerized retrieval system design docket control program h organize notes, and keep spondence. Just enter a history, and corresponde you can be reviewing the records, with 12 pleas, Support also doubles as a ments associated with a letter or conversation. T subject, topic, case num puter displays any match records, with 144 charac characters for descriptio prints complete reports names and addresses SCRIPSIT (26-4531) 26-4545



System As Shown This is an ideal system to run all software on this page, a Model 12 (26-4005) with a total of 2,500,000 free bytes of printer (26-1252), and Printer Cable (26-4401).

yer, Doctor and Contractor

d information storage and ed for the attorney. This elps you research articles, track of reports and correclient's background, case nce. At a moment's notice, case. Store up to 350 client and 10 memos. Litigation paralegal. Just enter docucase—such as a memo. hen by simply typing in a ber or keyword, the coming records. Store up to 575 cters for sources and 255 Litigation Support even and mailing labels. Merge with form letters using and extra disk drive. 299.00



nd includes: 80K, 2-Drive of disk storage, DMP 500

Medical Office System

The Radio Shack Medical Office System is designed to provide a fast and efficient system for collecting and managing accounts receivable. It accomodates a large individual practice or a medical clinic with up to ten physicians. Handles records and billing for up to 3000 accounts and 9000 transactions per month. Features 450 procedures and diagnoses, 4 recall medications, 2 recall dates, and 2 insurance companies per patient. Produces monthly statements. insurance forms, daily recap, transaction review, aged accounts receivable, procedure and diagnosis reports. The system provides complete audit trails and detailed reports, cutting the time you presently spend on accounting and preparing statistical reports. Zero-balance double-entry accounting maintained automatically. Requires a minimum of two disk drives. Customized letters and mailing labels using Profile II (26-4512) and SCRIPSIT (26-4531) and extra disk drive.

Job Costing

Important Software Notice

All Radio Shack computer programs are licensed on an "as is" basis, without warranty. Radio Shack shall have no liability or responsibility for any loss or damage caused or alleged to be caused directly or indirectly by computer equipment or programs sold by Radio Shack, including but not limited to any interruption of service, loss of business or anticipatory profits or consequential damages resulting from the use or operation of such computer or computer programs.

Programs To Streamline

Inventory Management System

Take stock of your business quickly and easily! Inventory control is an important priority for every company that has to maintain an investment budget, yet meet its consumer demand. Achieving the proper balance requires information about the flow of merchandise through an inventory, and prudent decision making concerning that flow. When used as a management tool, Inventory Management System (IMS) can help make consistent and efficient inventory a reality for your company. It handles up to 3000 inventory line items, 200 vendors, on-hand quantities up to 999,999, with a maximum selling price of any item at \$9999.99. IMS goes beyond most "traditional" inventory systems by projecting your reorder needs based on analysis of past performance and sales trends. You can also analyze your stock turnover and calculate the gross margin for each stock item. Reports generated include: Master Inventory List, Vendor Listing, Transaction Posting Report, Suggested Order List, ABC Code Analysis, Physical Inventory Worksheets, Physical Inventory Error Report and an Inventory Performance Report, which includes a Total Inventory Performance Summary, ABC Code Performance Summary and ABC Code History Summary, Our Inventory Management System interfaces with General Ledger program (26-4501).

Order Entry With Inventory Control

A unique package with deluxe features that can become a vital part of your business. It can help you simplify your inventory control and get complete reports on stock levels. This program is designed primarily for non-manufacturing distributors that maintain up to 650 accounts in accounts receivable and up to 2000 items in inventory. It reduces duplication of efforts, and saves time in filling orders, producing invoices and posting sales and adjustments to each customer account. For example, it records and processes back orders with automatic filling capability. It can use either the long or short invoice forms. You can even modify the invoice format to meet your specific needs. It prints a Picking List to aid in pulling items from stockroom or warehouse. Our Order Entry with Inventory Control interfaces with the Model II/12 Accounts Receivable program (26-4504). Requires four disk drives.

Inventory Control Syste

Our Inventory Control Sy counting less tedious money. Inventory control accurate as the system as ordering from vendors, ar can even handle partial r custom-design your own r receipts, prepares labels maintenance of the refer inquire/edit and list. Print number and six major rep List, Items with a Zero Open Purchase Orders a vides a Sales Journal, p sheet, and provides a s prime vendor (based or level). Both Model II and 1 disk drives. Additional driv inventory items (four drive dles approximately 3000 disk. Model 12 handles a Model II/12. 26-4602 . . Model II/12 Hard Disk. location-of-item code as a additional "Location" repo Model 16 Hard Disk. T multi-user operation with u 30,000 items. 26-6302

Manufacturing Inventor

Review inventory, establi dure, process inventory to and quantities required t determine the status and work in progress, estima labor and material require in four stages. First, Inven and can function as an i tem. Second, Bill of Mate with up to 99 component and Movement allows ent ing orders and moves the production. Fourth, Plann uling, projects material completion dates. Red 26-4509

Your Business Operations

m

stem (ICS) will make item and save your business becomes easier and more sists you in cycle counting, d numerous other tasks. It eceipts, and allows you to eports. The program posts and gives you complete renced files—add, delete, s purchase orders by P.O. orts—Master List, Vendor Reorder Point, Price List, and Cost Inventory. It prorints a Cycle Count Workuggested order listing by a pre-defined inventory 2 require a minimum of two es may be added for more s maximum). Model II haninventory items per data bout 8000 per disk.

Up to 30,000 items. Uses a third possible key. Prints ort. 26-4802 399.00 his package also supports up to 3 users. Handles up to

y System

sh a cycle counting proceransactions, describe parts of produce finished goods, dollar value of orders, track the order completion dates, ments, and more. Installed tory holds up to 2100 items independent inventory systemals holds up to 600 bills as each. Third, Order Entry ry of up to 200 manufacturiem through all phases of ing helps with labor schedrequirements, and order puires three disk drives.

Statistical Analysis

Personnel Search

Electronic Broker*

Maintains securities transaction records for stockbrokers, investment advisors, accountants, and small bank trust departments. The Electronic Broker organizes your account bookkeeping with flexibility and ease. Reviews and updates security prices, market averages, split stocks, and adjustments for dividends. Builds and maintains four libraries of information—a library of up to 500 Client Accounts, a library of up to 500 Securities, an ongoing Transactions File, and a matched-off Liquidations File. The Transactions File produces well-organized, accurate screen and printed reports, such as Master List of Accounts, Master List of Securities, Statement of Account, Realized Long and Short Term Gains by period, and Cross Listing of securities. Additionally, the program prints a Posting Journal and a Liquidations Report as an audit trail. 995.00

Advanced Programming/Common Software for TRS-80 Versatility

Assembly Language Development System

This powerful five-module package offers the assembly language programmer a number of important features: EDITOR—Full-screen editor with global find/change, and the ability to output to video or a printer automatically while in the editor mode. You can execute most TRSDOS commands without exiting editor, and load single files or chain multiple files together.

ASSEMBLER—Supports IX and IY registers, separately-linkable multiple program sections, relocatable/ absolute object, macros and sorted cross references list, enhanced mnemonic op codes, conditional assembly with optional assembly time prompting, and support of standard and undocumented mnemonics.

LINKER—Indirect command file, optional module cross reference, entry point, and symbol listing.

DEBUGGER—Full trace functions, load and dump programs in file image, and do conversions and simple math commands. Find/examine/change memory by HEX or ASCII, copy memory to memory or fill memory with constant, two independent memory displays and one register dump on screen. Permanent/temporary break points plus single step, and examine/modify disk files by record or relative sector.

FILE TRANSFER—Automatic multi-file transfers between any TRS-80, converts files to target machine's format, automatic SETCOM with default control file, transfers source, data object and program files, automatic synchronization (either end responds first) and file names may be given directly, by "wild card" or by indirect command file.

Model II/12. 26-4712 249.00

Program Editor

This package can be used with any of our Model II/12 languages (see page 17). When you're editing large programs, it's a fast and efficient way to modify your source code. Editing commands allow you to easily modify, delete and insert characters or lines. Global search locates selected text strings throughout the program and makes changes automatically. Line numbers are optional and tabs are set automatically for the requirements of each language. File record formats are user selectable.

Editor/Assembler

The Macro Editor/Assem grammer to quickly write, cute programs in Assemb the use of either 8080 or 2 can be specified in octal mands are simple and straboth line-oriented and chegram will provide a source display any text file. Including program.

Model II/12, 26-4702 . .

Editor/Assembler, Ser

Program in machine lang more efficient memory use numbering, line renumbe global search, plus the so files and source files may Assembler features these symbol table," "list to prin labels up to six character **Model** II/12, 26-4713

ReformaTTer"

Prepare programs and da using the TRS-80 Model I transfer of files between diskettes. It organizes dat density IBM format, perf character conversion and ettes to the IBM format eliminating the need for sp You have full control over including creation/expirat ning of extent, end of ext and bypass and verify field renamed and even delete ReformaTTer allows you data on an IBM diskette d data to a TRSDOS diske presentation and descri make it easy to learn and

Model II/12, 26-4714 . . .

unications

bler allows the advanced proedit, test, assemble and exely Language. Features include 2-80 mnemonics and constants , hexidecimal or binary. Comaight-forward. The text editor is laracter-oriented. A utility prolisting, plus list to the printer or les user's manuals and sample

. . 199.00

ies I

uage for faster execution and e. Editor features automatic line ering, single-letter commands, urce text may be saved in disk be loaded together in memory. e options: "wait on error," "no iter" and "trial assembly," plus s and eight pseudo-ops.

. 49.95

ta for use with IBM® equipment I/12. ReformaTTer handles the TRSDOS and IBM-compatible a to conform to the 3741 singleorms optional EBCDIC/ASCII automatically initializes diskncluding all necessary fieldsecially pre-formatted diskettes. all aspects of an IBM diskette. ion date, record length, beginent, write protect, accessibility, ds. Any "data set" label can be d data sets can be reactivated. to examine and alter existing firectly without transferring the tte. And the convenient menu iptive prompting messages use. Requires two disk drives.

Binary Synchronous Communications 3270

This program allows your TRS-80 microcomputer to emulate an IBM 3270/3271/3275/3277 display station. You can communicate to a remote computer using standard IBM Binary Synchronous (BSC) protocol for the IBM Systems 360/370 and 30-Series Central Processing Units, plus non-IBM devices equipped with BSC-3270 communications capability. All functions of an IBM 3270 display station are provided, including screen formatting, polling responses, data link control, time-out control, and cyclic redundancy checking. A TRS-80 equipped with this on-line standard binary synchronous communications 3270 program may be used interactively with systems such as IBM's CICS. VM/CMS and IMS, plus with other remote systems that support IBM 3271 or 3275 terminals, Bisync-3270 communicates in half-duplex mode and may operate at data rates up to 19,200-baud depending on the type of communications connection used. Editor/Assembler (26-4702) may be used for mode reconfiguration. Requires modification of the "A" serial port (extra charge).

IBM/DEC* 3780-Compatible Binary Synchronous Communications

With this communications program, your TRS-80 microcomputer can function as an IBM-compatible remote terminal or a Remote Job Entry (RJE) terminal con-nected to a mainframe computer. This batch standard binary synchronous communications 3780 program allows the selection of IBM 2770, 2780, 3741 or 3780 terminal protocols for communicating with the IBM Systems 360/370 and 30-Series computers, IBM 2780 and 3780 terminals, DEC PDP-11 or VAX-11 computers. and other devices equipped with bisynchronous communications ability. Commands and options are provided which permit you to send one or a series of files to a remote, receive data from the remote onto a printer or disk files, automatically convert between EBCDIC and ASCII codes, transmit or receive character coded data in transparent or non-transparent modes, automatically pad or truncate records to match transmitted data to required protocol and decide printer forms control commands. Bisync-3780 communicates in half-duplex mode and may operate at data rates up to 19,200-baud depending on the type of communications connection used. Editor/Assembler (26-4702) may be required if mode reconfiguration is needed. Requires modification of "A" serial port (extra charge).

Model II/12 Programs Will Run on a Model 16 in Model II (Single-User) Mode. Model 16 Programs Will Run on a Model II/12 with Upgrade Kit.

Choose the Radio Shack Languag You Need for Program Developme

Language versatility! That's what you get with TRS-80 Model II, 12, and 16. Radio Shack offers you several sophisticated programming languages—each developed for a particular type of application.

The TRS-80 adapts easily to your choice of programming languages because the system has no primary language stored in memory. You simply load the disk and you're all set! That makes your TRS-80 system able to meet your growing or changing requirements.

These reasonably priced languages enable you to purchase our complete package at a fraction of the cost you'd expect to pay just to lease from others! And each package includes complete, user-oriented program documentation.

COBOL Development System

COmmon Business Oriented Language is perhaps the most popular programming language for business and accounting applications. That means a wide selection of software is available-much of which can be transferred to the TRS-80 Model II, 12, or 16 with little or no modification. Radio Shack's COBOL is a high-level implementation of the ANSI-74 COBOL standard for minicomputers. It features multi-keyed ISAM (Indexed Sequential Access Method) for quick access of data, interactive DEBUG for program development and testing with address stop, single step and variable display, CRT control with extended ACCEPT/DISPLAY commands for attractive screen formatting, and full level-2 Input/Output commands. It has an Editor for creating and changing source programs and a single-pass Compiler which generates an object code for fast execution by the Run-Time Diskette. Radio Shack's COBOL Development System is supplied on a single diskette with deluxe binder and includes User's Guide, COBOL Language Manual, Run-Time package, and sample programs.

COBOL Run-Time Diskette*

Model II/12.	26-47	04	į.					Ç.					2			Ç	40.00
Model 16, 26	-6101	C/D		Ç.		÷				÷	-	-					40.00

*NOTE: Run-Time Diskettes are available separately for those who intend to sell software developed on our compilers. You don't need to purchase a separate Run-Time Diskette for your own use.

COBOL Generator

Reduce your COBOL develop programmer to define a complete then generate a COBOL source Using a dictionary facility, you files, data fields, validation rul Then define data entry screen screens and printed reports. A editor allows modification of the add customized logic. Required ive and COBOL Development Model II/12, 26-4707

Compiler BASIC

Allows you to program in BASI racy and speed that many ap you're developing programs to protect your code against modifeatures a single-key ISAM to I data, a cross reference and interprogram development, easy car other object programs, 14-d format, full error control, companies, full error control, companies, pass compiler. (Note: Cofor program development an existing software.) Includes us package.

Model II/12. 26-4705

Compiler BASIC Run-Time

Model II/12, 26-4706

FORTRAN

FORmula TRANslator is a universe programming language design technical or engineering problematic notation. Radio Shack's FANSI-66 standard and features tation in compiler, and hex and piler listing. The program has fithe Editor, Compiler, Linking Leand a Source and Listing File P Manual, along with language, guides, and sample programs.

Model II/12, 26-4701

www.RadioSha

ent

ment time! It allows a te software package and e program automatically. I supply information on es and editing formats. In formats, simple query An easy-to-use COBOL COBOL source code to se one additional disk at System (26-4703).

. 995.00

C and get the extra accu-

plications require. And if sell, compiled programs fications. Compiler BASIC nelp organize and retrieve eractive DEBUG to speed alls to assembly language ligit floating point decimal plete CRT control, and a ampiler BASIC is intended at not for conversion of ser's guide and Run-Time

. 199.00

Diskette*

. 30.00

versal, statement-oriented led primarily for scientific, lems expressible in alge-ORTRAN is based on the complete error documenloctal addresses for comive modules consisting of pader, Subroutine Library, rint Utility. Includes User's linking loader and editor

. 299.00

New! TRS-XENIX" Development System

The new TRS-XENIX development system—with the powerful C language—is for advanced programmers developing multi-user software to run under our new Model 16 XENIX, a true Bell UNIX* operating system.

C is a general-purpose programming language originally developed for UNIX*. Yet because of C's flexibility, it has been used by software developers to write operating systems and utility programs for a number of computers. It has also been used to develop applications software for research and business uses, including numerical, text processing and data base programs.

The entire TRS-XENIX development system includes all standard UNIX utilities (about 250 modules) for multi-user software development, including:

- C language compiler
- assembler
- text editor
- text processing (not including editors)
- text print formatting
- typesetting
- spelling dictionary with over 20,000 words
- accounting and invoicing system users
- electronic mail
- relocating program loader
- maintain program groups
- print spooler
- sort utility
- stream editor
- command processing
- BASIC language interpreter
- FORTRAN compiler (compatible with C)
- structured FORTRAN preprocessor
- compiler generators
- file management
- pattern recognition and file comparison
- pattern scanning and processing language
- interactive program debugger
- full password protection
- on-line communications
- system status information
- system maintenance
- on-line UNIX programmer's manual

TRS-XENIX development system is for program development only and is not needed to run applications or other languages. It requires a minimum of 256K memory (512K is recommended) and a hard disk drive.

TRS-XENIX Development System. 26-6401 . . 750.00

Model II/12 Programs Will Run on a Model 16 in Model II (Single-User) Mode. Model 16 Programs Will Run on a Model II/12 with Upgrade Kit.

This "All-in-One" Personal Con Affordable, Versatile and Expa

Perfect Computer For Work or Play! 99900 16K Model III BASIC


- Completely Self-Contained Desktop Unit
- Easy Internal Expansion for Personal And Professional Use
- Built-In High-Resolution 12" Video Monitor Displays 16 Lines of 64 Characters
- 65-Key Typewriter-Style Keyboard With 12-Key Datapad for Numeric Entry
- Built-In Parallel Printer Interface
- Learn BASIC Programming With the Excellent Model III Beginner's Manual
- Many Ready-to-Run Programs Available

Get Started in Compu

Model III is perfect for leasy to use and hard to many features that you'd standard on Model III Model III can easily ar meet your changing required.

Huge Software Library

You can put a Model III selection of ready-to-run hold budget, track your home inventory or recub's mailing list, teach puter games, and much statistics and even become word processor. The post All you need is a cassed cable and you're set.



mputer is andable!

ting with Model III

beginners and pros alike outgrow. More importantly, d expect to pay extra for are . And when you're ready, and economically expand to juirements.

to work or play with a wide programs. Set up a house-stock investments, create a ipe file, computerize your your kids, play exciting commore! Model III can analyze ome an incredibly low-cost sibilities are almost limitless. Ite recorder and connecting



Expands Easily

Specifications. Microprocessor: Advanced Z-80 8-bit. Clock Speed: 2.03 MHz. Memory: 14K ROM with 16K RAM, expandable to 48K RAM. Keyboard: 65-key "typewriter" style with 12-key datapad. Video Display: Memory mapped with high-resolution 12" monitor. Includes 96 text, 64 graphics and 96 "special" characters. Screen format—64 or 32 characters by 16 lines, upper and lower case. Input/Output: Computer-controlled cassette interface—500/1500 baud selectable under Model III BASIC. Parallel printer interface and buffered Model III bus. Provisions for adding disk drives and RS-232C interface. Dimensions: 121/2 x 187/e x 211/2". Power: Integral power supply, 105-130VAC, 60 Hz. U.L. listed.

CCR-81 Computer Cassette Recorder

Designed for The TRS-80 5995

- Tape Counter for Easy Indexing
- LED Data
 Record Indicator

Ideal for loading and recording programs and data on cassettes. Includes ca-




Who is the Model III for?

The Model III is ideal for anyone who wants an excellent "starter" computer that can later be expanded for advanced programming, business or professional use. With its power, expandability and vast library of available software—and affordable price—the Model III is perfect for beginning computer enthusiasts. It's also an outstanding choice for professional people who may wish to expand it later for business use, and for school systems for use in classroom networks.

Home and Professional Syster

"Starter" System




134790

Full Featured, Yet Very Affordable

Here's an ideal computer system for the beginner. It's perfect for hundreds of uses-from education to learning computer programming to entertainment. We've teamed the 16K Model III (26-1062) with our CGP-115 Color Graphics Printer (26-1192) and cable (26-1401). The CGP-115 gives you sharp-looking graphs, charts and diagrams in six vivid colors-plus it draws alphanumerics as well. We've also included the CCR-81 Cassette Recorder (26-1208) to let you store and retrieve your own programs, or load our ready-to-run software. The system provides everything you need to get started in the exciting world of computersincluding our Model III learner's manualand can be easily expanded as your skill and needs grow.

Personal Business Sy




189695

Ideal for Hor Business Us

For business applications, Model III (26-1062) with powerful I BASIC is the way to go. You can ready-to-run software with the Cassette Recorder (26-120) DMP-200 Dot Matrix Printer (26-1) cable (26-1401) gives you draft-qu respondence and reports with SCRIPSIT™ word processing p Model III BASIC gives you advan gramming features for greater of and usefulness. You can't top a N system like this for personal budg vestment portfolio handling, s analysis, mailing lists, real estate tions and many other business u at a price you can afford. And it's move up to larger internal mem disk storage at any time.

www.RadioShad

Powerful Model III BASIC Language



Included With the TRS-80 Model III

The powerful Model III BASIC language is an ideal way to learn computer programming. It gives you many important features, including upper and lower case characters, a screen format of either 64 or 32 characters by 16 lines, automatic scrolling, a screen

print command and repeating keys. And you can load cassettes at either 500 or 1500-baud via the computer-controlled cassette interface. You also get easy RS-232C initialization. space compression codes to reduce program size, a real time clock display, as well as printer control features such as line width, page length and printer status. And you get multidimensional arrays, a definable cursor, comprehensive string handling, 255-character program lines and string variables, automatic line numbering, extensive program line editor to speed program development, TRACE, PEEK and POKE, machine language user calls, scroll protect, 23 specific error codes and even a special graphics character set that ranges from smiling faces and math symbols to letters of the Greek alphabet and card symbols. Addressable block graphics are easy with SET and RESET, and you can position text anywhere on the screen with PRINT@. There's 16-digit numeric accuracy (intrinsic functions remain at 6-digit accuracy). Includes printer commands LPRINT and LLIST. You get both a comprehensive reference manual and a 340-page beginner's tutorial manual. Even if you have no prior knowledge of computer programming, the entertaining step-by-step Getting Started With TRS-80 BASIC instruction manual will have you writing a program in no time. It's packed with examples, quizzes and useful programs. It makes learning fun!

Model III Expansion Options

*Price does not include required installation.

ns

stem



ne and es

the 16K Model III load our CCR-81 B). The 254) with ality coroptional rogram. ced procreativity Nodel III et or intatistical calculases-all

easy to

ory and

Exciting, Low-Cost Games and

Space Warp

space adventure! Your mission—search the galaxy to find and destroy the alien vessel. Demands fast reflexes and sharp wits. Ten levels of play. Optional audio amplifier may be



used for sound effects that add to the fun.

Gammon Gambler™ Backgammon

lenge the computer—it's an opponent always in top form that never gets tired! Includes doubling cube for betting. Graphically displays board and pieces. Ten skill levels.

26-1916 . . . 19.95



Flying Saucers. 1 / 2 The sky is becoming packed with you to shoot 'em down in 'recannon. Fast-paced fun! Ni 26-1905

Microchess. 1/2 It's you classic game of strategy. Thr beginners or advanced play

You'll face numerous perils, patients and much more! The time you play—it's never the 26-1917

Paddle Pinball for Fast-Pa

1/2 Become a pinball wizard! Combines a pinball field that you can vary with fast paddle action. Exciting sound effects with optional audio amplifier. 26-1914 . . . 9.95



Pyramid. 1/2 An exciting that will provide hours of a unknown passages of a forgsearch of hidden treasure never know what's ahead!

Personal Finance and Investmen

rific, low-cost way to keep up with control your home budget. It's vers and easy to use. Records up to 60 ligeted accounts with 25 cash expenious 20 savings transactions and checks per month. Prints various rep with optional printer.

Personal Finance Software

ne year is 1999 and the "spy saucers." It's up to eal time" with your laser ne skill levels.


. 9.95

vs. the computer in the ee levels of difficulty. For ers. 26-1901 19.95

our chance to escape! like guard dogs, strange way out changes every e same twice!

. 14.95

aced Fun



g, challenging adventure enjoyment! Explore the gotten Egyptian tomb in . But be careful—you 26-1909 14.95 Astrology. 1/2 Now it's easy to produce anyone's horoscope in minutes! This fun program comes with interpretive manual and beautiful wall poster. You can even produce an astrological chart with optional printer. 26-1605 19.95

Put on a Show With "Dancing Demon"

amazing devil actually tap dances to computer accompaniment of "Ain't She Sweet"! You can even create your own musicals and dance routines! Requires audio amplifier. 26-1911 ... 9.95



nt Software

and atile oudses, 50

orts

9.95

Cassette Portfolio. 1/2 Helps you keep track of investments. Records transactions and provides analysis of yield, total market value and unrealized gain or loss. Summary of investments by type, including estimated total market income and value. 20 stocks, 10 bonds, 5 funds, 10 options.

System
Requirements
1—16K Level II

Minimum

2—Model III BASIC 3—32K 2-Disk

Software on these two pages require a TRS-80 Model III or I computer and a cassette recorder (such as our CCR-81 Computer Recorder, page 18).

Ready-to-Run Business Applica

SCRIPSIT™ Word Processing System

Advanced Stati

3⁹⁹⁵



Easily Prepare Correction-Free Documents

- Edit, Move or Delete Text Before You Print
- Easy to Learn—Comes With Training Course on Cassette Tape and Manual

 Analyze Data And Forecast Trends

1 / 2 / 3 Ideal for business, education, administration. Programs for tape and disk data files include random sample, de-



Cassette Mailing List.
through address books! It names and print labels (wentire list, or selectively by or other criteria. 80 names names with 32K. 26-1503

Especially for Programmers . . . Languages and Uti

Tiny Pascal. Great introduction to this structured programming language. Fixed point, non-array version of PASCAL. Includes sample programs, along with monitor, compiler and editor.

 play blocks of memory in 12 mode. Displays Z-80 regis allows modifications to F cludes single step executive breakpoint interrupt 26-2000

Series I Editor/Assemble language programming. In ual with Z-80 instruction setures automatic line numb single-letter commands pl global search, more. Assemble letter command with oppsuedo-ops. Resides in me you can easily go back an and assembling. 26-2011

www.RadioSha

tions and Time-Saving Utilities

stical Analysis



7 2 No more searching Geep an updatable file of ith optional printer). Print Zip Code, company name per data file with 16K. 250 19.95

Real Estate Series

2995

Easy-to-Use Decision-Making Tools

Ideal for the Agent, Investor, Broker, Lender or Appraiser of Real Estate Property

1 / 2 Each package in Radio Shack's Real Estate Series includes two cassette tapes, each containing two programs, and an easy-to-understand 30-page manual.

lity Programs

nced programmers. Dis-28 or 256-byte full screen iters and contents. Also RAM and registers. Inution of programs and ion of execution.

r. 1/2 For assembly includes editor and manticulate editor and manticulate editor. Editor featering, line renumbering, us optional parameters, embler features singletional switches, eight emory with the Editor, so and forth between editing

Find Just the Right Program in the TRS-80 Applications Sourcebook

Thousands of Program Listings!

Only 495

Includes Business, Education, Specific Industry/Profession, Statistics/Math, Home and Games Programs



This is "the" place to look for software! A listing of TRS-80 applications by a variety of vendors, with descriptions, prices. We haven't seen or tested the programs so we cannot be responsible for any problems. 26-2114 4.95

Our Most Affordable Desktop C For Personal or Professional


48K 2-Disk With RS-232C 48K 1-Disk Without RS-232C

229500

184900

- Compact One-Piece Design
- 48,000-Character Internal Memory
- One or Two Built-In Double-Density 51/4" Mini-Disk Drives—184K Each
- Expand With External Floppy or Hard Disks
- Typewriter-Style Keyboard With Datapad
- Built-In High-Resolution 12" Monitor Displays Upper and Lower Case Characters
- Complete System—Just Add a Printer
- Huge Library of Software Available

The Model III is a full-fea and it can increase th manager—just plug in an agement programs. You keep track of your appoint automatically update your records of your activiti SuperSCRIPSIT** and a p reports, business letters a ning, forecasting and more easy way with VisiCalc® Electronically automate ye the Profile® III Plus data b Develop presentations v graphics package that graphs or charts or add th option. You can add our a roll and mailing list progra tional languages you can Compiler BASIC, CO



omputer Use!

tured personal computer. e productivity of every y of our disk-based mancan let Time Manager™ ments and "to do's." It will calendar daily, and keep es and expenses. Add rinter to prepare and edit nd memos. Do your plandel development the fast, and Desktop/Plan™-80. our filing and reports with ase management system. ith our handy business automatically generates e high-resolution graphics ccounting, inventory, payms, too. And with our opprogram in your choice of BOL, FORTRAN and



Assember. The 2-Disk model provides 368K of disk storage and includes a built-in RS-232C Serial Communications Interface. Just add a modem and cable to communicate with other computers or access national information networks by phone. Add the RS-232C interface and a second internal drive to the 1-disk version to expand from 184K at any time. And you can also add up to two external drives—or, for larger applications, you can add the Model III Hard Disk. Comes with Disk BASIC and TRSDOS operating system, easy-to-follow owner's manual and comprehensive programming manual. U.L. listed.

48K 2-Disk Model III. 26-1066 2295.00 48K 1-Disk Model III. As above, but without RS-232C interface. 26-1065 1849.00

(For basic Model III specifications, see page 18.)

External Disk Drives At Affordable Prices


Increase the disk storage of your Model III Desktop Computer. High-capacity 184K external double-density 40-track 51/4" mini-disk drives. Internal Drive #1 required. 61/4 × 31/2 × 141/2". U.L. listed.




Who is the disk Model III for?

The disk-based Model III is the perfect desktop computer for busy managers and professionals who need a proven system with an extensive software library. It is excellent for running "electronic spreadsheet" programs to do budget planning and forecasting. Personal computer users like it for its advanced features and expandability. Many school systems choose it as the teacher station to control a network of low-cost Model III student stations. Professional writers use it as the key to an inexpensive, full-feature word processing system.

One-Disk Model III Manager's System Improves Productivity



Two-Disk Wor For Profession



296500

- Ideal for Planning
- Produce Reports Fast

The 1-disk Desktop Business Computer (26-1065) and our DMP-200 (26-1254) printer make a manager's dream come true! Just add our VisiCalc® software for financial planning and forecasting. You'll be able to analyze "what if . . . " situations in seconds. Get our Profile® program and create your own "customized" electronic filing system. Or turn your Model III into a powerful word processor with SCRIPSIT™ to produce "correction-free" correspondence and reports. This deluxe system is complete with System Desk (26-1305), Universal Printer Stand (26-1308) and printer cable (26-1401). It's ideal for any manager's office. The greatest time saver and productivity multiplier available!

399900

Our SuperSCRIPSIT™ so Model III Desktop Bus team up to give you low-ocessing. Letters and doc on the video screen—n print all the correction-fre the "letter-quality" DWP-Printer (with cable, 26-140 SuperSCRIPSIT features underline, double under subscripts, multiple column you can save the complet never be the same! Add operform other business

d Processing onal Results!



- Fast Input and Editing
- Letter-Quality Copies

oftware (26-1590) and 2-disk iness Computer (26-1066) cost, full-featured word procuments can be composed naking editing easy. Then se "originals" you need on 410 (26-1250) Daisy Wheel (1) at 300 words per minute. It true proportional spacing, line, bold face, super and mn printing and more. And ted text on disk. Typing will our ready-to-run software to tasks, too.

Model III Disk System Software TRSDOS™ Operating System

Model III Desktop Business Computers include TRSDOS to provide the input/output functions needed to operate the disks. TRSDOS lets you easily take advantage of the vast file storage space and faster access times you get with disks. Model III TRSDOS includes many important additions to our popular and proven Model I TRSDOS and contains features from our Model II TRSDOS. These include:

HELP—"On-line" assistance for command syntax

ERROR—Provides meaning of error codes

DO Files—Allows automatic execution of stored commands

DUAL — Automatic printing of screen display TIME/DATE—Keeps track and displays DEBUG—Aid for debugging machine language programs TAPE—Transfers machine language tapes to disk FREE—Visual display of disk space Utilities— Provides Copy, Backup, Patch, other utilities

Disk BASIC

Disk BASIC provides a number of extensions to our ROM-based Model III BASIC, including many features for disk file access. The Disk System Owner's Manual includes sample programs and full explanations. Features include: CMD functions, which allow you to examine Disk directory from Disk BASIC, protect programs from BREAK key, string sort and cross reference. Random or sequential access of files, machine language options, definable functions, string search for portions of strings, and LINE INPUT that accepts any keyboard character including commas and quote marks are also included.

Low-Cost Internal Disk Drives

Upgrade your Model III from a cassette system.

Disk Drive Kit 1. Includes TRSDOS, Disk
BASIC and manual.

Disk Drive Kit 2.

*Price does not include required installation.

TRS-80 MODEL III/I HARD DISK SYSTEM AND MOD




I/III A Our 5 megabyte Hard Disk System gives you vastly increased data storage—with exceptionally fast access and ease of use. Winchester technology can provide dramatic improvements in speed. The advanced operating system's many superior, user-friendly features make file handling a breeze. Store over 1000 different files per disk system or create files as large as the available space. The directory is alphabetized to make locating and accessing files quick. High-level communication is available through an advanced communication package that allows direct downloading to disk. A print spooler is included, too. The Job Control Language allows you to

compile and later executcommands, including scretionals, and user interactiscale operations virtually addition to ordinary backup ing up only those files that modified in certain date ranor do not already exist on the backing up from hard diskwill span a large file acroallow easy identification of a file on the hard disk. Ot board type-ahead for fas-

Add High-Resolution Graphics to Your TRS-8

- For Business, Engineering or Entertainment
- Easy-to-Use Graphics BASIC Included
- Provides 153,600 Picture Elements (640 × 240)
- Use Assembly Language Subroutines
- Quickly Draws Lines and Fills in the Spaces

III © Now you can turn your TRS-80 Model III video display into a remarkable electronic "sketch pad" to create sophisticated business graphs, tables, charts, maps, illustrations, geometric patterns—and animation! The 153,600-pixel display allows amazingly fine detail, and the Graphics BASIC command structure is a snap for anyone. All you need to learn are a few



new commands (summa incredible power in cre quickly and easily. Included, user's manual ar BASIC and subroutine lit (not included).

www.RadioShad

ard Disk Drive Adds 5 Megabytes Storage to Your Model III and I

49500

Primary Hard Disk System

99500

Secondary Hard Disk System

- Add Up to 3 Secondary Hard Disk Drives For a Total of 20 Megabytes of Storage
- Compatible With Most Model III/I Software
- Large Capacity and High Speed Make It Ideal For Inventory, Accounting, Data Base Filing
- Operating System Enhances Familiar TRSDOS Commands With Convenient Hard Disk Features
- BACKUP's Special Features Allow Easy Selection Of Specific Files and Fast Backup of Large Files to Multiple Diskettes

e a predefined series of en and audio alerts, condion to make many largeautomatic. BACKUP, in a functions, permits backthave been modified, or ages, or even those that do not destination disk. When a to diskettes, the system as multiple diskettes and diskettes when recreating ther features include keyt data entry, a versatile

printer output formatting program, key redefinition, and more. Extensive user's manual included. U.L. listed.

Primary Drive. Includes Hard Disk Operating System with BASIC. 26-1130 2495.00

0 Model III

36995

rized at right). They have eating complex graphics udes 32K RAM memory id diskette with Graphics orary. Installation required Summary of Graphics BASIC Commands

CIRCLE-Draws a circle, arc or ellipse.

CLS—Clears a character or display screen.

GET—Reads the bit-pattern in a block on the display screen into an array for alteration and future use.

LINE— Draws a line between points.

PAINT—Paints an area in a specified style.

POINT—Checks to see if a point is on or off.

PRESET—Turns a pixel on or off.

PUT—Puts contents (bit pattern) of an array onto the screen. Used in creating animation.

SCREEN—Screen Command/Flash mode. Useful in speeding up the display in painting and motion.

Turns graphics screen on or off.

VIEW—Defines the coordinates of a specified block (called the "viewport") on the screen.

VIEWPORT—Draws a viewport.

ckCatalogs.com

. 369.95

Save Time With Our "Manage



Let Your TRS-80 Computer Manage Your Business Day!

- Keep Track of Your Priorities and Expenses
- Create Charts of Time, Tasks and Resources
- Transfer Information Between the Programs
- Very Easy to Use—No Programming Required

These programs are an invaluable aid for any manager. They increase your productivity by helping to plan, organize, schedule, and record your business and personal affairs. And once you've learned to use one program in our management series, you can easily add them all. Each one can "talk" to the others—so you can enter dates and schedules in one and transfer the information to another. Printer is optional.

Time Manager™

I/III D A personal calendary notebook. Helps you organess information, and completed items to the recompleted items to the rekeyword. Totals hours was 26-1582

Project Manager™

I/III D Graphically disways to allow evaluation extended resources. V quence, personnel, mate effect of any changes. I dates will appear on Tim 26-1580

Personnel Manage

I/III D Organizes informing schedules and salari and clients. Files can be company, product or servies. Organize data for ployee performance. Plists. 26-1581

Minimum System Requirements For Disk Software

I—Model I III—Model III I/III—Model I and Model III

- A 32K 1-Disk System
- B 32K 2-Disk System
- C 48K 1-Disk System
- D 48K-2-Disk System

Planning and Forecast

Enhanced Model III VisiCalc®

planning tool, VisiCalc is an "electronic" columnary pad. You define the formulas, enter the figures and VisiCalc performs all calculations automatically Change any value or formula, and VisiCalc instantly updates every related number! You can view count less "what if . . ." situations in seconds. And you can save your model on disk for use or revision later Enhancements include an entry editor to speed worksheet preparation by allowing you to modify for mulas and labels without re-entering them. Logical and comparison operators to perform testing and branching. Optional printer allows you to print any portion of your worksheet. 26-1569 199.00

www.RadioSha

r Series"

dar/reminder and electronic ganize your time and busireates permanent records. o do" list that transfers unnext day. Searches files by orked and expenses.

. 99.95


plays a project in several and scheduling, spot overfiew project by time, seerials, or resources. Shows Prepares charts. Important the Manager.

99.99

T'IM

es, plus business contacts, be searched for a person, vice by pre-defined categoevaluating vendor or emrepare telephone, mailing

Business Graphics Analysis Pak



- Select Pie, Bar, Line or Scatter Charts
- Easy Data Manipulation and Text Editing

ing with VisiCalc® and Desktop/Plan™-80

Invaluable for . . .

- Model Development
- Budgeting
- SalesProjections
- Scheduling
- Pricing
- Ratio
 Calculations
- Profit & Loss Projections
- Cash Flow

New! VisiCalc Business Forecasting Model™

Desktop/Plan™-80

Save Time and Effort With Word

- Simplify Typing—Get Correction-Free Reports, Letters and Documents Every Time
- Increase Efficiency and Productivity
- Easy to Use—No Special Training Required

TRS-80 SCRIPSIT" word processing can make anyone's work easier. With SCRIPSIT, you can prepare memos, letters and manuscripts error-free! How? By simply entering and editing your text right on the video screen—making corrections, adding or deleting sentences and words, moving paragraphs, and more—electronically! When you have your text just the way you want, you can print as many "correction-free" originals as you need. And frequently used reports and forms can be stored on diskette for use again and again—and updated at any time.

SuperSCRIPSIT I D III C Our most powerful word processing program for Models III and I. Advanced features include true proportional-spaced printing, multiple line spacing (including half-space), and "save and recall" multiple paragraph formats. You get align tabs, automatic pagination and user definable print codes, too. SuperSCRIPSIT supports underline, double underline, boldface, super and subscript, and multiple column printing (depending on the printer you choose). And there's a convenient "help" function, too. Frequently-used words or phrases can be assigned a user key. Whenever that key is pressed, the word or phrase is displayed instantly! Documents can be as large as the available space on a disk (about 30,000 words on Model III).

Create ''personalized SuperSCRIPSIT or by inte Profile® III Plus (Model III training course on audio ca reference manual and re printer. 26-1590

letters and memos with er The SCRIPSIT Dictional TRS-80 into a fast and ef automatically checks for mationary quickly finds speleach word to the Master Lized User List. If the word is highlighted. You can correunique to your business of User List. Contains over words (34,000 with Model to 2045 words with a 48K strial prepared with SCRIPASCII files. 26-1591

search" mode, reformatering, headers, footers, justings, automatic page in low-cost SCRIPSIT prografor smaller documents a vanced printing features. V cassette course, and quick printer, 26-1563

Programs to Help Keep Your Stock Portfolio

 NEW! Disk Trendex. I/III indications for short, med ods. Analysis accomplishe used by professional investintermediate trends for p Plots trend change for ma cal procedures for analysi and probabilities—not couties. 26-1510

Processing

" form letters using erfacing the program with only). Includes self-paced assettes, training manual, eference card. Requires 199.00

mbarrassing misspellings!

ary program turns your
ficient "proofreader" that
misspelled words. The Dicling errors by comparing
st and to your own specialsn't on the lists, the word is
ct the word or, if it's a term
r profession, add it to your
73,000 commonly used
I). User list can contain up
system. For any text mateSIT, SuperSCRIPSIT, or
149.00

atures include a "global tting, hyphenation, censtification, margin and tab umbering, and more. This am is designed especially nd does not include ad-Vith training manual, audio creference card. Requires

in Order

A Provides stock trend ium and long term perid with the aid of formulas stors for years! Maintains ortfolio of your choice. rket and stocks. Statistis of stock market trends usel to buy or sell securi-

Data Base Management

Create your own personalized electronic filing system! Managers can keep track of price lists, business inventories, vendor and customer records, personal projects, and more!

Organize With Profile® III Plus

- Our Most Powerful Model III Electronic Filing Program
- Includes All Features of Our Popular Model II Program
- No Computer Experience is Needed

Profile III Plus. III D This versatile program meets needs ranging from "data bases" of customers and accounts to prices and parts. You decide! Stores up to 2500 one-segment records that are 100 characters in length. Store even more with additional drives or different size records. You can specify records of up to 1020 characters in length, and create as many as 99 fields per record. Tailor up to five different data entry screens. Indexing allows high speed access using any one of 36 fields as search criteria. A math package performs arithmetic operations and updates other fields. Prints up to five different user-defined reports and mailing label formats per file, selecting by up to 16 criteria at a time (requires printer). You can create custom "operator" menus, and pass records to VisiCalc and SuperSCRIPSIT for reports or form letters.

NEW! Hard Disk Version. III © All the features of Profile III Plus and more for the hard disk owner. Increases the number of records in your system and offers extra sorting features. 26-1593. Available 5/15/83 299.00

Programs to Streamline Your Accounting

General Ledger I. I/III B For small businesses with up to 100 accounts. 240 entries per session, up to 1830 per month. 26-1552 99.95

Inventory Control I. I/III B Retail inventory record keeping and control for up to 1000 items. Tracks vendors, order dates, backorders, out-of-stock and on-order items. 26-1553 99.95

Accounts Payable. I/III B Prints checks, register, cash flow analysis, and activity summary. Handles 75 vendors with 1000 transactions, or 200 vendors with 800 transactions per month. 26-1554 149.95

Manufacturing Inventory Control. I/III B Handles up to 1900 raw materials, up to 20 finished goods per diskette. Prints bill of materials, finished goods list, and more. 26-1559 199.95

See Page 22 for Model III Disk Systems

Hardware Requirements

I = Model I only
III = Model III only
I/III = Model I and III

A 32K 1-Disk System
B 32K 2-Disk System
C 48K 1-Disk System
D 48K 2-Disk System

*Requires 3-Disk System on Model I with SuperSCRIPSIT.

New! Agricultural

- Instant Access
 To Ag Information
- Specialized
 Weather Forecasts
- Market Advisories
- Information From Commodity Exchanges Updated Every 10 Minutes

AgriStar". III C Now an manager or agribusiness instant access to the evermation. Only ten minutes information that affects th profits. Get 24-hour acces cialized weather reports crop areas, market analys and much more. AgriStar with quarterly updates, a scription to Farm Future: and 24-hour access to a to to the AgriData Network s to AgriStar over your tele and a telephone modern months of service-conf charges billed separately basic service fee is only 26-2227

Fast and Easy Bo

Business Checkwriter*
writer, a detailed check s
voices, and a bank recon
Checkwriter is as easy to
yet you get the speed and

Handles multiple account 100 expense categories (category), 375 total check with 10 detail lines per ch checks, and records multi tains your current bank to discounts and expenses stubs, check register, ex

summaries, payee lists a printer. 26-1585

www.RadioSha

Information Network



y professional farmer, farm executive can easily gain changing world of ag infora day keeps you on top of e farm business and your s to agricultural news, speand forecasts for specific es and recommendations. gives you a user manual reference flipchart, a subs magazine, a newsletter, oll-free support service and ystem. You simply connect phone using the Model III (Price includes first six nect fees and information y. After six months, your \$39 a month.)

. 199.9

okkeeping System

tub for paying multiple inciliation system. Business use as filling out a check, accuracy of the computer. s individually, 100 payees, including a miscellaneous s and deposits per period, eck. Records handwritten ple daily deposits. It maintal, too. Check stub details . Prints checks, detailed pense and payee-to-date nd expense list. Requires

Languages And Utilities

COBOL. I/III D Based on the ANSI '74 standard. Provides single-step compiler for fast execution, multi-key ISAM for quick data access, COBOL editor for creating and changing source programs, DEBUG for program development and testing. Includes 297-page manual with System User's Guide, COBOL Editor Guide, and COBOL Reference Manual. 26-2203 . . 199.00

Compiler BASIC. I/III D Features single-key ISAM, interactive DEBUG, and cross-reference. (Note: Intended for program development and not for conversion of existing software. Not compatible with Level II or Model III BASIC programs). Includes Compiler and Run-Time Diskettes and manual. 26-2204 149.00

Run-Time Diskettes. I/III C For those who sell software developed on our Compilers.

Run-Time Diskette	Model I	Model III	Each
COBOL	26-2206	26-2207	30.00
Compiler BASIC	26-2208	26-2209	

FORTRAN. III D Write programs in FORTRAN using EDIT-80, a powerful editor with commands for interline and intraline editing. With compiler, linking loader and arithmetic library subroutines. Includes 250-page manual.

BASIC Programming Courses

LDOS™ Operating System

LDOS is an advanced operating system that offers the TRS-80 user many features and enhancements that are not included in TRSDOS. It adds data transportability—read LDOS diskettes on a Model I or on a Model III. Includes a Job Control Language to control an unattended computer, a terminal utility, keyboard typeahead, printer spooling to memory and/or disk, a printer output formatting program, and device independence—linking, routing and filtering. Includes an extensive operating manual with examples of functions, a glossary and handy cross-reference index. Most Radio Shack software is supported under LDOS (documented with purchase).

Model I Version. Also supports double-density disk kit (26-1143). 26-2213 129.00 Model III Version. 26-2214 129.00

New! BASIC Routi



"BFBLIB" BASIC Fas Library. This diskette giveniques, subroutines, functoricks—as described in the faster and Better 62-100. Merge the routines your charge your BASIC preach function, utility, and your own needs, or use as III 2-disk systems. 26-20.

Increase the Disk Storage of Your Model I W Our Double-Density Disk Kit

14995

Installation is Available Through Radio Shack

- Adds Many Advanced Features of Powerful Model III TRSDOS
- Use With 35 or 40-Track Systems

TRS-80 Model I Double-Density Disk Kit. With 35-track drives, disk capacity per diskette is increased to 152,000 characters, and with 40-track drives to a full 184,000 characters. In addition to new TRSDOS features (see table below), we've also added most of Model III's Disk BASIC features, including a series of CMD functions. Modifi-

cation of some existing software Radio Shack applications software or supported for double-dens includes manual, reference con Double-Density TRSDOS opera ette. Price does not include reco 26-1143

Advanced Features Available With the Double-Density

COMMANDS	DESCRIPTION		
BLINK BUILD/DO CLEAR CLS CONFIG	Turns blinking cursor ON/OFF Automatic Command Files Clears User Memory Clears Screen Specify Drive Types		
CREATE DUAL ERASE ERROR FILFIX	Pre-Allocated Files Output to Video and Printer For File Confidentiality Descriptive Error Messages Modifies Disk Files		

COMMANDS	DE	
FREE HELP PATCH PURGE RELO	Syntax of Alter Dis Delete M Alter Pro	
SETCOM SPOOL TAPE UNKILL WP	Set RS-2 In-Memor Tape/Dist Restore F Write Pro	

nes Diskette



ter and Better es you 121 techtions, utilities and the book, BASIC 2, (not included). need and superograms. Modify program to suit is. For Model I or 21 19.95

/ith



may be required. are is not available ity operation. Kit ard, adapter and ating system diskquired installation.

y Disk Kit

SCRIPTION
Space Map
Commands
Files
uitiple Files
gram Load Address
32C Values

y Print Spooler d'RAM Transfer Glied File tect a Disk

Fascinating and Fun Disk Games



All Games Require 32K 1-Disk System

ZORK™. Fantasy of danger and opportunity! Find treasures in this complex adventure game.

Model I ZORK.

26-1950 39.95

Monty[™] Plays Scrabble[®].* Challenging! 54,000-word capability. Skill levels and automatic score-keeping. Graphics and sound effects. 26-1954 34.95

*Requires board game and optional mini-amplifier.

Update Your TRS-80 Model I With Memory Expansions and More!

It's easy to add to your Model I—just bring your keyboard to any participating Radio Shack and we'll take care of the rest! Prices are for parts only—required installation is extra.

Lower Case Kit. Add lower case characters to your Model I. "Driver" tape included. NOTE: Some non-Radio Shack software will not run with this kit installed. Not intended for use with programs written in upper case format.

RS-232C Interface Board







Informative "How To" Books


NEW! Business Programs Applications. Develop programs for your business. 62-2074 4.95
Computer Programming in BASIC for Everyone. Intro-
62-2015
BASIC Computer Language. Self-paced format quickly gets you into programming. For Level I BASIC. 232
pages. 62-2016
Programming Techniques for Level II BASIC. Supplements #62-2061 above. 142 pages. 62-2062 4.95
Program in Style. Applications, ideas for TRS-80 Level II. 343 pages. 62-2067
Computer Games. Exciting games for the Level II TRS-80. 152 pages. 62-2068 7.95
Home Computer Programs. Packed with household helpmates. 330 pages. 62-2069 7.95
Introduction to TRS-80 Graphics. Line drawing, special graphics characters, pixel graphics, simple animation. 134 pages. 62-2073
Advanced Level II BASIC. Advanced capabilities of Model I and III. 250 pages. 62-20729.95
TRS-80 Pocket Computer Programs. 50 ready-to-run programs in Pocket BASIC. Games, home programs, more. 80 pages. 62-2086 1.95
Business Programs for TRS-80 Model I/III. 35 programs. 264 pages. 62-2079
BASIC Faster and Better. Advanced BASIC program- ming. 288 pages. 62-1002
Color Computer Graphics. Extensive guide. 256 pages. 62-2076
WW

NEW! TRS-80 Pocket Ref guide to all TRS-80 comput Graphics for Model I/III. E ics in easy-to-understar 62-2087 Problem-Solving on Computer. Self-paced form 62-2312 TRS-80 Data File Program and maintain data files. S BASIC Conversions Apple*, and PET* Users. I BASIC programs between pages. 62-2088 Introduction to TRS-80 L teaching BASIC programm examples. Features sequ concepts, with exercises TRS-80 Model II Owner's illustrated manual (include 26-4920 TRS-80 Model II Tech Includes theory of opera FDC, video/keyboard, vid power supplies. 26-4921 . Model 16 Manual Set.

Getting Started With TRS duction to Level II and Mc Excellent for beginners. Sai Over 300 pages. 26-2107

tadios

PROGRAMMING BOOKS AND REFERENCE MANUALS



from Our Reference Library

erence Handbook. A handy ers. 62-2084 6.95	NEW! Color Computer Programs. Over 37 useful and fun programs. 62-2313
xplains how to control graph- nd language. 288 pages. 	Model III Technical Reference Manual. Provides technical information and theory of operation on Model III hardware. For use in troubleshooting and adding interfaces. 26-2109
nat. 225 pages 9.95	Model III Disk System Owner's Manual. Covers disk operation, TRSDOS and Disk BASIC. With programming examples. 161 pages. 26-2111 6.95
ming. Learn how to program elf-instructional manual. 306 	Model III Reference Manual. Provides detailed information on Model III operation, including BASIC language. 259 pages. 26-2112
nvaluable guide to converting these three computers. 96	TRS-80 Applications Sourcebook. Over 3900 TRS-80 applications of all types for sale by a variety of vendors. 26-2114
evel II BASIC. Textbook for ning, with explanations and cential introduction of new	TRS-80 Microcomputer Newsletter Reprints Volume I. The first 20 issues now bound in one handy book. A real gold mine of information! 122 pages. 26-2115 4.95
at the end of each chapter. 9.95 Manual, A comprehensive.	TRS-80 Microcomputer Newsletter Reprints. January thru December 1981 issues bound together in one book, with lots of useful programs. 26-2240 9.95

gether in one book. Getting Started With Color BASIC. Learn to write Color BASIC programs with graphics and sound effects. Over 300 pages of instructions written for the beginner. Entertaining, fun and educational, 26-3191 5.95 Going Ahead With Extended Color BASIC. Describes features of Extended Color BASIC, including advanced graphics, complex sounds and more. Over 280 pages of Color Computer Technical Reference Manual. For the "technical-minded". Explains how the Color Computer works-including input/output and joystick ports. 26-3193 29

Set of 3 Books/75.00

29.95

d with all Model II systems).


nical Reference Manual.


tion for the CPU Module. eo display, disk drives and

80 BASIC. Entertaining intro-

del III BASIC programming.

nple programs and exercises.





Specifications. Communication Method: Asynchronous, serial by bit, serial by character. Parity: Odd, even, none. Speed: Switch selectable: 110 baud—11-bit/character; 300 baud—10-bit/character. Mode: Full or half-duplex. Code: ASCII. Line Status: On line/local. Line Buffer: 48 characters. Compatibility: Bell 103A or equivalent. Coupler Mode: Originate only. Receive Sensitivity:—40 dBm. Keyboard: Standard ASCII with 67 printable characters, 99 codes, 32 control characters. Printer: Non-impact thermal, 35-element (5 x 7) matrix, contrast adjustable, 50 characters per second. Paper: Thermographic, 81/2" by 100' roll. Line Length: 8" (80 characters per line), 6 lines per inch. Indicator Lamps: Carrier detect, character error, power on. Bell: 250 ms, audible tone. Dimensions: 5 x 151/2 x 141/2". Power: 120VAC, 60 Hz, 75 W.

RS-232C Interface Module

Converts your PT-210 into a dumb terminal/printer that connects directly to your office computer (cable not included). 76-1002 69.95

Our Versatile "No Compromise" TRS-80 Video Data Terminal

69900

Emulates Four Popular Terminals Through Keyboard-Selectable Configuration —No DIP Switches



- Non-Volatile Memory Retains Configurations Even When Power is Off
- Ergonomic Designed Keyboard is Easy to Use, Easy on the Fingers
- Full 80 x 24 Modifiable Video Display With Dual-Speed Cursor
- Keyboard-Selectable Data Transfer Rates from 75 to 19,200 Baud
- Two Printer Interfaces—Parallel and RS-232C Serial

TRS-80 DT-1 Data Terminal. Ideally suited for communications with advanced systems like our Multi-User Model 16 (see page 5) or other host computers. With a low-cost Radio Shack modem, it can also access time-sharing information networks. It's completely code compatible with the TeleVideo® 910, Lear Siegler® ADM-5, ADDS 25 and Hazeltine® 1410 terminals. You can change the configuration from the keyboard at any time. The DT-1's revolutionary EEPROM (Electrically Erasable Programmable Read-Only Memory) retains the protocol even when the power is off—and without battery back up! Full 80 x 24 display shows upper and lower case characters. Special single-character symbols are used to display control characters. A local monitor mode lets you enable printer ports and position the cursor using local control and escape modes. Control key termination codes are user programmable. Features repeating keys, electronic bell, and more. U.L. listed. 26-6050

Specifications


Data Transfer: Ten keyboard selectable rates: 75, 110, 150, 300, 600, 1200, 2400, 4800, 9600, 19,200 baud. Video Size/Format: 24 lines of 80 characters, upper and lower case. Cursors: Four keyboard-selectable types: Steady or Blinking Block, Steady or Blinking Underline. Video Attributes: Normal, Reverse, Invisible, Blink, Underline and Half-Intensity Video. Keyboard: 70-key, including 12-key datapad. I/O Ports: One RS-232C communications port, one serial and one parallel printer port. Dimensions: 121/2 x 187/e x 211/2". Power: 120VAC, 60 Hz, 30 Watts.

ek@atalogs.com



Choose the Radio Shack Modem That's Best for You

All are compatible with any RS-232C-equipped TRS-80. Bell 103, 300 baud, full duplex, originate and answer. Direct-connect modems have modular phone plug. FCC registered. U.L. listed 120VAC power module.



What is a Modem and Why Do You Need One?

A modem (short for "modulator-demodulator") is an electronic translator that converts the electronic impulses that make up computer information into tones that can be sent over telephone lines. It likewise translates incoming messages so your computer can process them. Modems make it possible to access electronic information services like CompuServe® and Dow Jones News/Retrieval®, and to communicate with other computers by sending and receiving data and programs.

High-Speed 300/1200-Baud Modem Cuts Long-Distance Costs

69900

- Modular Plug Connects Directly to Phone Line
- Manual Originate and Automatic Answer
- Compatible With All RS-232C-Equipped TRS-80s



Direct-Connect Modem DC-1200. Ideal for anyone who regularly has big transmissions to handle. By quadrupling the baud rate, the DC-1200 will reduce each phone bill to a fourth of what it otherwise would have been. It's ideal for people who use electronic information services during business hours when long distance rates are at their highest. All you do is plug the power cord into a wall socket, the line cord into the phone jack and the connecting cable to your RS-232C-equipped computer. It's always in "Auto Answer," so that if a host computer calls you (and your computer is properly configured), you can begin receiving information automatically. The modem automatically adjusts to the incoming baud rate. To originate, you just set the baud rate to match the host or service, run your communication software package, and place the call. And you can upgrade your DC-1200 for automatic origination (see below). 76-1005

Specifications

Data Rate: 0-300-baud asynchronous: 1200-baud asynchronous or synchronous. Operating Mode: Full or half-duplex, all speeds; automatic answer, manual originate. Line Signals: Low Speed—frequency shift keying; High Speed—differential phase-shift keying. Compatibility: Low Speed—Bell 103/113; High Speed—Bell 212A, Sensitivity: —48dBm. Dimensions: 13/4 x 63/8 x 111/4". Power: U.L. listed 120VAC, 60 Hz power module. FCC registered.

NOTE: DC-1200 not for multi-line use without optional-extra controller. Use only with Bell-compatible equipment.

Auto-Dial Module for DC-1200 Modem

Modem Installation Accessories

Duplex Jack. Connect phone and modern to modular jack. 279-357 . . 6.95

Low-Cost Printer With Dot-Addressable Graphics



- Bit-Image Mode Allows Printing of High-Density Graphics
- Prints 80 Upper/Lower Case 5 x 7 Matrix Characters on 8" Line
- Prints 50 Characters per Second at 10 Characters per Inch
- Underline Capability Use With Any Full-Size TRS-80 CPU

DMP-100. Prints high-density graphic information similar to that on the Color Computer screen. Features 480-byte full-line dot buffer, selectable parallel and TRS-80 Color Computer-compatible serial interfaces (600/1200 baud) and adjustable tractor, 41/2 to 91/2". Uses up to 91/2" fanfold paper. With ribbon cassette. U.L. listed.

Specifications. Print Density: 5 or 10 characters per inch. Graphic Density: 60 × 63 dots per sq. in. Print Speed: 50 characters per second, 27 lines per minute. Character Set: 96 ASCII. Bit Image: 480 addressable 7-dot columns. Dimensions: 55/16 × 16 × 81/4". Weight: 83/5 lbs. Power: 120VAC, 60 Hz, 15W.

DMP-100 Print Samples 10 CPI !"#\$%&^()*+,-./0123456789:;〈=>? 10 CPI !"#\$%&^()*+,-./0123456789:;〈=>? 5 CPI !"#\$%&^()*+,-./0123456789:;〈=>?

DI

pit

Co

U.

Sp

80

80 de

Do

do

Full-Performance 91/2" Printer



Prints 120 Characters per Second at 10 Characters per Inch Bi-Directional Prints 55 Full Lines per Minute Original, Plus Two Copies Removable Tractor and Friction Platten

MP-200. A versatile, compact dot-matrix impact printer! Prints 80 characters at 10 ch, 132 characters at 16.7 on an 8" line. Features selectable parallel and TRS-80 clor Computer-compatible serial interfaces (600/1200 baud). Line feed in 1/6, 1/8, increments. On/Off Line, Restart and Paper Feed controls. Power-On indicator. L. listed. 26-1254

ecifications. Print leed: Standard 10 i—104 lpm/20 col., lpm/40 col., 55 lpm/ col.; Correspondence 10 cpi—520 lm. Pin Wire Diametro Resolution: 60-100 lts/inch, 480-800 lts/line. Dimensions: 16½×13½". Weight: 1½ lbs. Power: 120VAC, Hz. 85W.

See Page 36 for Paper & Ribbons. Printer Cables Are on Page 40.

Our Family of Feature-Packed Dot-Matrix Impact Printers

- Built-In Graphics Capability at No Extra Cost
- Bi-Directional Logic-Seeking 9-Wire Print Heads
- These Printers Pack a "Triple Mode" Punch

Our three dot-matrix printers offer incredible versatility and value. Each one includes Word Processing functions to emulate Daisy Wheel features for great looking printouts. This mode gives you proportionally-spaced and mono-spaced correspondence character sets, back-spacing, bold face and underlined characters, superscripts and subscripts. A Bit-Image (dot addressable)

ckCatalogs.com

Superb 15-Inch Wide Printer



- Full 132-Column Capacity, Yet Compact With Low-Profile Styling
- Prints 140 Characters per Second at 10 Characters per Inch
- 51 Full Lines per Minute Adjustable, Removable Tractor

DMP-400. Cover design aids in noise reduction. Line feed in 1/6, 1/8, 1/72, 1/216 increments. Tractor allows use of 4" to 15" fanfold paper. Friction platten for single-sheet paper. Prints original, plus two copies. Selectable parallel and TRS-80 Color Computer-compatible serial interfaces (600/1200 baud). Paper Feed and Form Feed controls. On-Line indicator. U.L. listed.

Specifications. Print Speed: Standard 10 cpi—181 lpm/20 col., 126 lpm/40 col., 78 lpm/80 col., 51 lpm/132 col. Correspondence 10 cpi—705 wpm. Pin Wire Diameter: 0.30mm. Horizontal Dot Resolution: 60-100 dots/inch, 792-1320 dots/line. Dimensions: 63/6 x 241/6 x 133/6". Weight: 161/2 lbs. Power: 120VAC, 60 Hz, 85W.

mode allows impressive graphics, and a Data Processing mode provides the most efficient computer output. Each printer has special repeat and column addressing codes to make graphic programming easier. An elongation mode that doubles character size and a bold mode allow a wide range of character styles. Mode and pitch are switch or software selectable. Each printer can use 81/2" single-cut sheets or standard fanfold paper with the adjustable tractor feed. These printers are built exclusively to Radio Shack's demanding specifications.

General Specifications. (See each printer description for specific features). Character Set: 96 ASCII, 32 special and 30 block graphics characters. Print Density: 10, 12 or 16.7 characters per inch (cpi) in either a 9 x 9 or 15 x 9 dot matrix, n-23 matrix proportionally-spaced font. Line Feed: Forward, reverse; 1/6, 1/12. Resolution: 60 dots/inch at 10 cpi; 72 dots/inch at 12 cpi; 100 dots/inch at 16.7 cpi. Buffer: 2K RAM.

Three Print Mo

These prints
variety of t
this standar
Also available
as well as condensed
High density
like this car
letters. This
font can give you
All fonts C
OR EXP

www.RadioShad

All-Business Printer



- Lowest Price Ever for High-Performance, Heavy Duty Design
- High-Speed—Prints 220 Characters per Second
- Prints 76 132-Column Lines per Minute Bi-Directional

DMP-500. This hard worker is ideal for heavy business use. Logic-seeking head gives you fast speed and efficiency. Prints original, plus three copies. Adjustable tractor adjusts from 4" to 15". Line feed in 1/6, 1/8, 1/72, 1/216 increments. Paper advance in fine-line increments for aligning preprinted forms. Paper Feed and Form Feed controls. On-Line indicator. Parallel interface—use with TRS-80 Model I, II, III, 12 or 16. U.L. listed. 26-1252 1795.00

des for Ultimate. Versatility

pre styles like
d 10 CPI 9X9 font
in compressed 12 pitch
l6 pitch!
correspondence fonts
produce attractive
proportionally spaced
sharper results.
AN PRINT BOLD

Specifications. Print Speed: Standard 10 cpi—293 lpm/20 col., 201 lpm/40 col., 119 lpm/80 col., 76 lpm/132 col. Correspondence 10 cpi—1043 wpm. Pin Wire Diameter: 0.30mm. Horizontal Dot Resolution: 60-100 dots/inch, 792-1320 dots/line. Dimensions: 711/16×245/8×157/8". Weight: 50 lbs. Power: 120VAC, 60 Hz, 180W.

Manual Setting Switches





Handy switches allow "custom-set" modes, pitches, and interface options. For easy operation with your existing software.

Word Processing Printers for



Specifications. Print Density: 13.6" line. Switch selectable 10 cpi (136 characters per line). 12 cpi (163 cpt), or proportional spacing. Print Speed: 25 cps nominal: 11.7 lpm at 10 cpi, 132-column (Over 300 wpm). Carriage Motion: Unidirectional. optimal motion seeking. 100 ms stew rate. Character Set: 124 (96 ASCII, plus special and international), 23 control codes. Paper: Up to 16" wide. Original, plus 5 copies. Friction feed. Ribbon: Multi-strike carbon or nylon cartridge. Interface: Standard 8 bit data parallel; 36-pin Amphenol connector. Dimensions. 73/4 x 233/4 x 13". Weight: 35 lbs. Power. 120VAC, 50/60 Hz. 141 Watts.



Paper separators. Require minimal printer supervision. Quick, easy installation and removal.

A Bi-Directional Tractor Feed for the DWP-410. 26-1459 239.95

B Bi-Directional Tractor Feed for the Daisy Wheel II. 26-1447 289.95

www.RadioShad

ABC

ABC

ABC

ABC

ABC

ABC

ABC

r Electric Typewriter Quality



Our Best Formed-Character Printer— Prints Over 500 Words Per Minute!

Daisy Wheel II. Switch selectable print densities—fixed 10 or 12 cpi or proportional spacing. Printer features forward and reverse paper feed and ½ line feed, underline and backspace. Interchangeable print wheels snap in easily. Friction-feed mechanism adjustable for up to five carbons. 15-inch platten. With Courier 10 print wheel and carbon ribbon. U.L. listed. 26-1158

Specifications. Print Density: 13.6" line. Switch selectable 10 cpi (136 cpl), 12 cpi (163 cpl), or proportional spacing. Print Speed: 43 cps nominal; 19.5 lpm at 10 cpi, 132-col. (Over 500 wpm). Carriage Motion: Unidirectional, optimal motion seeking. 300 ms slew rate. Character Set: 124 (96 ASCII, plus special and international), 21 control codes. Paper: Up to 16" wide. Original, plus 5 copies. Friction feed. Ribbon: Multi-strike carbon cartridge—about 250,000 nominal characters. Nylon cartridge—1.6 million characters. Interface: Standard 8 bit data parallel; 36-pin Amphenol connector. Dimensions: 8 x 24½x x 15½°. Weight: 28 lbs. Power: 120VAC, 50/60 Hz, 141 Watts.

DEFGH abcdefg 01234 :; <=>?

DEFGH abcdefg 01234 :; <=>?

DEFGH abcdefg 01234 :;<=>?

DEFGH abcdefg 01234 ;;<=>?

DEFGH abcdefg 01234 :;<=>?

DEFGH abcdefg 01234 :;<=>?

DEFGH abcdefg 01234 :;<=>?

DEFGH abcdefg 01234 :;<=>?

DEFGH abcdefghi 0123456 !#\$%&*

amples slightly reduced

Interchangeable Print Wheels Let You Print With Style

These long-lasting, 124-character print wheels snap in easily. Choose from a number of styles to give your letters and reports variety and impact. Each wheel prints up to 40 million characters.

Print Wheel	DWP-410	Daisy Wheel II	Price
A. Courier, 10 pitch	26-1430	26-1420	29.95
B. Prestige Elite, 12 pitch	26-1431	26-1421	29.95
C. Madeleine PS	26-1432	26-1422	29.95
D. Cubic PS	26-1433	26-1425	29.95
E. Tile Italic, 12 pitch	26-1434	26-1426	29.95
F. OCR B. 10 pitch	26-1435	26-1484	39.95
G. Letter Gothic, 12 pitch	26-1436	26-1485	39.95
H. Cubic 15	26-1438	26-1487	39.95
I. Bold PS	26-1439	26-1488	39.95

kCatalogs.com

Accessories to Make Your Printer More Versatile

Daisy Wheel II Sheet Feeder

149500

Holds up to 200 sheets. Adjusts for paper length and width. Removes easily. Requires installation (not included). 26-1448...1495.00



Daisy Wheel II Envelope Feeder



119500

Automatically feeds 1200 envelopes per hour into aligned typing position. Size 6 to 10. Requires installation (not included). 26-1260 . . . 1195.00

Daisy Wheel Acoustic Cover Reduces Noise



It's Ideal for Office Work Areas

39900

For DW-II (with or without tractor) and DW-410 (without tractor). Not for use with sheet or envelope feeders. 14 × 28 × 21 1/2". U.L. listed. 26-1455 399.00

New! DMP-2100 Sheet Feeder



99500

Automatic paper insertion and stacking for office efficiency. Adjusts for paper width to 81/2". Snaps on and off. No installation required. 26-1440 ... 995.00

New! Ou 199500



- A "No Compromise" Printer That Delivers What Others Only Prom
- Print Quality in Word Pr Rivals Daisy Wheel Prin
- State-of-the-Art 24-Wire
- 160 Characters Per Sec 100 CPS in WP Mode

TRS-80 DMP-2100. A Radio SI high-speed for data processis addressable graphics, plus a text that rivals Daisy Wheel prisquare inch—over four times other dot-matrix printers! Proters in a single pass for max pitch and font within your text change a printwheel! U.L. lister

Specifications. Print Speed: Standard 10 c; lpm/80 col.: 60 lpm/132 col.: Correspondent ASCII. 31 international and 31 graphics charters per inch, plus proportional-spaced and eleed. Pin Wire Diameter: 0.2 mm. Graphics & Dat Resolution: 180 dots/inch. 2448 dots/line inch. Line Feed: Forward — Vizo. Viz. Vs., Vs., sions: 57/s x 21 Vis x 15°; Weight: 44 lbs. Po

DMP-2100 Bi-Dire

For use with fanfold paper, I Easy to install and remove. 2

ir Finest Triple-Mode Printer



Print Head ond in DP Mode.

nack breakthrough! Delivers ng, high-resolution for dotword processing mode with nters! Prints 32,400 dots per the finest resolution of our duces letter-quality characimum throughput. Change without having to stop and ed. 26-1256 1995.00

oi-215 lpm/20 col.; 151 lpm/40 col.; 93 oi—215 Ipm/20 col.; 151 Ipm/40 col.; 93 ce 10 cpi—774 wpm. Character Set: 96 scters. Print Density: 10, 12, 16.6 charac-ongated. Paper: Up to 15" wide. Priction-Resolution: 32,400 dots/sq. in. Horizontal . Maximum Vertical Resolution: 180 dots/ ?//s inch. Reverse—1/12, 1/6 inch. Dimen-wer: 120VAC, 60 Hz.

ectional Tractor

abels and multi-part forms. 6-1441 . 169.95 ckCatalogs.com

CPI STANDARD abcdefg 0123 10 STANDARD BOLD abcdefg 10

EXPANDED

BOLD EXPAND

STANDARD abcdets 01234

ABCOEFGH 01234 16.7 CPI abcdefg :;(=)?

CORRESPONDENCE abcdef 10

CPI CORRESPONDENCE abcdefg 012

PROPORTIONAL abcdefg 01234 :: <->?

PROPORTIONAL BOLD abcdefg 01234 :

The DMP-2100 can produce a variety of print styles. Get super monospaced and proportional-spaced correspondence characters, as well as extraordinary standard and condensed characters.

Always Insist on Genuine Rac

Wide Selection of Stock Fanfold Prin



- Available in Mini-Paks, Totes and
- Store Your Printouts in the Reus

Feed paper directly into the printer from cartons. Letter-size sheets (91/2 × 11") have detachable, perforated margin sheets are high-quality, 15-pound be heavier weight is specified. No ground cled paper is used. Multi-part sets use less paper, so there's no messy clea

Fanfold Printer Paper						-1-
Size	Parts	Design	Vertical Perforation	Quantity	Box	Cat. No.
14% × 11" 14% × 11" 14% × 11" 14% × 11" 14% × 11" 14% × 11"	2 3 1	Greenbar Greenbar Greenbar Greenbar Greenbar Blank White	No No No No No No	500 sheets 1500 sheets 3500 sheets 750 sets 500 sets 1500 sheets	Mini-Pak Tote Carton Tote Tote Tote	26-1330 72-300 26-1417 72-301 72-302 72-303
9"/2 × 11" 9"/2 × 11" 9"/2 × 11" 9"/2 × 11" 9"/2 × 11" 9"/2 × 11" 9"/2 × 11"	1 1 1 1 2 3	Greenbar Greenbar Blank White Blank 20* Blank White Blank White	Yes' Yes' Yes' Yes Yes Yes Yes	1500 sheets 3500 sheets 500 sheets 1250 sheets 2000 sheets 750 sets 500 sets	Tote Carton Mini-Pak Tote Carton Tote Tote	72-304 26-1403 26-1423 26-1427 72-207 72-305 72-306
12×8'//-	1	Blank 18#	Yes	1250 sheets	Tote	72-307
14"/e×8"/2" 14"/e×8"/2" 14"/e×8"/2"	1 2 3	Greenbar Greenbar Greenbar	No No No	1500 sheets 750 sets 500 sets	Tote Tote Tote	72-308 72-309 72-310

"Invisible" perforations

Affordable and Efficient Computer Forms Decollator



Separates and Refolds Multi-Part Paper—Either Carbonleaf or Carbonless

24995

Compact Paper Shredde and Basket

- Lets You Destroy Confidential Records
- Attractive Design

24995 Less Basket



Cuts up to five sheets of 81/2×11" paper at a time into 3mm-wide strips. With reverse switch to free jammed paper. U.L. listed. 73-1001 249.95

Shredder Basket

Vinyl laminated walnut finish. Custom fit for ES-1. 73-1002 29.95



lio Shack Computer Supplies

nter Paper

Full Cartons able Cartons

m the reusable and 12 × 81/2") is. Single-part ond unless a wood or recyclean, carbon-n-up.

1	Price	
	9.95 34.95 49.95 49.95 49.95 34.95	
	24 95 39 95 8 95 24 95 44 95 34 95 39 95	
	24.95	
	24 95 34 95 39 95	

We Have a Full Line of TRS-80 Printer Ribbons

Replacement Ribbons				
Radio Shack Printer	Ribbon	Character Life	Catalog No.	Price
LP I, II. IV	Fabric Ribbon Pack	1 million	26-1413	3/18.95
LP III, V	Fabric Ribbon Cart.	2 million	26-1414	13.95
LP VI, VIII. DMP-400	Fabric Ribbon Cart.	1 million	26-1418	11.95
LP VII. DMP-100	Re-inking Fabric Cart.	1 million	26-1424	8.95
DMP-500	Fabric Cartridge	4 million	26-1482	12.95
DMP-200	Fabric Cartridge	4 million	26-1483	. 15.95
DMP-200/DMP-500	Refill Pack	4 million	26-1489	3/18.95
DW II. DWP-410	Carbon Film Cart. Multi-strike	250.000	26-1419	3/21.00
DW II. DWP-410	Nylon Ribbon Cart. Black	1 million	26-1449	10.95
DMP-2100	Fabric Cartridge	2 million	26-1442	13.95

Roll Paper for Your TRS-80 Printer

We offer a complete selection of roll paper for TRS-80 printers, including Radio Shack printers no longer in stock. You can be sure of quality and affordability.

Printer Paper				
Radio Shack Printer	Paper	Length	Cat. No.	Price
CGP-115	41/2" Roll	150-ft	26-1428	3/4.95
LP I, II, IV, VIII, DMP-200	81/2" Roll	400-ft.	26-1402	2/19.95
Printer/Plotter 26-1190	9" Roll 81/2" pin-to-pin	90-ft.	26-1407	4.95
Quick Printer 26-1153	Electrostatic 49/4" Roll	130-ft	26-1405	3/16.95
Quick Printer II 26-1155	Electrostatic 23/e" Roll	75-ft.	26-1412	3.95






Fanfold Mailing Labels

Low As 995 Pkg.

Hanging Binders



Low 3495

10 Sets Each


Top Bind. 147/6 × 11". 70-505 ... 34.95 Side Bind. 11 × 147/6". 70-504 ... 39.95 Top Bind. 11 × 81/2". 70-506 ... 34.95

Complete Your System With Top-Quality Radio Shack Forms

		Cus	tom Imprin	ted For	ms and C	necks			
teres and	Cross Reference		:0	No.	Form Ca	talog No.	Q	uantity/Pric	08
Form Name	TRS-80 Mod. No.	Software Cat. No.	Envelope Cat. No.	of Parts	Brown Forms	Blue Forms	500	1,000	
Accounts			72-114	1	72-101	72-116	65.00	120.00	
Receivable	i a	26-1555	72-214	2	72-102	72-117	100.00	180.00	
Statement	III	11 12 PM 24 24 24 24 24 24 24 24 24 24 24 24 24	72-250	3	N/A	72-118	130.00	230.00	
Accounts	111 & 1	26-1554		1	72-107	72-124	55.00	100.00	_
Payable			72-249	2	72-108	72-125	100.00	180.00	\vdash
Check	II & 12	26-4505		3	N/A	72-126	120.00	215.00	-
Accounts Payable	II & 12 (3 Disk)	26-4605	72-145 72-245	1	N/A	72-141	45.00	80.00	1
Check	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		72-246	3	N/A	72-142	110.00	200.00	
	11811	26-1568 26-4508		1	72-103	72-119	55 00	100.00	
General Purpose Form	II & 12	26-4504 26-4514 26-4602 26-4802	72-206	3	72-104	72-120	110.00	200.00	
	16	26-6302		5	N/A	72-136	160.00	290.00	
General	II & 12	26-4514 26-4602	72-206	1	N/A	72-155	75.00	135.00	F
Purpose		26-4802		3	N/A	72-156	150.00	270.00	
(Long)	16	26-6302		5	N/A	72-157	220.00	400.00	
Invoice	II & 12	26-4607	72-135 72-235	3	N/A	72-151	140.00	250.00	
mvoice	(3 Disk)	20 100	72-234	5	N/A	72-152	205.00	370.00	
Multi- Purpose	III	26-1584	72-145 72-245	1	N/A	72-153	45.00	80.00	
Check		20.1304	72-246	2	N/A	72-154	60.00	110.00	1
Multi-	700000	203600640090000	72-145	1	N/A	72-158	55.00	100.00	
Purpose Check	ttt	26-1585	72-245 72-246	2	N/A	72-159	100.00	180.00	
w/Stub			Haracov.	3	N/A	72-160	120.00	215.00	
	1		5,000,000,000	1	72-105	72-121	55.00	100.00	
Payroll Check	8	26-1504 26-1556	72-247	2	72-106	72-122	100.00	180.00	
	III			3	N/A	72-123	120.00	215.00	
Payroll	11.0.00	26-4503	72-248	1	72-137	72-127	60.00	110.00	1
Check	II & 12	20-4503		2	72-138	72-128	90.00	165.00	-
Payroll	II & 12	26-4603	72-145 72-245	1	72-143	N/A	45.00	80.00	1
Check	(3 Disk)	20 1000	72-246	2	72-144	N/A	85.00	150.00	1
Statement	11 & 12	26-4604	72-135 72-235	1	N/A	72-129	55.00	100.00	1
Of Account	(3 Disk)	##5(17.75)()	72-234	3	N/A	72-130	110.00	200.00	

		Imprin	ted Envelo	pes	2017		
					Quantity/Prices		
Form Cross Reference	Inside Tint	No. of Windows	Size	No.	500	1,000	2
Accounts Receivable Stmt.	No	1	#61/4	72-114	55.00	100.00	1
Statement of Account	No	1	#10	72-135	55.00	100.00	1
Payroll Check (26-4603). Accts Payable (26-4605) & Multi-Purpose Checks	Yes	1	85/8	72-145	55.00	100 00	,

www.RadioSha



Five Great Benefits of Radio Shack Custom Forms

System Support. Radio Shack provides properly-designed output forms to enable the TRS-80 user to complete a total business computer system, including hardware, software and custom forms.

Proper Design. Our forms are specially designed for use with your TRS-80 software, so you can be sure of compatibility.

Economy. Radio Shack forms are produced in large quantities and sold in small quantities (as few as 500 units), so the tremendous savings are passed on to you.

Quality. All forms are attractively designed and produced to highest printing standards, assuring a positive, "quality" image for your organization.

Convenience. We provide single-source support for the entire TRS-80 business computer system, as well as prompt delivery and resupply. Visit your nearest Radio Shack Computer Center today to place your order!

	Blank Envelopes					
Form Cross Reference	Size	No. of Windows	Inside Tint	Qty. Per Carton	Catalog Number	Price
Accounts	35/6×61/2	2	No	1,000	72-250	45.00
Receivable Statement	31/6×61/2	1	No	1,000	72-214	35.00
Accounts Payable Check (26-1554/4505)	31/6×73/4	2	Yes	1.000	72-249	55.00
General Purpose Form (Both)	3'/a×8'/a	2	No	1.000	72-206	45.00
Payroll Check for Mod I/III	35/6 × 73/4	2	Yes	1,000	72-247	55.00
Payroll Check for Mod II/12	37/6×71/2	2	Yes	1,000	72-248	50.00
Statement of	41/6×91/2	2	No	1,000	72-234	45.00
Account and Invoice	41/8×91/2	1	No	1,000	72-235	40.00
Accounts Payable (3 Disk), Payroll (3-disk), and Multi-Purpose Checks	35/a × 85/a		Yes	1.000	72-245	40.00
	31/a × 81/a	2	Yes	1.000	72-246	50.00

000,5

20.00

95.00

15 00

75.00

95.00

375.00

45.00

255.00

510.00

750.00

\$75.00

155.00

210.00

195.00


340.00

415.00

195.00 340.00 415.00 210.00 310.00 155.00 285.00 195.00

95.00

95.00



FP-215 Flatbed Plotter/Pr


Ge

TRS-8
colors.
points,
alphan
replace
pen se
interface
one ca
design

Specific

Dimensi

Multi-Pen Plotter Clear Plastic Film



1395

For Use With Felt-Tip Pens

Polyester Film Resists Tearing and Curling

Make high-quality transparencies for overhead projection, animation, overlays and slides. Fifty 81/2×11" sheets. 26-1479 . . . 13.95



Plotting and High-Quality
Four-Color Graphics at an Affordable Price!

Draws using BASIC ASCII command codes and p text horizontally or vertically using BASIC LPRINT pen plotting—pens can be changed easily to make Red, blue, green and black pens included. Feati automatic print functions. Includes parallel and RS faces. U.L. listed. 26-1193

Specifications. Paper Size: 101/8 x 145/16 or 8 x 111/2". Plot Size: 7.32 Plot Speed: 100 mm per second (3.93 ips). Step Size: 1 mm. Dimension Weight: 22 pounds. Power Requirements: 105-135VAC, 50/60 Hz, 90

www.RadioShad

et Incredible Color Graphics With ese Affordable Multi-Pen Plotters

500

- Color Adds a Vivid New Dimension of Depth and Clarity To All Kinds of Charts and Graphs
- High-Level Graphics Software for All TRS-80 Disk Systems

O Multi-Pen Plotter. Our best! Create sophisticated charts and graphs in up to six This "intelligent" plotter uses simple ASCII commands to allow you to generate lines, circles, arcs and identification markers. Draws 93 upper and lower case umeric characters in nine sizes and four rotations, too. Draws on paper with eable hard-nib pens or film sheets with felt-tip markers. Features include automatic election, chart hold down, and touch panel pen motion controls. RS-232C serial ce. Disk software supplied is menu-driven—no programming necessary—so anyon draw, save and recall "professional" line and pie charts, complex bar graphs, and more. Includes six hard-nib pens. U.L. listed. 26-1191 1995.00

cations. Paper Size: 81/2 x 11". Plot Size: 7 x 91/4". Speed: 2.8" per second. Step Size: 200 per inch. ons: 6 x 131/2 x 101/2". Weight: 20 pounds. Power Requirements: 115VAC, 50/60 Hz.

inter




earameters. Prints command. Single multi-color plots. ures self-test and -232C serial inter-995.00

× 10.63" or 8.5 × 11.73". ons: 45/a × 161/a × 145/a". O Watts.

CGP-115 Color Graphics Printer

You Must See To Believe Its Ultra-Compact Size!

24995



- Uses Easily Replaceable Ink Cartridges
- Includes Serial and Parallel Interfaces

Specifications. Paper Size: Standard 41/2" roll. Effective Plotting Range: X-axis—3.8 inches (480 steps), Y-axis—no limit. Plot Speed: 2.05 inches per second. Print Speed: 12 characters per second. Characters per Line: 80 or 40 (text mode). Any size from 1 to 80 per line (graphics mode). Dimensions: 210/16 × 81/4 × 81/2". Weight: 13/4 pounds. Power Requirements: 120VAC, 60Hz, 23 Watts.

kCatalogs.com

Replacement Paper and Pens for . TRS-80 Color Plotters

Keep Extra Supplies Handy



Color	(For Paper)	Felt Tip (For Transparencies)
Red	26-1460	26-1470
Blue	26-1461	26-1471
Green	26-1462	26-1472
Violet	26-1463	26-1473
Brown	26-1464	26-1474
Orange	26-1465	26-1475
Black	26-1466	26-1476

B Pens for CGP-115-	-\$2.95 set
Color	Cat. No.
Black (Set of 3)	26-1480
Red, Green, Blue (Set of 3, one each)	26-1481
C Hard-Nib Pens for FP-215 (fo	r paper)-\$3.95 ea.
Black	26-1343
Red	26-1344
Green	26-1345
Blue	26-1346

Graphics S

TRS-80 Colo Graphics In

34995

- Captures Up to 100 Po
- Compatible with Comp

GT-116 "X-PAD." Instant of of a pen! Reads your drawn your TRS-80 Color Comput simple CAD/CAM, archite business, and other graphi let contains all necessary is combined with a special face for easy drawing—sca directly compatible with of screen size. Comes wit equipped with a pressi leakproof standard ink ca that is easily changed or re with a stylus for tracing. other options simplify da boarding is minimized. Com guage routines for highaccessed by Extended BAS Software included provides drawing routines, plus user 26-1196



www.RadioShad

Systems for Special Applications

r Computer put Tablet

Plugs Directly Into Program Pak Slot

ints per Second outer Graphics Capability

graphics at the touch or traced design into er. Ideal for medical, ctural, educational, c applications. Tabelectronics and passive sur-

aled to be display h pen urized rtridge placed

Menus and ta input, so keypatible with machine lanspeed drawing. Easily SIC graphics commands. s interactive menu for all

defined menu functions.



Specifications

Writing Area: $7 \times 9''$ — scaled to be directly compatible with screen size. Menu Area: Active to full 81/2 x 11" size. Pad Size: 11 x 13". Power Requirements: Supplied by Color Computer.

Input Precise Data Coordinates!

44900

Works With Any TRS-80 With RS-232C Serial Port


Ideal for Engineering, Architectural Work, Map and Photo Interpretation, and Much More

TRS-80 Digitizer. Input x/y coordinates from a drawing, map, chart, even photo to your TRS-80. Use this data to calculate length, perimeter, area, volume, and more. 11 x 17" active area. Includes software listings for basic set-up and use. U.L. listed.


Specifications, Resolution: 100 lines per in. Accuracy: 0.005", Repeatability: ± 2 LSD. Operation: Point or continuous mode. Dimensions: 21/4×151/2×41/4". Power: 120 VAC, 60 Hz.



Radio Shack Has Cables and Ac







We support the TRS-80 with a complete selection of user-proven cables and accessories for almost any application. That makes it easy to choose the right cable for your computer system so you're assured of outstanding performance. Get the one you need at a Radio Shack Computer Center, store or participating dealer.

Quality Printer Cables

Fig.	Function	Description	Cat. No.	Each
A	Model I/III to std.	34-pin edge card to 36-pin plug	26-1401	39.00
8	Model II/12/16 to std. parallel printer	34-pin header to 36-pin plug. 6'	26-4401	39.00
C	Model II/12/16 to std. parallel printer	34-pin header to 36-pin plug, 12'	26-1323	44.95

Cassette Interface Cable

Fig.	Function	Description	Cat. No.	Each
D	Model I, III, Color Computer CPU to audio cassette	5-pin DIN to Audio (3 plugs)	26-1207	5.95

Color Computer Cables

Fig.	Function	Description	Cat. No.	Each
Ε	Color Computer serial interface	4-pin DIN to 4-pin DIN	26-3020	4.95
F	Model I special serial interface	5-pin DIN to 4-pin DIN	26-3009	4.95
G	Color Computer to RS-232C interface	4-pin DIN	26-3014	19.95


TRS-80 Accessories Add Flexibility



Power Line Filter

Automatic Control Power Strip





cessories for Your Every Need

Universal RS-232C Accessories

Industry-standard accessories for serial communications. Compact, round cables with molded plugs are quality-crafted for reliability. Pins 1-8, 15, 17, 20, 24 extended.

A Male DB25 to DB25 5-Foot Cable With Terminator. Specially for Model II/16 RS-232C serial interface. 26-4403 . . . 39.95


B Extended RS-232C Cables. For Model 12 or for extending 26-4403.

C RS-232C Cable Extender. Connects cables together for longer runs.

	Typical Hooks-Up
A	
B	
	CPU CPU

RS-232C Cable and Extender

Fig.	Function	Description	Cat. No.	Each
E	Model III/12 RS-232C serial interface	Male DB25 to DB25 5-ft. flat cable	26-1408	19.95
F	Allows use of round RS-232C cables with Model III	8-inch extender	26-1497	17.95



and Convenience to Your System

SW-303 RS-232C Selector Switch. Connect any three RS-232C devices to your TRS-80. Two switched ports for moderns, digitizers, plotters and more—one configurable port for communication between two computers. U.L. isted AC power module. Cables not included. 26-1499





TRS-80 Model III System Desk



Universal Printer Stand

Locking Casters. Install to base of printer stand. Fits both 26-1308 (above) and 26-4305 (right).

26-1319 Set of 4/19.95



Mobile Printer "Paper Caddy"



Computer Paper Dolly And Printer Forms Rack

7995

Docu-Rack™ Stand



Organizes Computer Printouts

5995

Trays and binders not included

Doubles as Printer Stand

Holds six stackable plastic data trays or hanging post binders. 281/4 × 191/8 × 131/4".

Ne

TR Matche Desk (r

allows

and als

Easy a

cluded. 26-430

Wo

Tilt-Sy

and till comfor nylon base.

w! Deluxe System Desk and Printer Stand



turdy Stand for Your S-80 Business Printer

s modern styling of System ight). Convenient slotted top use with virtually all printers, o permits bottom paper feed. assembly—instructions in 27 x 24 x 19".

. . . 149.95

Custom TRS-80 Workstation For Model II, 12 and 16

Accents any office—perfect for your Model II, 12 or 16. Plenty of convenient working space, with wiring cutouts in top. Heavy-duty construction. Easy to assemble. 27 × 48 × 30".

System Desk Drawer. Mount on left or right of desk. 123/4 x 181/2 x 201/4". 26-4304 129.95

rkstation Chair



vivel Mechanism With ustable Seat Height

e Swivel Chair. Arms ted back for maximum rt and support. Brown fabric. Heavy five-blade 74-1057

New! Space-Saving Computer Table



Lots of versatility at a low price! Small enough to let you set up your system nearly anywhere, but large enough for the TRS-80 Color Computer or even the Model III. 27 x 48 x 24". 26-1324 69.95

TRS-80 Computer Diskettes Are Cer

- QUALITY—Manufactured to the Highest Standards of Excellence
- RELIABILITY—You're Assured That Your Programs and Data Are Safe
- COMPATIBILITY—Our TRS-80 Diskettes Will Operate in Any Appropriate TRS-80 Disk Drive

Your programs and data are valuable to you—and so is your time. To guard against possible loss of diskette information, and the time needed to re-input it, you need the highest quality diskettes available. Ours are made to the most rigid standards in the industry. They're double-coated with an advanced ferric oxide blend that produces maximum lubrication and resistance to diffusion. Then they're thoroughly tested to insure freedom from defects before being certified and offered to you—our customer.

51/4" Unform



Buy in Qua

	Quantity (10 Packs)
7	1-4
	5-9
	10-Up

For Best Results Use Only Genui



Universal Disk Drive Head Cleaning Kit

Clean drive heads easily, safely. Includes two special cleaning disks, one bottle cleaning solution.

51/4" Drive Kit. 26-407 29.95 8" Drive Kit. 26-4909 29.95



Daisy Wheel Printwheel Cleaning Kit

Keep your Daisy Wheel II or DWP-410 "making a good impression". Cleans clogged recessed type areas. Easy-to-use without mess. 26-1320 . . 16.95 Refill Fluid and Pads.

26-1322 5.95



Rec Har Sta

Anti-Spray. carpet, equipi elimina lem-c static. L washed 26-515

rtified for Excellence and Compatibility

atted Diskettes

- Single-Sided
- 40-Track, Soft-Sector
- Double-Density

Single	D)is	k	e	tt	e			
26-305									4.95
DI-14		-							

- Diskette 3-Pack. 26-405 13.95
- Diskette 10-Pack.
- 26-406 39.95

ntity and Save!

	Per 10 Pack	
T	39.95 34.95	

8" Unformatted Diskettes

- Double-Density
 - 77-Track, Soft-Sector

Single-Sided. Single Diskette.

26-4905 7.50 Diskette 10-Pack.

26-4906 59.95

Double-Sided. 10-Pack. Model 12 and 16 only. 26-4960 69.95

Buy in Quantity and Save!

Quantity (10 Packs)	Single-Sided Per 10 Pack	Double-Sided Per 10 Pack
1-4	59.95	69.95
5-9	53.95	63.95
10-Up	49.95	59.95

ine TRS-80 Computer Accessories

Diskette Mailers Protect Floppies

Easy-to-use mailers let you send your disk programs with confidence. Specially designed to prevent bending. Includes inner envelope for dust protection.

51/4". Pkg. of 5. 26-1317 5.95 8". Pkg. of 5. 26-4954 7.95



High-Quality TRS-80 Computer Cassette Tapes

C-20. Leaderless. 26-301 3.79 C-10. Standard leader. 26-302 1.79

Quantity	C-20 Each	C-10 Each					
1-11	3.79	1.79					
12-23	3.29	1.59					
24-47	2.89	1.40					
48-Up	2.49	1.25					

luce mful atic

Use on screen, ment to te probausing asts until

. . . 5.95



Screen Cleaner Cleans video monitor. 50 prewet wipes, lintfree cloth. 26-1318 . . . 2.95

talogs.com



Replacement Labels

Peelable, non-smear, color-coded labels.

51/4" Diskette Labels.
Pkg. of 50.
26-307 1.95

8" Diskette Labels.
Pkg. of 50.
26-4955 1.95

Cassette Labels.
Pkg. of 60.
26-304 1.95


Your Equipment and Data Storage Me



Diskette Storage Boxes


Flip through up to ten diskettes. Index is visible when open or closed. Polystyrene.

51/4" Diskette Storage Box.	
Black. 26-1321	4.95
8" Diskette Storage Box.	
Tan. 26-4956	5.95



Binder Stores Disks and Cas

A Universal Da	t	9	E	ti	n	d	e	r		3-	ri	n	a	b	oi	n	d	ei	ri	fo
ers and diskette																				
B Cassette Hole	dk	eı	r.	5	St	0	re	95	; :	si	×	. :	2	6-	1	3	11			٠
Disk Envelopes	s.	. 1	C	o	n	v	е	n	ie	P	ıt,		Si	af	e	:	st	0	r	30
© 51/4". 26-510		٠											٠			٠	+	+	×	
D8". 26-4907								٠				÷					٠			×




TRS-80 Programming

- B Stacking Data Tray. Holds in neat stacks. 26-1309
- D Logic Flowchart Templar bols. 1/10" layout grid. 26-1312

Anti-Glare Panel Reduces Screen Reflections





Cuts Glare For a Clear, Sharp Image

- Special Optically-Coated Panel Reduces Glare by 94 Per Cent
- Maximizes Contrast and Readability



Nylon glare a contras ily in Model and 16 26-511

www.RadioSha

dia Last Longer if Properly Protected

settes



cassette hold-. 5.95 Pkg. of 2/4.95

Pkg. of 10/7.95 Pkg. of 10/7.95

Aids

iles.

eets. Lavout 00 sheets/3.95 147/a" printouts . . . Each/8.49 highlight and

. 2.95 te. ANSI sym-. 3.95



Glare Mask

mesh reduces and improves st. Installs easseconds on I, II, III, 12

. 16.95

Large File Boxes with Index Dividers



A 8" Diskette File Box. 26-4953

☐ Program Pak™ File Box. Holds 16 Program Paks or

Dust Covers Protect Your System Components



qs.com





Protect your investment against dust, dirt and surface scratches. Durable vinyl with reinforced stitching on all seams.


For Model II/16 Computers, 26-4051	95
For Model 12 Computer. 26-526	95
For Model III Computer. 26-506	95
For Color Computer. 26-3006	95
For CCR-81 Computer Recorder. 26-517 4.	95
For External Disk Drives. 26-502 Pkg. of 2/5	

For LP VI or DMP-400. 26-507 5.95

For LP III or V or DMP-500, 26-505 5.95 For Daisy Wheel II. 26-508 5.95

For Daisy Wheel II and Tractor. 26-516 7.95

43



Handy Typing Easel



Use as a Book Holder, A Lecturn or Display Easel

Holds publications securely by means of adjustable T-bar (83/4 to 137/8" high) and friction pads. Cushioned base prevents slippage and protects furniture surface. Folding legs for compact storage. 73-2003 15.95

Protective Disk Rings



Strengthens Disks

- Prevents Data Loss
- Simple Installation

1295

51/4" Disk Saver. 50 rings and installation tool. 70-515 12.95 Refill. 50 rings. 70-516 6.95

8" Disk Saver. 50 rings and installation tool. 70-517 14.95

Refill. 50 rings. 70-518 7.95 Www.RadioSha

or Organization and Efficiency

Diskette Looseleaf Files



- Low-Cost Storage Protection
- Fits Universal Data Binder

A 51/4" Housing Frame. Holds eight mini disks. With movable index tab for easy filing.

70-514 Pkg. of 4/14.95

B 8" Looseleaf File. Holds two disks and an index card.

70-513 Pkg. of 10/12.00

Protect Disks With Flip Files




Keep Disks Handy—Find the One You Need in Seconds

Ideal storage system. Black suede vinyl binder protects 20 diskettes. Files away on shelf when closed, displays a disk at a time when open.

For 8" Diskettes. 70-502 39.95 For 51/4" Diskettes. 70-503 . . 34.95

Accessories for Your Daisy Wheel II Printer



Protect Your Valuable Investment

Protective Anti-Static Mat



Drains Static Charges That Can Harm Your Computer System

Static electricity can "crash" your system. This mat drains the static charges carried by anyone walking across a carpet. High-impact 1/e" Polyethylene. 36" wide by 48" long overall. 79.95

TRS-80 Videotex Brings You a \

TRS-80 Videotex Information Terminal



New! "Videotex P

- "Auto Log-On" Provi Access to Dow Jones Other Data Networks
- Advanced Features F And Save You Money
- Easily Save Informati Later Viewing or Make

Videotex Plus. Now you sophisticated communicate TRS-80 Model III or I displets you communicate with tion service (with the same collas Videotex), such as Jones News/Retrieval. It's with features to help you in There's even an option the dial feature found on maincluding our Auto-Ar Modem II (26-1173) and Modem (76-1005). Videotescreen editing for tailoring quence to your particular

CompuServe® Information Service

- The Latest in News, Weather and Sports
- Send and Receive Electronic Mail
- Extra RAM Workspace and Disk Storage

Get "on-line" to this exciting information serviceand your first hour is FREE! CompuServe offers you the latest in local, national and international news, weather and sports in special "electronic" editions of some of America's greatest newspapers-plus the Associated Press newswire. There's even an electronic version of The World Book Encyclopedia. Access historical information on 32,000 stocks, bonds and securities, take advantage of reference services, play exciting computer games, get information about TRS-80 computers, exchange messages nationwide by electronic mail, and get 16K of RAM workspace and 128K of disk storage for your own use. All this is available at CompuServe's low hourly rate. (Additional charges for some services).

Dow Jones Ne

- Business and Ind
- Detailed Corpora
- Historical Data

TRS-80 Videotex gives yo Street—and your first ho gives you current market o mandatory 15-minute del and options traded on the selected U.S. Treasury iss and business news from Barron's and the Dow Jo you'll have at your dispose corporate financial inform companies, profiles and 1 companies (supplied by I tronic encylopedia, a text 125,000 business articles and complete historical summaries._

www.RadioSha

Norld of Information—Instantly

lus" Communications Software for TRS-80 Models III and I

des Quick and Easy s, CompuServe and

leduce "On-Line" Time

on on Disk for e Hard-Copy Printouts

the have a powerful and ations package for your sk system! Videotex Plus h any computer informate communications protose CompuServe and Downsimple to use, yet loaded ninimize connection time. It lets you use the autoany telephone modems, aswer, Auto-Dial D.C. the high-speed DC-1200 ex Plus also includes oning the auto log-on seneeds.

Convenient Features. The RAM buffer capabilities of Videotex Plus allow for saving information to disk for later viewing, editing or transmission. You can reduce connection time by loading into memory the information you want to transmit before you log on. And there are function keys you can define for frequently used commands, a printer control feature for hard-copy output to an optional printer, and a screen control feature for variable width screen displays. All of the advanced features of Videotex Plus can be easily accessed with preassigned function keys.

Versatile. Videotex Plus is composed of three major modules—the primary communication program, a specialized program for use with "store and forward" information services, and a module that lets you create and edit log-on sequences and save them on diskette for later use with the special automatic log-on procedure.

ws/Retrieval®

te Information
Company Profiles

ou a "direct line" to Wall our is FREE! Dow Jones quotes (subject only to the ay) on all stocks, bonds major exchanges—plus ues. There's also general The Wall Street Journal, ones News Service. And al a data base of detailed ation on more than 3200 OK extracts on over 6000 Media General), an elector search service for over by category or keyword market quotations with

Low-Cost TRS-80 Videotex Packages

TRS-80 Videotex software allows access to major information data bases using your computer and an optional-extra telephone interface. Simply dial a phone number (usually local), press a few keys and the desired information will appear on your screen. Each package includes a TRS-80 Videotex software manual, CompuServe manual, ID number and password, and a Dow Jones manual and password. You also get one free hour on both the Dow Jones and CompuServe networks. After that, you'll be billed at their low hourly rates.

TRS-80 Model I/III Package. 26-2220 . . . 29.95

TRS-80 Model II/12/16 Package.

TRS-80 Color Computer Package.

ckCatalogs.com

New Low Price on Our 16K Stand Color Computer-Great Family Fu

Was \$399.95 In RSC-8 299⁹⁵

- Create Vivid Color Graphics With Exciting Sound Effects and Music
- Uses Instant-Loading Program Paks
- Learn to Write Your Own Color BASIC Programs With the Entertaining Manual
- Upgrade With Extended BASIC Kit
- Expand With a Printer or Disk Drives
- Attaches to Any TV Set

Enter the exciting world of computers with Radio Shack's versatile TRS-80 Standard Color Computer. Its 16,000 characters of memory gives you space for programs and data and great game animation. A TRS-80 Color Computer is incredibly affordable, and great for fun and games, personal uses, education, learning to program and much more. It's an excellent family computer!

Action-Packed Video G

Ready for fun? Just por Program Pak™ and you'll louter space, ski an exci invading aliens, or challen Roman checkers or backg arcade right in your own

Household and Educati

But playing games is only up a budget and keep trac inventory of household it math or typing, enjoy liter ous computer "paintings.

Want to Learn to Progr

Our entertaining, "from t manual will have you we color displays and exciting



dard un!

ames

op in an instant-loading be set to battle starships in ting slalom course, repel ige the computer at chess, pammon. It's like having an home!

onal Uses

the beginning. You can set k of expenses, or create an ems. Your kids can learn ary classics or make glori-

am?

he ground up" instruction riting programs with vivid g sound in no time.



Programming is Fun

Developing your own programs for home or school is easy and exciting. Color BASIC's simple commands let you quickly produce drawings, diagrams and charts. You can choose from eight brilliant colors, create musical tones, solve problems, analyze data, and much more. Then save your work on cassette tape with an optional recorder.

Expand Easily

Add a pair of joysticks for more exciting games, a printer, and a modem for telephone communications. You can also upgrade with 32K memory, our Extended Color BASIC for high-resolution graphics and advanced programming features, and up to four disk drives.

The 16K TRS-80 Standard Color Computer's BASIC language includes data and string handling, dimensioned arrays, math functions, and 9-digit numeric accuracy. Includes instruction manual. U.L. listed. 16K Color Computer. 26-3004 299.95

Handy Accessories


Carrying Case. Protects Color Computer or TRS-80 Videotex keyboard. Padded vinyl. 31/2 x 133/4 x 143/4". 26-3007 . . . 19.95

Joysticks. For faster, more realistic action. 360° movement. Single-shot button. 26-3008 Pair/24.95



Who is the Color Computer for?

The TRS-80 Color Computer is a great choice for anybody who wants to enjoy video games in a system that can be used for many other household, business and educational tasks. It's ideal for computer beginners who want a system that's easy to learn on but won't limit them to simplistic projects. And it's perfect for hobbyists who want a full-featured computer system—with the opportunity for expansion into high-resolution graphics and advanced programming.



Extended Color BASIC Brings High-Resolution Color Graphics to the TRS-80 Color Computer

Color Computer Specifications

Microprocessor: 6809E 8-bit processor. Clock Speed: 0.894 MHz. Keyboard: 53 keys, including up. down, right and left arrows, BREAK and CLEAR. Video Display: 16 lines of 32 upper case characters. Color graphics capabilities range from 32 × 64 (8 colors) to 192 × 256 (1 color and background color) with 3 intermediate formats. Higher resolutions in the same range are available through machine language, Extended Color BASIC or Program Paks. Output connects directly to any standard TV set (300 ohms) and includes video and sound. Memory: 16K or 32K internal dynamic RAM. Color BASIC is in 8K ROM, 16K ROM for Extended Color BASIC. Input/Output: 1500-baud cassette (recorder optional). Connectors for two 2-dimensional joysticks (optional). RS-232C serial I/O port. Interrupt Timer: Accessible from Extended Color BASIC or machine language only. Dimensions: 31/2 × 133/4 × 143/4". Power: 120VAC, 60 Hz, less than 50W.

Additional Extended BASIC Specifications.

Memory: Extended Color BASIC in 16K ROM. Graphics: Five formats up to 256 × 192. Command Statements: CIRCLE, CLOADM. COLOR, CSAVEM, DEF FN, DEFUSRn, DEL, DRAW, EDIT, GET, INSTR, LET, LINE, LINE INPUT, MID\$, PAINT, PCLEAR, PCLS, PCOPY, PLAY, PMODE, PRESET, PRINT USING, PSET, PUT, RENUM, SCREEN, TROFF, TRON. Functions: ATN, COS, EXP, FIX, HEX\$, LOG, PEEK, POS, PPOINT, STRING\$, SQR, TAN, TIMER, USRn.

Now Hig Are More

NEW LOW PRICES!

- Easy-to-Use One-Line of Detailed Color Graphic
- Create Sophisticated D Charts and Graphs, En
- 256 x 192 Screen Reso

Now you can enjoy creati with a TRS-80 Extended B for \$100 less than last year! the Standard Color Comp gramming capabilities. I system.

Simple Graphics Comma

Just a few one-line comma sophisticated shapes easy. you can draw a line betwee screen coordinates. CIRCle circle with a specified rac DRAW produces a line or sepecify the direction and a fied area with the color you

A Programmer's Dream

It's easy to add music ar programs, too. You can get the powerful PLAY comma structions for joystick fund with the JOYSTK commanthe joysticks like "paintbruthe other for movement—it objects on the screen.

Loaded With Dynamic F

The Extended BASIC Colo serious programmer. It all able names (two significan characters, full-featured point 9-digit accuracy, trigdefinable keys, specific err POKE and USR commar guage subroutines.

h-Resolution Color Graphics e Affordable Than Ever!

LOW 3995

Commands Make is Incredibly Simple Drawings, Business Igineering Diagrams Jution (49,152 Pixels)

ng spectacular graphics ASIC Color Computer— You get all the features of uter, plus advanced prot's a truly professional

inds

Inds make the creation of With the LINE command, een two specified sets of LE draws a full or partial lius at a specified point. eries of lines and lets you ingle. PAINT fills a speciul pick.

nd sound effects to your 255 separate tones using and. You can also put intions into your programs d (requires joysticks). Use shes"—one for the color, addition to maneuvering

eatures

r Computer is ideal for the lows multi-character variit), string arrays up to 255 editing, tracing, floating characters, user or messages, and PEEK, and to call machine lanWe Don't Skimp on Documentation

Each computer comes complete with an operator's manual, our entertaining 308-page manual on Standard Color BASIC, and a 214-page tutorial manual on Extended Color BASIC.

Easily Expandable

You can add a printer, plotter, digitizer, graphics tablet, disk drives for increased storage, and a telephone interface at any time. Attaches to any standard TV set. U.L. listed.


> Kits to Upgrade Your Color Computer System

*Price Does Not Include Required Installation.




ckCatalogs.

Experience the Excitement and (



New! Poltergeist


Based on the hit Steven Spielberg movie! Unless you complete three levels of play, you don't stand a "ghost" of a chance of rescuing Carol Anne! First, find clues. Then, climb stairs. Third, destroy the poltergeist!



New! Clowns and Balloons

Old Favorites

Chess. 26-3050 .							٠		34.95
Super Bustout. 2	6	-3	10	5	6	;			29.95
Dino Wars. 26-30									
Skiing. 26-3058 .									29.95
Tennis 26-3080									29.95



New! Monster Maze

Thread your way through the evil dungeon in search of stacks of gold. Take care—laser-firing monsters could be around the next corner! By the way, they sometimes shoot through the walls! Joysticks required. 26-3081

New! Double Back


Galactic Attack

Shooting Gallery

Roman Checkers

The classic game of strategic placement. Save games on tape with optional cassette recorder. Joysticks optional. 26-3071

Challenge of These Great Games



New! Canyon Climber

New! Castle Guard

Defend your castle from the giant fireball using Merlin's magical pikes. Break the spell of doom by destroying your opponent's castle—watch it sink into the ground. Colorful graphics bring this medieval drama to life. Joysticks required. 26-3079 29.95

Project Nebula

Popcorn

Above you: five rows of popcorn. Below you: a conveyor belt. In-between: five frying pans. The challenge: catch the popcorn with your pans before it reaches the conveyor. Miss one and you lose a pan. Catch five rows to get an extra pan. Joysticks required. 26-3090



Mega-Bug

A maze of fun! Try to lose the little "buggers" hot on your trail! You eat white dots, leaving a trail of dots behind you. The secret is to leave false trails in order to confuse and lose your chasers. Joysticks required.


Microbes

Polaris

Defend your islands from enemy missiles with your fleet of three submarines. Intercept smart bombs and multiple warhead missiles before they split. Keep track of each sub's salvo. Joysticks required. 26-3065 . . . 29.95

Space Assault

You'll Find Something for E



Wildcatting

New! Madness and the Minotaur

Pyramid

Raaka-Tu"

Bedlam

You're "in" and you want to get out of the insane asylum! Can you trust Napoleon? Or the guy who calls himself X-Ray? The way out of the asylum changes every time! Cassette recorder required. 26-3312 14.95



Micro Painter

Art Gallery

New! Images 1 and 2

Each has 12 pictures for Art Gallery (26-3061) and 12 for Micro Painter (26-3077).

Images 1. 26-3300 8.95 Images 2. 26-3301 8.95

Bingo Math


Makes math fun! Solve problems to score a Bingo. Also includes Speed Math and Number Hunt. Joysticks required. 26-3150 29.95

Color Computer Learning Lab

Hands-on, self-teaching course for Standard Color BASIC. Initial lessons have a "monitor" that indicates your errors. With manual and eight cassette tapes. Cassette recorder required. 26-3153

very Member of the Family





Bridge Tutor

Color Cubes

New! Card Games

Six games in one—with something for everyone! There's challenging hands of Solo Poker, Solitaire and Black Jack for adults. Kids will love playing Go Fish, The Last Pirate and an all-out game of War. Cassette recorder required. 26-3320 19.95

Color Backgammon

The Color Computer Is a Great Tutor!

Reading is Fun. Each package includes an illustrated reader, a read-along cassette tape, and a computer tape with spelling and vocabulary exercises. No two exercises are alike. You get immediate feedback and a progress report. Grades 4-6. Cassette recorder required.

20,000 Leagues Under the Sea.

Vocabulary Tutor. Match words with definitions and use words in sentences. Grades 3-5. Cassette recorder required.

Vocabulary Tutor 1. 26-2568 8.95

Vocabulary Tutor 2. 26-2569 8.95

