

KEY FEATURES



Patent # US D437,827 S

- Four input plates grouped two per side
- Each plate/module operates independently
- Modules open/close by tilting top panel
- Multi-media & AC power connectors
- All signals pass-through to the underside of the table
- Services four users, two per side of table

DESCRIPTION

The Tilt 'N Plug Jr.™ - Quadruplets, model TNPI24, is one member of a family of compact interconnect solutions designed for installation into a table in a presentation system. The TNPI24 provides access to computer video, audio, network, telephone and AC power connections when they are needed and hides them when they are not needed.

The TNPI24 bezel incorporates four Tilt 'N Plug Jr. individual tower modules grouped together with two facing one direction and two facing the opposite direction. Each can be operated independently, allowing up to four users at once.


Each input plate on the TNPI24 is accessed by lifting the top panel from its front lip. This tilts the input plate into view with help from a pneumatic spring inside the

unit. Once opened, the input plate remains securely in place. The input plate is hidden by pressing down on the top panel, which closes the lid. In its closed position, the top panel lies flush with the table top.


Each input plate provides Computer Video (15-pin HD), Computer Audio (Stereo Mini), Modem (RJ11), and Network (RJ45) input connections. Each also provides an AC Power connection suitable for use throughout the U.S. and Canada.

All signals are passed through the unit with connection to the AV system being made under the table. No signal processing or buffering takes place. Separate cable bundles are provided on the underside of the unit for each input plate.


APPLICATION DIAGRAM



Specifications subject to change without notice.



INPUT PANEL



DIMENSIONS

