

BenQ



PROFESSIONAL PROJECTOR GUIDE



Successful Selling & News

Starin Reseller Portal <http://benq.starin.biz/>



Dealer Programs and Incentives

BenQ has developed a distribution model for Starin to allow for competitive dealer pricing, incentives and promotions. We realize the projector market is in constant price flux and have taken the steps to help you stay profitable. Projectors with a ★ represent a higher margin of profit when compared to the consumer and IT markets.

Did you know? DLP is becoming the Preferred technology? DLP is now 47% of the projector market.



Did you know? BenQ is now an established brand... BenQ projectors now rank #5 in the U.S.

Did you know? BenQ's 2 year warranty for professional projectors ... & now Starin replaces early stage problems with an advance replacement, for the best rapid response.

Did you know? As a registered QReseller you get additional benefits... salesperson spiffs and opportunities for special bid pricing are only eligible to registered Qresellers.. so sign up!

Did you know? BenQ has a posted "do not sell to" list of on-line MAP violators... this list is available for you to show your customer and ask, "do you want to trust buying from this renegade where your product immediately goes out of warranty? Or would you like to buy confidently from me a Qreseller listed as authorized at www.BenQ.us". Sell assured.

Did you know? The 8000 series (our key models intended for professional installation) have 4 quiet fans for better cooling with micro-dust filtering. And there are 8 pre-sets for optimizing content.



PC Signal / Mode
Presentation Vivid Video Economic

AV Signal / Mode
Gaming Cinema Video Economic

Did you know? Special bundles enhance your offer

Did you know? Starin has more BenQ inventory and better programs than any other supplier? We're committed to support you with the best of BenQ. Let our reps and inside staff show you.



Did you know? Starin Now offers reseller portals?

These websites give you password protected access to up-to-date reseller pricing and a vast amount of product and sales tools.



<http://altinex.starin.biz/>



Elite SCREENS
<http://elite.starin.biz/>



<http://crestron.starin.biz/>

NEW 4000 lumen model

To order call: (219) 929-4127 Fax: (219) 929-4377 logon: <http://BenQ.Starin.biz>

BenQ™ Professional DLP Projectors

Picture Model/Description



PB8250
 DLP 3000 ANSI XGA Projector

- **XGA (1024 x 768)**
- Supports VGA thru SXGA
- **3000 ANSI lumens**
- Format: 4:3 Native / 16:9 Selectable
- Up to 300" dia screens
- Zoom Ratio: 1:1.2, Manual Zoom, F=2.4 to 2.6
- ±16° Digital Keystone
- Contrast ratio: 2000:1
- **Lamp: 300W UHP, 3000 hours max**
- Inputs:

VGA 15 Pin x 1, DVI x 1, S-Video x 1
 Composite Video x 1
Component (YPbPr) x 1
 RS232 x 1, USB x 1
 Audio 3.5mm x 1

- **Loop-thru VGA output**
- Acceptable Video Signals:
 NTSC/PAL/SECAM/HDTV
 (480p, 720p, 1080i)
- 12.6" x 4.2" x 9.3"
- Net Weight: 7.9 lbs
- Shipping Weight: 13.7 lbs

Includes: User Guide, Quick-start guide, IR remote, 2 AAA batteries, power cord, VGA cable, HDTV cable, audio cables, S-video cable, USB Cable, Video Cable, soft case.

The BenQ PB8250 is an XGA digital projector with a 2000:1 contrast ratio and 3000 ANSI lumen output. Key features include 4-segment color wheel and status information for control systems.

3-Year Limited Warranty, free 1st year Xpress Xchange Service

Dia (in)	Screen Width (in)	Screen Height (in)	Min Throw Distance (in)	Max Throw Distance (in)	OffSet (in)
30	24	18	39	48	0.9
40	32	24	52	64	1.2
50	40	30	66	80	1.5
60	48	36	79	96	1.8
70	56	42	92	112	2.1
80	64	48	105	129	2.4
90	72	54	118	145	2.7
100	80	60	131	161	3
120	96	72	157	193	3.6
125	100	75	164	201	3.8
150	120	90	197	241	4.5
175	140	105	230	281	5.3
180	144	108	236	289	5.4
200	160	120	262	321	6
225	180	135	295	362	6.8
250	200	150	328	402	7.5
275	220	165	361	442	8.3
300	240	180	394	482	9

FOR MORE EXACT calculation visit:
<http://benq.starin.biz> and click "links"



59.J8101.CG1 PB8250-Lamp
 300W VIP Lamp for PB8250 and PB8260

56.26J95.001 Spare remote

PM-1 Universal Omnimount
 Ceiling Mount projectors less than 30 lbs.

LENSEKIT1
 0.8X Closeup Lens and mount kit

LENSEKIT2
 0.65X Closeup Lens and mount kit

LENSEKIT3
 1.2X Long-Throw Lens and mount kit

LENSEKIT4
 1.5X Long-Throw Lens and mount kit

CMA-100
 Ceiling mount for LENSKITS 24-46" range

WMA-300
 Wall Mount Accessory Arm



Note, lens kits require pole and wall/ceiling mount hardware

BenQ™ Professional DLP Projectors

Picture

Model/Description



PB8253

DLP 3500 ANSI XGA Projector

- **XGA (1024 x 768)**
- Supports VGA thru SXGA
- **3500 ANSI lumens**
- Format: 4:3 Native / 16:9 Selectable
- Up to 300" dia screens
- Throw ratio 60"@6.6 feet
- Zoom Ratio: 1:1.2, Manual Zoom, F=2.4 to 2.6 • ±16°
- Picture-in-picture
- Contrast ratio: 2000:1
- **Lamp: 300W UHP, 3000 hours max**
- Inputs: **VGA 15 Pin x 1, DVI x 1, S-Video x 1**
Composite Video x 1, **Component (YPbPr) x 1**
RS232 x 1, USB x 1, Audio 3.5mm x 1
- **Loop-thru VGA output**
- Horizontal Frequency: 24 - 88 kHz
- Vertical Scan Rate: 48 - 100 Hz
- Acceptable Video Signals:
NTSC/PAL/SECAM/HDTV
(480p, 720p, 1080i) 640 x 350 to 1280 x 1024
- 8 preset modes
- Laser pointer
- Source detection
- High altitude mode
- 12.6" x 4.2" x 9.3" Net Weight: 7.9 lbs
- Shipping Weight: 8.4 lbs

The BenQ PB8253 is an XGA digital projector with a 2000:1 contrast ratio and 3500 ANSI lumen output, new 5-segment color wheel .

2-Year Limited Warranty, free 1st year Xpress Xchange Service

Dia (in)	Screen Width (in)	Screen Height (in)	Min Throw Distance (in)	Max Throw Distance (in)	OffSet (in)
30	24	18	39	48	0.9
40	32	24	52	64	1.2
50	40	30	66	80	1.5
60	48	36	79	96	1.8
70	56	42	92	112	2.1
80	64	48	105	129	2.4
90	72	54	118	145	2.7
100	80	60	131	161	3
120	96	72	157	193	3.6
125	100	75	164	201	3.8
150	120	90	197	241	4.5
175	140	105	230	281	5.3
180	144	108	236	289	5.4
200	160	120	262	321	6
225	180	135	295	362	6.8
250	200	150	328	402	7.5
275	220	165	361	442	8.3
300	240	180	394	482	9

FOR MORE EXACT calculation visit: <http://benq.starin.biz> and click "links"



PM-1 Universal Omnimount

Ceiling Mount projectors less than 30 lbs.

56.26J95.001 Spare remote

LENSEKIT1

0.8X Closeup Lens and mount kit

LENSEKIT2

0.65X Closeup Lens and mount kit

LENSEKIT3

1.2X Long-Throw Lens and mount kit

LENSEKIT4

1.5X Long-Throw Lens and mount kit

CMA-100

Ceiling mount for LENSEKITS 24-46" range

WMA-300

Wall Mount Accessory Arm

Includes: User Guide, Quick-start guide, IR remote, 2 AAA batteries, power cord, VGA cable, HDTV cable, audio cables, S-video cable, USB Cable, Video Cable, soft case.



Note, lens kits require pole and wall/ceiling mount hardware

BenQ™

Picture

Model/Description



PB8263

DLP 4000 ANSI XGA Projector

- **XGA (1024 x 768)**
- Supports VGA thru SXGA
- **4000 ANSI lumens**
- Format: 4:3 Native / 16:9 Selectable
- Up to 300" dia screens
- Throw ratio 60"@6.6 feet
- Zoom Ratio: 1:1.2, Manual Zoom, F=2.4 to 2.6 • ±16°
- Picture-in-picture
- Contrast ratio: 2000:1
- **Lamp: 300W UHP, 3000 hours max**
- Inputs: **VGA 15 Pin x 1, DVI x 1, S-Video x 1**
Composite Video x 1, **Component (YPbPr) x 1**
RS232 x 1, USB x 1, Audio 3.5mm x 1
- **Loop-thru VGA output**
- Horizontal Frequency: 24 - 88 kHz
- Vertical Scan Rate: 48 - 100 Hz
- Acceptable Video Signals:
NTSC/PAL/SECAM/HDTV
(480p, 720p, 1080i) 640 x 350 to 1280 x 1024
- 8 preset modes
- Laser pointer
- Source detection
- High altitude mode
- 12.6" x 4.2" x 9.3" Net Weight: 7.9 lbs
- Shipping Weight: 8.4 lbs

The BenQ PB8263 is an XGA digital projector with a 2000:1 contrast ratio, 4000 ANSI lumen output and new 5-segment color wheel.

2-Year Limited Warranty, free 1st year Xpress Xchange Service

Dia (in)	Screen Width (in)	Screen Height (in)	Min Throw Distance (in)	Max Throw Distance (in)	OffSet (in)
30	24	18	39	48	0.9
40	32	24	52	64	1.2
50	40	30	66	80	1.5
60	48	36	79	96	1.8
70	56	42	92	112	2.1
80	64	48	105	129	2.4
90	72	54	118	145	2.7
100	80	60	131	161	3
120	96	72	157	193	3.6
125	100	75	164	201	3.8
150	120	90	197	241	4.5
175	140	105	230	281	5.3
180	144	108	236	289	5.4
200	160	120	262	321	6
225	180	135	295	362	6.8
250	200	150	328	402	7.5
275	220	165	361	442	8.3
300	240	180	394	482	9

FOR MORE EXACT calculation visit: <http://benq.starin.biz> and click "links"



Includes: User Guide, Quick-start guide, IR remote, 2 AAA batteries, power cord, VGA cable, HDTV cable, audio cables, S-video cable, USB Cable, Video Cable, soft case.

PM-1 Universal Omnimount

Ceiling Mount projectors less than 30 lbs.

56.26J95.001 Spare remote

LENSEKIT1

0.8X Closeup Lens and mount kit

LENSEKIT2

0.65X Closeup Lens and mount kit

LENSEKIT3

1.2X Long-Throw Lens and mount kit

LENSEKIT4

1.5X Long-Throw Lens and mount kit

CMA-100

Ceiling mount for LENSEKITS 24-46" range

WMA-300

Wall Mount Accessory Arm



Note, lens kits require pole and wall/ceiling mount hardware

BenQ™

Picture

Model/Description



The BenQ PB7110 is an SVGA digital projector with a 2000:1 contrast ratio, 5 segment color wheel and 1800 ANSI lumen output.

3-Year Limited Warranty

Dia (in)	Screen Width (in)	Screen Height (in)	Min Throw Distance (in)	Max Throw Distance (in)	OffSet (in)
30	24	18	39	48	0.9
40	32	24	52	64	1.2
50	40	30	66	80	1.5
60	48	36	79	96	1.8
70	56	42	92	112	2.1
80	64	48	105	129	2.4
90	72	54	118	145	2.7
100	80	60	131	161	3
120	96	72	157	193	3.6
125	100	75	164	201	3.8
150	120	90	197	241	4.5
175	140	105	230	281	5.3
180	144	108	236	289	5.4
200	160	120	262	321	6
225	180	135	295	362	6.8
250	200	150	328	402	7.5
275	220	165	361	442	8.3
300	240	180	394	482	9

FOR MORE EXACT calculation visit: <http://benq.starin.biz> and click "links"



PB7110

DLP1800 ANSI XGA Projector

- **SVGA (800x600)**
- Supports VGA thru SXGA
- 1800 ANSI lumens
- Format: 4:3 Native / 16:9 Selectable
- Image size 20 to 250" dia screens
- Throw ratio 50"@6.6 feet
- Zoom Ratio: 1:1.2, Manual Zoom, F=2.4 to 2.6 • ±16°
- Picture-in-picture
- Contrast ratio: 2000:1
- Lamp: 250W UHP, 3000 hours eco/max
- Inputs: Analog RGB: D-sub 15 pin (shared with Component Video)
Analog RGB2: D-sub 15 pin, S-Video: Mini DIN 6 pin,
Composite-Video: RCA, PC Audio: Stereo mini jack
- Loop-thru VGA output
- Horizontal Frequency: 24 - 88 kHz
- Vertical Scan Rate: 48 - 100 Hz
- Acceptable Video Signals:
NTSC/PAL/SECAM/MAC/PC
(480p, 720p, 1080i) 640 x 350 to 1280 x 1024
- 8 preset modes
- Laser pointer, wireless mouse
- Source detection
- High altitude mode
- 10.2" x 3.2" x 8.3" Net Weight: 7.9 lbs
- Shipping Weight: 5.9 lbs

Includes: User Guide, Quick-start guide, IR remote, 2 AAA batteries, power cord, VGA cable, HDTV cable, audio cables, S-video cable, USB Cable, Video Cable, soft case.

PM-1 Universal Omnimount

Ceiling Mount projectors less than 30 lbs.

98.J3401.011 Spare remote

LENSEKIT1

0.8X Closeup Lens and mount kit

LENSEKIT2

0.65X Closeup Lens and mount kit

LENSEKIT3

1.2X Long-Throw Lens and mount kit

LENSEKIT4

1.5X Long-Throw Lens and mount kit

CMA-100

Ceiling mount for LENSEKITS 24-46" range

WMA-300

Wall Mount Accessory Arm



Note, lens kits require pole and wall/ceiling mount hardware

Dealer Product Guide

Specifications subject to change without notice.

Price and product updates found at <http://BenQ.Starin.biz>

BenQ™

Picture

Model/Description

1-Year Limited Warranty for this projector



The BenQ MP770 is an XGA digital projector with a 2000:1 contrast ratio and 3200 ANSI lumen output.

1-Year Limited Warranty

MP770

DLP 3200 ANSI XGA Projector

- **XGA (1024 x 768)**
- Supports VGA thru SXGA
- **3200 ANSI lumens**
- Format: 4:3 Native / 16:9 Selectable
- Up to 300" dia screens
- Throw ratio 60"@6.6 feet
- Zoom Ratio: 1:1.2, Manual Zoom, F=2.4 to 2.6 • ±16°
- Contrast ratio: 2000:1
- **Lamp: 220W, 3000/4000 hours eco/ max**
- Inputs: **VGA 15 Pin x 1, DVI x 1, S-Video x 1**
Composite Video x 1, **Component (YPbPr) x 1**
RS232 x 1, USB x 1, Audio 3.5mm x 1
- **Loop-thru VGA output**
- Horizontal Frequency: 31 - 82 kHz
- Vertical Scan Rate: 48 - 85 Hz
- 2D Keystone
- Acceptable Video Signals:
NTSC/PAL/SECAM/HDTV
(480p, 720p, 1080i) 640 x 350 to 1280 x 1024
- Optional wireless module
• High altitude mode
- 12.6" x 4.2" x 9.3" Net Weight: 7.9 lbs
- Shipping Weight: 8.4 lbs

Includes: User Guide, Quick-start guide, IR remote, 2 AAA batteries, power cord, VGA cable, HDTV cable, audio cables, S-video cable, USB Cable, Video Cable, soft case.

Dia (in)	Screen Width (in)	Screen Height (in)	Min Throw Distance (in)	Max Throw Distance (in)	OffSet (in)
30	24	18	39	48	0.9
40	32	24	52	64	1.2
50	40	30	66	80	1.5
60	48	36	79	96	1.8
70	56	42	92	112	2.1
80	64	48	105	129	2.4
90	72	54	118	145	2.7
100	80	60	131	161	3
120	96	72	157	193	3.6
125	100	75	164	201	3.8
150	120	90	197	241	4.5
175	140	105	230	281	5.3
180	144	108	236	289	5.4
200	160	120	262	321	6
225	180	135	295	362	6.8
250	200	150	328	402	7.5
275	220	165	361	442	8.3
300	240	180	394	482	9

CS.5JJ2F.001 Replacement lamp

PM-1 Universal Omnimount
Ceiling Mount projectors less than 30 lbs.

LENSEKIT1
0.8X Closeup Lens and mount kit

LENSEKIT2
0.65X Closeup Lens and mount kit

LENSEKIT3
1.2X Long-Throw Lens and mount kit

LENSEKIT4
1.5X Long-Throw Lens and mount kit

CMA-100
Ceiling mount for LENSEKITS 24-46" range

WMA-300
Wall Mount Accessory Arm



HITACHI - Replacement for BenQ PB 9200

Picture

Model/Description

CPX1250

LCD 4500 ANSI XGA Projector

BenQ's PB9200 Projector was discontinued for forthcoming high output models. This Hitachi is the same product, delivering true XGA resolution with a 800:1 contrast ratio at 4,500 ANSI lumens. Other key features include replaceable lenses, network control, progressive scan and more.

2 year Warranty.

Specs:

- **XGA (1024 x 768)**
- Supports VGA thru SXGA
- **4500 ANSI lumens**
- Format: 4:3 Native / 16:9 Selectable
- **Up to 500" dia screens**
- **Built-in network control**
- **Replaceable lenses**
- Zoom Ratio: 1:1.5
- ±16° Digital Keystone
- Contrast ratio: 800:1
- Lamp: 310W UHP, 2000 hours
- Vertical lense shift
- Inputs:
 - VGA 15 Pin x 1
 - DVI x 1
 - S-Video x 1
 - Composite Video x 1
 - Pro Component (5 BNC) x 1
 - HTDV Consumer Component x 1
 - RS232 x 1
 - USB x 1
 - Audio 3.5mm x 2
- 16.5" x 6.3" x 12.6"
- Net Weight: 17 lbs
- Shipping Weight: 28.6 lbs



Includes: User Guide, Quick-start guide, IR remote, 2 AAA batteries, power cord, VGA cable, audio cable, HDTV cable, USB Cable, AV Cable and S-Video Cable



DT00601

310W UHB Lamp for CPX-1250

PM-2 Universal Omnimount

Ceiling Mount projectors less than 40 lbs.

SL-501 Ultra short throw Lens Ratio = 0.8:1 Zoom = 1.0(fixed)

SL-502 Short throw Lens Ratio = 1.1-1.5:1 Zoom = 1.35

LL-503 Long throw Lens Ratio = 2.2-4.1:1 Zoom = 1.8

LL-504 Ultra long throw Lens Ratio = 3.9-7.3:1 Zoom = 1.8

Dealer Product Guide

Specifications subject to change without notice.

Price and product updates found at
<http://BenQ.Starin.biz>

BenQ™ True 16:9 DLP Projector

Picture

Model/Description



Digital Light Processing™ is the world's only all-digital display solution and a key ingredient in the best digital projectors available today. DLP™ technology uses an optical semiconductor to recreate source material with a fidelity analog systems cannot match.

2-Year Limited Warranty, free 1st year Xpress Xchange Service

PE8720

DLP 1000 ANSI WXGA Projector

- WXGA (1280 x 720)
- 0.8" 720P DMD Chip
- 1000 ANSI lumens
- Format: 16:9 Native
- Up to 300" dia screens
- Zoom Ratio: 1:35
- **Power Lens shift, Power Zoom, Power Focus**
- **Faroudja DCDi processor 3:2 pull-down**
- <23db noise level
- **Contrast ratio: 6200:1**
- Lamp: 250W VIP, 2000 hours lamp life
- Inputs:
 - HDMI**
 - S-Video
 - Composite Video
 - Component (5 BNC)**
- Acceptable Video Signals: NTSC/PAL/SECAM/HDTV (480p, 720p, 1080i)
- 10.3" x 3.9" x 8.5
- Net Weight: 20 lbs
- Shipping Weight: 12 lbs

TOP CALIBER HOME CINEMA

Includes: User Guide, Quick-start guide, IR remote, 2 AAA batteries, power cord.

59.J0B01.CG1
Lamp for the PE8720

PMD-1 Universal Omnimount
Ceiling mount

MAC-Adapt
Macintosh adaptor for projectors
and displays

Dealer Product Guide

Specifications subject to change without notice.

Price and product updates found at <http://BenQ.Starin.biz>

BenQ™ True 16:9 DLP Projector

Picture

Model/Description



The BenQ PE7700 is an Wide-XGA digital projector with a 2500:1 contrast ratio and 1100 ANSI lumen output.

2-Year Limited Warranty, free 1st year Xpress Xchange Service

Dia (in)	Screen Width (in)	Screen Height (in)	Min Throw Distance (FT)	Max Throw Distance (FT)
4:3 Screens				
84	67	50	9.9	13.4
92	74	55	10.8	14.7
100	80	60	11.7	16
120	96	72	14.1	19.2
150	120	90	17.6	23.9
180	144	108	21.1	28.7
16:9 Screens				
92	80	45	8.8	12
100	87	49	9.6	13
120	105	59	11.5	15.6
150	131	74	14.4	19.6
180	157	88	17.2	23.5



PE7700

DLP 1100 ANSI WXGA Projector

- **WXGA (1280 x 720)**
- **1100 ANSI lumens**
- **Superb rich color saturation**
- Format: 16:9 Native
- Up to 300" dia screens
- Zoom Ratio: Manual Zoom, 1.37:1
- Wide-Angle Lens
- <32db noise level
- Contrast ratio: 2500:1
- Lamp: 250W, 2000 hours lamp life
- Inputs:

Digital: HDMI (with HDCP)x 1

Composite Video: RCA x 1

S-Video: Mini DIN 4 pin x 1

Component Video 1: BNC x 5

Component Video 2: RCA x 3

- Acceptable Video Signals:
NTSC, PAL, SECAM, EDTV
(480i, 480p, 576i, 576p, 720p, 1080i)
- 15" x 4.5" x 11.8"
- Net Weight: 12 lbs
- Shipping Weight: 18 lbs

Includes: User Guide, Quick-start guide, IR remote, 2 AAA batteries, power cord.

56.26J0C.001 Spare remote

59.J0C01.CG1

Lamp for PE7700

PMD-2 Universal Omnimount

Ceiling Mount for PE7700

MAC-Adapt

Macintosh adaptor for projectors and displays

Dealer Product Guide

Specifications subject to change without notice.

Price and product updates found at <http://BenQ.Starin.biz>

BenQ™

Picture

Model/Description

1-Year Limited Warranty for this projector



The BenQ W100 is an Wide-VGA digital projector with a 2500:1 contrast ratio and 1300 ANSI lumen output.

1-Year Limited Warranty



W100

DLP 1300 ANSI WXGA Projector

- **WVGA (854 x 480)**
- **1100 ANSI lumens**
- **Superb rich color saturation**
- Format: 16:9 Native
- Throw 53.3" @ 6.6 feet
- Zoom Ratio: Manual Zoom, 1.15:1
- Wide-Angle Lens
- <32db noise level
- Contrast ratio: 2500:1
- Lamp: 200W, 3000 hours lamp life
- Inputs:
 - Digital: DVI)x 1
 - Composite Video: RCA x 1
 - S-Video: Mini DIN 4 pin x 1
 - Component Video 1: BNC x 5
 - S Video: DIN
- 10 presets
- Acceptable Video Signals:
 - NTSC, PAL, SECAM, EDTV
 - (480i, 480p, 576i, 576p, 720p, 1080i)
- 9.37" x 3.70" x 11.14"
- Net Weight: 6 lbs
- Shipping Weight: 8 lbs

Dia (in)	Screen Width (in)	Screen Height (in)	Min Throw Distance (FT)	Max Throw Distance (FT)
4:3 Screens				
84	67	50	9.9	13.4
92	74	55	10.8	14.7
100	80	60	11.7	16
120	96	72	14.1	19.2
150	120	90	17.6	23.9
180	144	108	21.1	28.7
16:9 Screens				
92	80	45	8.8	12
100	87	49	9.6	13
120	105	59	11.5	15.6
150	131	74	14.4	19.6
180	157	88	17.2	23.5

Includes: User Guide, Quick-start guide, IR remote, 2 AAA batteries, power cord.

59.J0C01.CG1

Lamp for PE7700 Due Jun 2005

PMD-2 Universal Omnimount

Ceiling Mount for PE8700

MAC-Adapt

Macintosh adaptor for projectors and displays



Dealer Product Guide

Specifications subject to change without notice.

Price and product updates found at <http://BenQ.Starin.biz>

Note: Because BenQ removed MAP in the the low-end projector category, the market has become very unstable.

BenQ™ Consumer DLP Projectors

Picture

Model/Description

1-Year Limited Warranty for all products shown on this page



MP620

NON-STOCKING SPECIAL ORDER - Allow time

DLP 2200 ANSI XGA 2000:1 6 lbs optional wireless module
Includes: User Guide, Quick-start guide, IR remote, 2 AAA batteries, power cord, soft case.



MP610

NON-STOCKING SPECIAL ORDER - Allow time

DLP 2000 ANSI SVGA Projector, 6 lb 2000:1 CR Includes: User Guide, Quick-start guide, IR remote, 2 AAA batteries, power cord



MP720p

NON-STOCKING SPECIAL ORDER - Allow time

DLP 2500 ANSI XGA Projector, 6 lb 2000:1 10.3" x 3.9" x 8.5" optional wireless module
CR Includes: User Guide, Quick-start guide, IR remote, 2 AAA batteries, power cord



CP120

NON-STOCKING SPECIAL ORDER - Allow time

DLP Projector XGA 1500 ANSI Wireless 2.9 lbs
Includes: User Guide, Quick-start guide, IR remote, 2 AAA batteries, power cord, soft case.



CP120c

NON-STOCKING SPECIAL ORDER - Allow time

DLP Projector XGA 1500 ANSI NOT Wireless 2.9 lbs
Includes: User Guide, Quick-start guide, IR remote, 2 AAA batteries, power cord, soft case.

All products shown here are general market commodities, sold thru IT channels that seem to not know the meaning of respectable profit. Sell as best you can.

LAMPS NEW & OLD MODELS

Part #	Projector	UPC code
60.J1610.001	Replacement Lamp for 7763PA, 7765PA	8400460-0136-0
CS.5JJ0V.001	Replacement Lamp for CP120	8400460-1472-8
60.J3207.CB1	Replacement Lamp for DS550, DX550	8400460-0170-4
60.J3416.CG1	Replacement Lamp for DS650, DX650, DS660, DX660	8400460-0163-6
CS.5JJ1B.1B1	Replacement Lamp for MP610	8400460-1300-4
CS.5JJ2F.001	Replacement Lamp for MP720p	8400460-1547-3
CS.5JJ1K.001	Replacement Lamp for MP620, MP720	8400460-1378-3
60.J2203.CB1	Replacement Lamp for PB2120, PB2220	8400460-0451-4
59.J9301.CG1	Replacement Lamp for PB2140, PB2240	8400460-0938-0
CS.59J99.1B1	Replacement Lamp for PB2250	8400460-1547-3
60.J8618.CG1	Replacement Lamp for PB6100, PB6200	8400460-0559-7
59.J9901.CG1	Replacement Lamp for PB6110, PB6210, PE5120	8400460-0940-3
CS.59J0Y.1B1	Replacement Lamp for PB6240	8400460-1174-1
60.J5016.CB1	Replacement Lamp for PB7100, PB7200, PB7210, PB7220, PB7230	8400460-0452-1
59.J8401.CG1	Replacement Lamp for PB7110	8400460-0971-7
60.J3503.CB1	Replacement Lamp for PB8120, PB8220, PB8230	8400460-0447-7
59.J9401.CG1	Replacement Lamp for PB8140, PB8240	8400460-0937-3
59.J8101.CG1	Replacement Lamp for PB8250, PB8260	8400460-0941-0
65.J0H07.CG1	Replacement Lamp for PB9200	8400460-0937-7
59.J0C01.CG1	Replacement Lamp for PE7700	8400460-1160-4
60.J2104.CG1	Replacement Lamp for PE7800, PE8700	8400460-0446-0
59.J0B01.CG1	Replacement Lamp for PE8720	8400460-0943-4
60.J1331.001	Replacement Lamp for SL703S, SL705S, SL705X	8400460-0137-7
60.J0804.CB2	Replacement Lamp for VP150X	8400460-0162-9

BenQ™

Picture

Model/Description



ONE WIRE | NO PROGRAMMING | ENTERPRISE-WIDE CONTROL



Connect to your projector via CAT 5
Switch locally & control over IP



IM-FTCC-B: Flip-top computer connection box for table, podium, floor



IM-TCC: Table mount computer connection



IM-TCCV: Table mount computer & video connection



IM-WCC: Wall plate computer connection

IM-WCC-S Wall plate computer connection with separate control
no photo available at printing



IM-WCCV: Wall plate computer & video connection
no photo available at printing

IM-WCCV-S: Wall plate computer & video with separate control



IM-RX1: Single channel computer receiver



IM-RX3: Three channel computer receiver



IM-RXV1: Single channel computer & videoreceiver


IM-RXV3: Three channel computer & video receiver



Dealer Product Guide

Specifications subject to change without notice.

Price and product updates found at
<http://BenQ.Starin.biz>

BenQ™		
Picture	Model/Description	Starin Reseller Portal: http://Elite/Starin.biz
	<p>VMAX Electric Series Motorized screen includes IR and RF remote controls. Extra Top 18" Black Drop - Perfect for High Ceiling Installations. Synchronized motor, Programmable vertical limit switch. Metal case with hanging points on the ends available in white or black finish. 6" L brackets included. 3-Way inline-switch.</p>	
	<p>PRO-HOME Electric Series Premium (motor/screen material upgrade) motorized screen. The motor is a tubular type resulting in faster lowering & raising. The housing is an extruded aluminum casing (anti-rust), providing a stylish appearance (white finish). The extrusion allows for slotted hanging brackets to be adjusted to anchor positions. Aspect models of 1:1, 4:3 and 16:9 available from 82" to 160", where 120" and 150" models have Matte with Fiber Glass screen material, to provide flatter screen surface. Includes IR remote control, wired 3-way wall switch (removable) and wall/ceiling mount bracket. There is an optional 12 volt trigger adapter to allow control system interface via contact closure. Built-in Vertical Drop/Rise Adjustment - Conveniently program up/down position 100+ degree screen angle.</p>	
	<p>VMAX PLUS. Large Venue 185-235" sizes</p>	
	<p>Manual Series Manual Pull Down Screen w/ Four Sided Black Masking Borders (Extra Top Drop) in 1:1, 4:3 & 16:9 in black or white cases.</p>	
	<p>Fixed-Frame Series 4:3 & 16:9 sizes from 84" to 200" extremely flat screen surfaces in high contrast gray, with adjustable tensioning.</p>	
	<p>Portable Series Tri-pod and pull-up screens designed for portable use.</p>	
<p>NEW--- CINE TENSIONED tension cords run vertically down both sides of the screen to eliminate "curling", a common problem when screens are rolled up. it als increases rigidity of the projection surface, which results in an improved picture quality. Material comes in matte white, high-gain white and high contrast gray in black casings</p>		

BenQ™

Picture

Model/Description



Universal Projector Mount


The Omnimount PM series of projector mounts takes care of mounting 100's of models and brands of projectors with just a few sku's.

Recent Model Number Changes:
 PMD-0.5 now PMMICRO
 PMD-1 now PM1
 PMD-2 now PM2

- _____ PMMICRO-B Projectors up to 5.5" x 7.53", 20 lbs max (Black)
- _____ PMMICRO-S Projectors up to 5.5" x 7.53", 20 lbs max (Silver)
- _____ PM1-B Projectors up to 8" x 11", 30 lbs max (Black)
- _____ PM1-S Projectors up to 8" x 11", 30 lbs max (Silver)
- _____ PM2-B Projectors up to 11" x 15", 40 lbs max (Black)
- _____ PM2-S Projectors up to 11" x 15", 40 lbs max (Black)
- _____ PWM-A-B Projector Wall Mount Option (Black)
- _____ PWM-A-S Projector Wall Mount Option (Black)

Fixed Universal Flat-Panel Display Mounts

Mount any flat panel monitor/tv from 17" to 63". Mounts that are VESA only require VESA compliant displays. All others will mount display if it is VESA or not.



- _____ 17FM-F 13"-24" VESA 75/100 ONLY Fixed mount 40lb. - Silver
- _____ 37FB-F-B 23"-37" VESA 75/100/200 + universal 100 lbs. - Black
- _____ 37FB--F-S 23"-37" VESA 75/100/200 + universal 100 lbs.- Silver
- _____ 54FB-F-B 32"-63" VESA 75/100/200 + universal 175 lbs.- Black
- _____ 54FB-F-S 32"-63" VESA 75/100/200 + universal 175 lbs.- Silver

Tilt Universal Flat-Panel Display Mounts

Mount and tilt up to 15 degrees any flat panel monitor/tv from 17" to 63". Mounts that are VESA only require VESA compliant displays. All others will mount display if it is VESA or not.



- _____ 17FM-T 13"-24" VESA 75/100 ONLY tilt mount 40lb. - Silver
- _____ 37FB-RR-T-B 23"-37" VESA 75/100/200 + universal 100 lbs. - Black
- _____ 37FB--RR-T-S 23"-37" VESA 75/100/200 + universal 100 lbs.- Silver
- _____ 54FB-RR-T-B 32"-63" VESA 75/100/200 + universal 175 lbs.- Black
- _____ 54F3B-RR-T (color) Universal Tilt Mount 32"-63" VESA 75/100/200 +

Retractable Universal Flat-Panel Display Mounts

Mount and retract any flat panel monitor/tv from 17" to 50". These mounts are VESA only, but for displays 23" and up ad the 48UAA-A-B to mount non-VESA displays.



- _____ 17ARM 13"-24" VESA 75/100 ONLY Retractable 30lb. - Silver
- _____ 37ARM-B 23"-37" VESA 75/100/200 ONLY 80 lbs. - Black
- _____ 37ARM-S 23"-37" VESA 75/100/200 ONLY 80 lbs.- Silver
- _____ 48ARM-B 32"-50" VESA 75/100/200 ONLY 150 lbs.- Black
- _____ 48ARM-S 32"-50" VESA 75/100/200 ONLY 150 lbs.- Silver
- _____ 48UAA-A-B Universal adaptor plate - Black
- _____ 48UAA-A-S Universal adaptor plate - Silver

Professional AV Representatives

CentricAV
P: 509-363-1500
F: 509-363-1501

Canada:
DataVisual Marketing Inc.
P: 888-294-9889
F: 866-294-2160

Starin, Inc.
P: 219-929-4127
F: 219-929-4377

Progressive Audio Sales
P: 707-751-1626
F: 707-751-1697

Sonic Sales
P: 310-322-3333
F: 310-322-3334

Pro Tech Marketing
P: 801-561-8844
F: 801-561-9969

Cowser Lee Marketing
(Music Retail)
P: 817-572-6433
F: 817-478-5262


T.O.T.A.L. Marketing
(Audio-Visual Channel)
P: 817-560-3970
F: 817-560-9923

BC Electronics Sales Inc
P: 913-962-1990
F: 913-962-0718

Quest Marketing
P: 800-624-7650

John B. Anthony Company
P: 973-808-4188
F: 973-808-1055

Audio Associates
P: 410-964-1212
F: 410-964-0328



Terms and Conditions

ALL SALES

All accounts are COD Certified/CIA/MasterCard/Visa until credit is approved. If credit is approved, terms will be COD (Company Check) or Net 31.

PAYMENT TERMS

30-day terms are allowed on credit approved accounts. Payments paid within the terms are defined as those payments received and posted to your account no later than 30 days from the invoice date.

If you would like to establish open terms, please contact our Credit Department.

SHIPPING

FOB Starin Distributing, 1531 South Calumet Road, Chesterton, IN 46304.

MINIMUM ORDER

There is no minimum order.

PAST DUE ACCOUNTS

All invoices are due according to the terms stated on the invoice. A finance charge of 1.5% per month will be assessed on the unpaid balance of all invoices past due. In the event a finance charge is not assessed on a monthly basis that shall not be deemed a waiver of our right to assess such charges at a later date. Accounts extending 45 days beyond the invoice date may be placed on COD Certified, CIA or Credit Card status. Accounts extending 65 days may be referred to an agency for collection.

RETURNED CHECKS

A \$30 charge is applied to all checks returned for insufficient funds and discount privileges are forfeited on applicable invoices.

DEFAULT

In the event collection is required for past due invoices and accounts, you agree to pay reasonable costs and attorney fees incurred.

SHORTAGES OR DAMAGED SHIPMENTS

All shortages or damaged shipments must be noted on carrier's bill of lading or similar document. A claim against the carrier must be filed per ICC regulations and we must be notified in writing within 10 days of the invoice date.

RETURN POLICY

BenQ products are non-returnable to Starin. In the case of a defective or D.O.A. product(s), contact BenQ directly at 866-600-2367

PRICING POLICY

Prices are subject to change without notice.

DEALER AGREEMENTS

Select brands require a signed dealer agreement before any product can be shipped

MAP POLICY

Minimum Advertised Price ("MAP") unilaterally sets the MAP on all products (where it is listed) by all means of solicitation, including electronic or print means, including facsimile, Internet Web Site, On-Line Service, Newspaper, Magazine, Newsletter, Direct Mailing, or similar means. Dealers who advertise products below MAP pricing will be terminated immediately.

KEEP PRICING CURRENT AT:
<http://BenQ.Starin.biz>