EFFECTIVE DATE: FEBRUARY 18, 2002

Microphone Price List

SUPERSEDES: TELEX PRO AUDIO PRICE LIST DATED FEBRUARY 1, 2002

PRO NET

COMPLETE WIRELESS, PA AND PAGING MICROPHONE PRODUCTS LISTING

INCLUDES:	Page(s)
• Table of Contents, Ordering Information, Terms and Conditions, Warranty and Repair Information	1 & 3
EV PRODUCTS	
WIRED MICROPHONES	4
Music Performance Microphones	4
Microphone Kits	4
Broadcast/Studio Microphones	4
Architectural Microphones	5
Communication and General Purpose Microphones	5
Microphone Accessories and Parts	5
WIRELESS MICROPHONES	6
R100 VHF Wireless Series	7
R200 UHF Wireless Series	7
N/DYM UHF Wireless Series	8
MS3000 UHF Wireless Series	
RE-1 UHF Professional Wireless Series	10
RTM-1 UHF Wireless Series	
Wireless Microphone Accessories	11 & 12
TELEX PRODUCTS	
• FMR-10	13
• FMR-1000	
• UR-700	
• USR-100	
• FMR-70	
• FMR-450	
• S.A.F.E	
Portable ENG/EFP Systems and Components	21 & 22
Accessories and Components for Wireless Microphone Systems	
• SoundMate	
SoundMate Systems Components and Accessories	
Gooseneck and Lapel Microphones Components and Accessories	
Paging and Public Address Microphones General Frequency Information	
* General Frequency inionnation	20

TO ORDER: Phone 800-392-3497 800-955-6831 Fax

Sales/System/Technical Support: 800-392-3497

GUIDELINES FOR ORDERING WIRELESS MICROPHONE EQUIPMENT

- · Avoid choosing a frequency that is in an active television channel in your area of operation.
- UHF frequencies above 698 MHz are out of the "prime" DTV/broadcast range (Channels 2 51) and less susceptible to problems.
- · When ordering a wireless system(s) to be used with existing units, or ordering three or more wireless systems to be used together, call Jim Lupino at 952-736-4025 for a frequency coordination check. For proper frequency coordination of multiple systems, please provide the following detail:
- 1. A list of existing wireless equipment frequencies in use at or near the site including brands and models.
- 2. The location (city / state / zip) where they will be used (to check for local TV channels).
- Information about how they will be used, if available.

TELEX PRODUCT; WARRANTY AND REPAIR INFORMATION

LIMITED WARRANTY: WIRELESS MICROPHONE AND ASSISTIVE LISTENING PRODUCTS

Refer to the warranty card included with each model for details of the warranty terms. Product needing repair should be sent to the following address with a note including the nature of the problem, a contact name and phone number, whether or not an estimate is required, a return address and a copy of proof of purchase for warranty service:

WIRED MICROPHONES

Refer to the warranty card included with each model for details of the warranty terms. Products needing repair should be sent to the following address with a note including the nature of the problem, a contact

name and phone number, whether or not an estimate is required, a return address and a copy of proof of purchase for warranty service:

Telex Communications, Inc. c/o Wireless Service Department 8601 E. Cornhusker Hwy Lincoln, NE 68507 Toll Free: 800-553-5992 Phone: (402) 467-5321 Fax: (402) 467-3279

ACCESSORIES

Telex wired and wireless microphone accessories are warranted to be free from flaws and workmanship for ninety (90) days from date of purchase. Contact the Lincoln factory noted above for service arrangements.

EV PRODUCT WARRANTY AND REPAIR INFORMATION

LIMITED WARRANTY – Electro-Voice (EV) products, as offered in this Price List (the "products"), are guaranteed against malfunction due to defects in materials or workmanship for a specified period, as noted in the individual product-line statement(s) below, or in the individual product data sheet or owner's manual, beginning with the date of original purchase, by Telex Communications, Inc. (TELEX). If such malfunction occurs during the specified period, the product will be repaired or replaced (at our option) without charge. The product will be returned to the customer prepaid.

Exclusions and Limitations: This Limited Warranty does not apply to: (a) exterior finish or appearance; (b) certain specific items described in the individual product-line statement(s) below, or in the individual product data sheet or owner's manual; (c) malfunction resulting from use or operation of the product other than as specified in the product data sheet or owner's manual; (d) malfunction resulting from misuse or abuse of the product; or (e) malfunction occurring at any time after repairs have been made to the product by anyone other than TELEX or any of its authorized service representatives.

Obtaining Warranty Service: To obtain warranty service, a customer must deliver the product, prepaid, to TELEX or any of its authorized service representatives together with proof of purchase of the product in the form of a bill of sale or receipted invoice.

Incidental and Consequential Damages Excluded: Product repair or replacement and return to the customer are the only remedies provided to the customer. TELEX shall not be liable for any incidental or consequential damages including, without limitation, injury to persons or property or loss of use. Some states do not allow the exclusion or limitation of incidental or consequential damages so the above limitation or exclusion may not apply to you.

Other Rights: This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



WIRED MICROPHONES

Music Perfo	rmance Micro	ohones			
Wasie i Sile	manos misro		Shpg.	Sugg'd	
Model #	Part #	Description	Wgt.	List	
N/D767a	16033313	N/DYM® dynamic supercardioid lead vocal microphone	1.2	252.00	
N/D267a	16033310	N/DYM® dynamic cardioid vocal microphone	1.2	180.00	
N/D267as	16033311	N/DYM® dynamic cardioid vocal microphone with switch	1.2	190.00	
N/D167	16033309	N/DYM® dynamic cardioid vocal microphone	0.7	132.00	
N/D468	16043008	N/DYM® dynamic supercardioid instrument microphone	1	334.00	
N/D478	16043312	N/DYM® dynamic cardioid instrument microphone	1	180.00	
N/D868	6682819	N/DYM® dynamic cardioid variant bass drum microphone	1.7	372.00	
RE510		Supercardioid condenser handheld vocal mic - NEW ITEM - call for price			
Cobalt Co5	301014	Dynamic cardioid vocal microphone with on/off switch	1.9	99.00	
Cobalt Co7	300998	Dynamic cardioid vocal microphone	1.9	149.00	
Cobalt Co9	300997	Dynamic cardioid vocal microphone	1.9	169.00	
Cobalt Co4	301020	Dynamic cardioid instrument microphone	1.9	149.00	
Microphone	Kits				
міогорнопе			Shpg.	Sugg'd	
Model #	Part #	Description	Snpg. Wgt.	List	
EVDK1	301163000	Premium Drum Microphone Kit: (2) RE200, (2) N/D468, (1) N/D478 and (1) N/D868	13	1298.00	
EVDK2	301168000	N/DYM Drum Microphone Kit: (2) N/D468, (1) N/D478 and (1) N/D868	12	848.00	
Broadcast/S	Studio Microph	ones			
	'		Shpg.	Sugg'd	
Model #	Part #	Description	Wgt.	List	
RE20	16207816	"Classic" Variable-D® dynamic cardioid studio microphone	3.3	798.00	
RE27N/D	16271446	N/DYM® Variable-D® dynamic cardioid studio microphone	3.2	840.00	
RE16	6567556	Variable-D® dynamic supercardioid microphone with pop filter	1.6	334.00	
RE200	16560000	Duelle and de Anne and de anne and de la		314.00	
	16562832	Probe-style true condenser cardioid instrument microphone	1		
RE1000	16572578		3.3	698.00	
RE1000 635A		instrument microphone Large-diaphragm, supercardioid studio			
635A	16572578	instrument microphone Large-diaphragm, supercardioid studio condenser "Classic" dynamic omnidirectional interview	3.3	698.00	
	16572578 6354563	instrument microphone Large-diaphragm, supercardioid studio condenser "Classic" dynamic omnidirectional interview microphone, fawn beige "Classic" dynamic omnidirectional interview	3.3	698.00 172.00	
635A 635A/B	16572578 6354563 6351706	instrument microphone Large-diaphragm, supercardioid studio condenser "Classic" dynamic omnidirectional interview microphone, fawn beige "Classic" dynamic omnidirectional interview microphone, black N/DYM® dynamic omnidirectional interview	3.3 1.4 1.4	698.00 172.00 172.00	
635A/B 635N/D-B	16572578 6354563 6351706 6352333	instrument microphone Large-diaphragm, supercardioid studio condenser "Classic" dynamic omnidirectional interview microphone, fawn beige "Classic" dynamic omnidirectional interview microphone, black N/DYM® dynamic omnidirectional interview microphone, black "Classic" dynamic omnidirectional interview	3.3 1.4 1.4 1.4	698.00 172.00 172.00 194.00	



			Shpg.	Sugg'd
Model #	Part #	Description	Wgt.	List
PolarChoice™12	17253242	Gooseneck podium multi-pattern condenser microphone, 12-inch	0.8	316.00
PolarChoice™18	17252343	Gooseneck podium multi-pattern condenser microphone, 18-inch	1.3	326.00
RE90P-12	17252956	Gooseneck podium cardioid condenser microphone, 12-inch	1	242.00
RE90P-18	17252954	Gooseneck podium cardioid condenser microphone, 18-inch	1	242.00
RE90B	17043110	Boundary condenser microphone, black	1	242.00
RE90BW	17043111	Boundary condenser microphone, white	1	242.00
RE90L	17153152	Lapel microphone ultraminiature omnidirectional	0.5	242.00
RE90H	17473112	Hanging choir condenser with in-line preamp with XLR-type connector, 25-ft cable, black	1	242.00
RE90HW	17473113	Hanging choir condenser with in-line preamp with XLR-type connector, 25-ft cable, white	1	242.00
CH230	17471607	Hanging choir condenser with ceiling plate & 30-ft cable, black	1.2	334.00
CH230W	17472121	Hanging choir condenser with ceiling plate & 30-ft cable, white	1.2	334.00
Communication	on and Gene	eral Purpose Microphones		
Model #	Part #	Description	Shpg. Wgt.	Sugg'd List
649B	6493078	Dynamic omnidirectional lavalier microphone	1.1	276.00
US600EL	6001051	Dynamic noise-canceling grip-to-talk microphone, black	1	118.00
US602FL	6021054	Dynamic noise-canceling grip-to-talk microphone, black	1	146.00
US622L	6221058	Dynamic noise-canceling press-to-talk microphone, blue-black	2	252.00
US690	690697	Neodymium cardioid gooseneck microphone, 12-inch, black	2	268.00
Microphone A	cessories a	nd Parts		
	_			Sugg'd
Model # 309A	Part # 3091965	Description Supension shock mount for RE20,		178.00
		RE27N/D, black		
311	3111269	Stand clamp for all EV 3/4-inch diameter microphones (635A, RE16, RE200, N/D468), black		18.00
313	3131018	Shock-mount for stand clamp for EV 3/4-inch diameter microphones (635A, RE16, RE200)		52.00
320	3201205	Stand clamp for the RE20, RE27N/D, black		48.00
368	550121	Mic clip for N/D468		20.00
122A	4221967	Desk stand with rubber shock mount that accepts microphone stand clamps, black		44.00
CPSM	5083329	Shock mount for RE90P-12, RE90P-18, PolarChoice™12, PolarChoice™18		32.00
FMK	82100	Flange mount for RE90P-12, RE90P-18, PolarChoice™12, PolarChoice™18		62.00
MSA-COI	301072000	Stand clamp for Cobalt Co4 instrument microphone		18.00
MSA-COV	301071000	Stand clamp for Cobalt vocal microphones (Co5, Co7 and Co9)		18.00
MSA-NDV	301073000	Stand clamp for 1-inch diameter microphones (BK-1, RE50) and tapered microphones (N/DYM series vocal mics), gray		18.00
314E	3141273	Windscreen for 635A, gray		20.00
376	37635	Windscreen pop filter for MC series, RE16, RE50, N/D167B, N/D267, N/D367, N/D767		20.00
	3792031	Black windscreen pop filter for MC series,		20.00



Microphone	Microphone Acessories and Parts					
Model #	Part #	Description	Sugg'd List			
379-2	3792032	Red windscreen pop filter for MC series,	20.00			
		RE16, RE50, N/D167B, N/D267, N/D367, N/D767				
MBS-CO5	301076000	Replacement ball screen for Cobalt Co5	15.00			
MBS-CO7	301075000	Replacement ball screen for Cobalt Co7	15.00			
MBS-CO9	301074000	Replacement ball screen for Cobalt Co9	15.00			

WIRELESS MICROPHONES

Model # F	Part #	Description	Shpg. Wgt.	Sugg'd List
R100VHC7 F	R100VHC7-X	VHF Handheld system includes: HTVC7 transmitter and RCV diversity receiver	4	389.00
R100VHC11 F	R100VHC11-X	VHF Handheld system includes: HTVC11 transmitter and RCV diversity receiver	4	399.00
R100VL F	R100VL-X	Secure-Phase [™] VHF lavalier system includes: BLV bodypack transmitter and RCV diversity receiver with OLM10 lavalier microphone.	3	329.00
R100VE F	R100VE-X	Secure-Phase [™] VHF headset system includes: BPV transmitter, RCV receiver and headset cardioid microphone.	3	504.00
R100VG F	R100VG-X	Secure-Phase™ VHF guitar system includes: BGV transmitter with hard-wired 1/4-inch connector matched to GRV guitar receiver.	3	353.00
HTVC7 F	HTVC7X	VHF Handheld transmitter with Cobalt Co7 dynamic cardioid microphone element	2	227.00
HTVC11 F	HTVC11X	VHF Handheld transmitter with Cobalt Co11 electret condenser cardioid microphone element	2	237.00
BLV E	BLV X	VHF bodypack transmitter with hard-wired OLM10 omnidirectional lapel microphone	2	178.00
BPV E	BPV-X	VHF bodypack transmitter with TA4F interchangeable microphone applications	2	178.00
RCV F	RCV-X	VHF diversity receiver with extendable antennas, 1/4-inch output connector	3	252.00
GRV C	GRV-X	VHF diversity guitar receiver	3	236.00
BGV E	BGV X	VHF guitar bodypack transmitter with hard-wired 1/4-inch connector, matched to GRV guitar receiver	2	190.00

R100 VHF SERIES FREQUENCY CODES

TV CHANNEL 7	TV CHANNEL 8	TV CHANNEL 11
1 = 174.100 MHz	5 = 180.200 MHz	5 = 180.200 MHz
2 = 178.100 MHz	6 = 183.700 MHz	5 = 180.200 MHz
3 = 178.500 MHz	7 = 184.350 MHz	5 = 180.200 MHz
4 = 179.100 MHz	8 = 185.350 MHz	R100VHC7, R100VHC11, and R100VB (TA4 no mic) only



WIRELESS MICROPHONES

Model #	Part #	Description	Shpg. Wgt.	Sugg'd List	
R200UHC7	R200UHC7X	UHF Handheld system includes: HTUC7 transmitter and RCU diversity receiver	4	589.00	
R200UHC11	R200UHC11X	VHF Handheld system includes: HTVC11 transmitter and RCV diversity receiver	4	599.00	
R200UL	R200UL-X	Secure-Phase UHF lavalier system includes: BPU bodypack transmitter, RCU receiver and ULM20 cardioid lavalier microphone.	3	768.00	
R200UE	R200UE-X	Secure-Phase UHF headset system includes: BPU bodypack transmitter, RCU receiver and HM2 headworn cardioid microphone.	4	756.00	
R200UG	R200UG-X	Secure-Phase UHF guitar system includes: BGU transmitter with hardwired 1/4" connector matched to GRU guitar receiver.	3	576.00	
R200UT	R200UT-X	Secure-Phase UHF plug-on transmitter system includes: XTU plug-on transmitter (can be used with dynamic and electret handheld microphones) and RCU receiver.	3	718.00	
HTUC7	HTUC7X	UHF Handheld transmitter with Cobalt Co7 dynamic cardioid microphone element	2	255.00	
HTUC11	HTUC11X	UHF Handheld transmitter with Cobalt Co11 electret condenser cardioid microphone element	2	265.00	
BGU	BGU X	UHF guitar bodypack transmitter with hard-wired 1/4" connector. Must be used with GRU guitar receiver	2	264.00	
BPU	BPU-X	UHF bodypack transmitter with TA4F connector. Microphone not included	2	240.00	
RCU	RCU-X	Secure-Phase UHF diversity receiver with fixed 1/4 wave antennas and 1/4" and XLR output connectors	3	454.00	
XTU	XTU-X	UHF plug-on transmitter. (can be used with dynamic and electret handheld microphones).	2	404.00	

R200 UHF SERIES	FREQUENCY CODES
TV CHANNEL 54	TV CHANNEL 55
1 = 710.100 MHz	5 = 716.200 MHz
2 = 714.200 MHz	6 = 719.700 MHz
3 = 714.700 MHz	7 = 720.350 MHz
4 = 715.100 MHz	8 = 721.350 MHz



Model #	Part #	Description	Shpg. Wgt.	Sugg'd List
NRU-N1	71273-X1	10-channel frequency-agile handheld system includes: NHTU-N1 transmitter featuring the N/D167 dynamic element and NRU diversity receiver.	4	754.00
NRU-N2	71274-X1	10-channel frequency-agile handheld system includes: NHTU-N2 transmitter featuring the N/D267a dynamic element and NRU diversity receiver.	4	804.00
NRU-N7	71288-X1	10 channel frequency-agile handheld system includes: NHTU-N7 transmitter featuring the N/D 767a dynamic element, and NRU diversity receiver.	4	838.00
NRU-L10	71270-X1	10-channel frequency-agile bodypack system includes: NBPU transmitter, NRU diversity receiver and OLM-10 omnidirectional lavalier microphone.	3	754.00
NRU-L20	71271-X1	10-channel frequency-agile bodypack system includes: NBPU transmitter, NRU diversity receiver and ULM-20 cardioid lavalier microphone.	3	828.00
NRU-H1	71272-X1	10-channel frequency-agile bodypack system includes: NBPU transmitter, NRU diversity receiver and HM-2 headworn microphone.	3	804.00
NGU	71286-X1	10-channel frequency-agile bodypack system includes: NBPU-G transmitter with TA4F to 1/4-inch instrument cable, matched to NRU-G diversity receiver.	3	704.00
NHTU-N1	71282-X1	N/DYM Wireless handheld transmitter with N/D 167 dynamic element.	2	274.00
NHTU-N2	71283-X1	N/DYM Wireless handheld transmitter with N/D 267a dynamic element.	2	324.00
NHTU-N7	71284-X1	N/DYM Wireless handheld transmitter with N/D 767a dynamic element.	2	392.00
NBPU	71285-X1	N/DYM Wireless bodypack transmitter with TA4F connector. Microphone not included.	2	200.00
NBPU-G	71287-X1	N/DYM Wireless guitar transmitter with TA4F connector w/ instrument cable - TA4F to 1/4".	2	224.00
NRU	71281-X1	N/DYM Wireless Receiver with fixed front-panel mounted antennas.	3	576.00
NRSCU	71280-X1	N/DYM Wireless SCU Receiver with detachable 1/4 wave antennas. Includes rack-mount hardware.	4	544.00
NRSCU-N7	71308-X1	Handheld system includes: NHTU-N7 transmitter featuing the N/D767a dynamic element, and NRSCU diversity receiver. Includes rack-mount hardware.	5	860.00
NRSCU-L12	71310-X1	Bodypack system includes: NBPU transmitter, NRSCU diversity receiver and a RE90TX omnidirectional lavalier microphone. Includes rack-mount	5	882.00
NRSCU-BP	71312-X1	Bodypack system includes: NBPU transmitter, NRSCU diversity receiver and no microphone. Includes rack-mount hardware.	5	692.00
NRSCU-Combo	71311-X1	Bodypack system includes: NBPU transmitter, NRSCU diversity receiver and a RE90TX omnidirectional lavalier microphone, and a NHTU-N7 N/D767a handheld transmitter. Includes rack-mount hardware.	5	1198.00

N/DYM® WIRELESS SERIES FREQUENCY CODES

1 = 'A' Band 710-722 MHz (TV Channels 54	-55)
3 = 'B' Band 722-734 MHz (TV Channels 56	-57)



Model #	Part #	Description	Shpg. Wgt.	Sugg'd List
MS3000HN2	MS3000HN2-X	Secure-Phase [™] UHF handheld system includes: MSHN2 handheld transmitter with N/D267a dynamic cardioid microphone element, MR3000 receiver, 2 UHF antennas, cables and rack-mounting hardware	4	840.00
MS3000HN7	MS3000HN7-X	Secure-Phase [™] UHF handheld system includes: MSHN7 handheld transmitter with N/D767a dynamic supercardioid microphone element, MR3000 receiver, 2 UHF antennas, cables and rack-mounting hardware	4	882.00
MS3000L	MS3000L-XXX	Secure-Phase [™] UHF lavalier system includes: MB3000 bodypack transmitter, MR3000 receiver and RE90TX omnidirectional lavalier, 2 UHF antennas, cables and all rack-mount hardware	3	904.00
MS3000C	MS3000C-XX	Secure-Phase [™] UHF lavalier system includes: MB3000 bodypack transmitter, MR3000 receiver and ULM20 cardioid lavalier, 2 UHF antennas, cables and all rack-mount hardware	3	798.00
MS3000E	MS3000E-XXX	Secure-Phase [™] UHF headset system includes: MB3000 bodypack transmitter, MR3000 receiver and Crown CM311 headworn microphone, 2 UHF antennas, cables and all rack-mount hardware	3	1156.00
MSHN2	MSHN2-XXX	UHF handheld transmitter with N/D267a dynamic cardioid microphone element	2	502.00
MSHN7	MSHN7-XXX	UHF handheld transmitter with N/D767a dynamic supercardioid microphone element	2	544.00
MSB	MSB-XXX	UHF bodypack transmitter with TA4F connector	2	304.00
MR3000	MR3000-XXX	UHF Secure-Phase™ receiver with 3-pin XLR-type and 1/4-inch unbalanced connectors	3	514.00

The first two digits r	MS3000 represent the TV channel re	SERIES FREQU ange the frequency is in –	,	,	simultaneous use
501=690.100	502=690.500	503=691.200	511=692.100	512=694.200	513=695.000
514=695.350	515=695.500	516=696.425	517=696.725	521=698.200	522=699.800
523=700.200	524=702.200	525=702.600	526=703.250	531=704.250	532=706.250
533=707.450	534=707.850	535=708.600	536=709.150	541=710.350	542=712.250
543=713.900	544=714.450	545=715.350	551=717.750	552=719.050	553=720.600



Model #	Part #	Description	Shpg. Wgt.	Sugg'd List
CSR-1000HD	71845-X1	Handheld system includes: CSH-1000D transmitter featuring the N/D767a dynamic element, CSR-1000 receiver, rack mount hardware, two 1/4 wave antennas.	5	1550.00
CSR-1000B	71844-X1	Bodypack system includes: CSB-1000 transmitter, CSR-1000 receiver, rack mount hardware, two 1/4 wave antennas. Microphone sold separately.	5	1450.00
CSR-1000G	71846-X1	Guitar system includes: CSB-1000 transmitter, CSR-1000 receiver, rack mount hardware, George L™ instrument cable, two 1/4 wave antennas.	5	1490.00
CSH-1000D	71843-X1	950-channel handheld transmitter with N/D767a dynamic microphone element	1	600.00
CSH-1000C	71847-X1	950-channel bodypack transmitter with RE510 professional electret condenser microphone element	1	620.00
CSB-1000	71841-X1	950-channel bodypack transmitter with TA4F connector - can be used for microphones or guitar/instruments (mic / instrument cables are not included)	1	540.00
CSR-1000	71840-X1	950-channel receiver with Advanced ClearScan™, RF and audio meters, detachable 1/4 wave antennas, rack mount hardward, and in-line power supply	4	950.00

RE-1 SERIES FREQUENCY CODES
1 = 'A' Band 680-704 MHz (TV Channels 49-52)
2 = 'B' Band 722-746 MHz (TV Channels 56-59)

RTM-1 UH	RTM-1 UHF Wireless Series (XXX at the end of the part number determines the frequency - see codes below)					
Model #	Part #	Description	Shpg. Wgt.	Sugg'd List		
RTM-1	71860-XXX	UHF Remote test microphone system includes RTM-1 receiver, metal bodypack transmitter, mic stand mounting strap, XLR-Lemo cord, and two 1/2 wave	4	1700.00		

RTM-1 SERIES FREQUENCY CODES The first two digits represent the TV channel range the frequency is in				
301 = 566.300 MHz	421 = 638.300 MHz			
341 = 590.300 MHz	461 = 662.300 MHz			
381 = 614.300 MHz				





			Shpg.	Sugg'd	
Model #	Part #	Description	Wgt.	List	
OLM10	OLM10	Omnidirectional lavalier condenser mic with TA4F wired for R200, N/DYM and MS3000 wireless	1	56.00	
ULM20	ULM20	Unidirectional lavalier condenser mic with TA4F wired for R200, N/DYM and MS3000 wireless	1	168.00	
RE90TX	17153318	MicroMiniTM omnidirectional condenser lavalier mic with TA4F wired for R200, N/DYM, MS3000, and RE-1 wireless	1	208.00	
CS200TEX	CS200TEX	Cardioid condenser lavalier mic with TA4F wired for R200, N/DYM and MS3000 wireless	1	390.00	
HM2	HM2	Headworn condenser cardioid mic with TA4F wired for R200, N/DYM and MS3000 wireless	1	148.00	
HM7	HM7	Headworn condenser cardioid mic with TA4F wired for R200, N/DYM, MS3000, and RE-1 wireless	1	208.00	
HM311	HM311	Crown® model CM-311 touring level headworn condenser cardioid mic with TA4F for R200, N/DYM, MS3000, and RE-1 wireless	1	380.00	
RC767a	71837-000	RC767a dynamic microphone cartridge for the RE-1 series CSH-1000 handheld	1	200.00	
RC510	71839-000	RC510 electret condenser microphone cartridge for the RE-1 series CSH-1000 handheld - NEW ITEM - call for price	1		
MAC-2	63841-002	XLR to TA4F adapter cord	1	40.00	
MAC-G	879389	3-feet guitar cord, TA4F to 1/4-inch N/DYM NBPU-G	1	72.00	
MAC-G2	879526	George L [™] guitar cable for the RE-1 bodypack transmitter	1	50.00	
WP-1000	879553	Leather pouch for RE-1 bodypack transmitter	1	60.00	
RCSA	450124	Stand adapter for handheld transmitter models N/Dym, MS-3000, R100, and R200 Series	1	15.00	
MSSA	870343	Deluxe stand adapter for handheld transmitters	1	20.00	
MSA-1000	879564	Mic stand adapter for the RE-1 series CSH-1000 handheld	1	16.00	
BC-1000	879518	Beltclip with tab and screw for the WT-1000	1	10.00	
AN-Flex A	879220-4	1/4 wave RE-1 bodypack transmitter antenna - 'A' band	1	38.00	
AN-Flex B	879220-5	1/4 wave RE-1 bodypack transmitter antenna - 'B' band	1	38.00	
AN-Sflex A	879538-4	1/4 wave RE-1 bodypack transmit antenna super flex - 'A' band	1	38.00	
AN-Sflex B	879538-5	1/4 wave RE-1 bodypack transmit antenna super flex - 'B' band	1	38.00	
APD4	APD4	Antenna/power distribution system (supplies 4 units) for use with NRSCU, MS3000, and RE-1 wireless	8	536.00	
TP-2	650095	TNC 50 ohm termination plug for APD4		12.00	
TNC	650097	TNC connector for Antenna Cable Connections		4.00	
CLA-5	870658-5	1/2-wave antenna (680-730 MHz)	1	74.00	
CLA-6	870658-6	1/2-wave antenna (720-760 MHz)	1	74.00	
AB-2	71138-000	Universal mounting bracket for 1/2 wave antenna with 10' coax cable for MS3000 wireless	1	52.00	




Wireless M	icrophone Acce	essories			
Model #	Part #	Description	Shpg. Wgt.	Sugg'd List	
LPA500	LPA500	Log periodic antenna with hardware	2	230.00	
CXU-25	71151-025	25-foot volt-loss cable with TNC connector		70.00	
CXU-50	71151-050	50-foot (15.24m) volt-loss coax cable with TNC connector		183.00	
CXU-75	71151-075	75-foot volt-loss cable with TNC connector		239.00	
CXU-100	71151-100	100-foot (30.4m) volt-loss coax cable with TNC connector		280.00	
RM-D	71081-002	Rack-mount kit - double (works with N/DYM, RTM-1, and MS3000 receivers)	2	55.00	
RM-S	71081-001	Rack-mount kit - single (works with N/DYM, RTM-1 and MS3000 receivers)	2	43.00	
RMR	RMR	Rack-mount adapter kit for R100 and R200 receiver	3	50.00	
RPA	730123	120V/12VAC power supply for R100 VHF & R200 UHF wireless receivers	1	26.00	
RPA-EUR	730124	230V Euro Plug adapter for R-Series Wireless	1	26.00	
RPA-UK	730125	240V UK plug adapter for R-Series Wireless	1	26.00	
PA-C	730139	120V/12VAC power supply for N/DYM & MS3000 wireless receivers	1	26.00	
PA-EUR	730140	230V Euro Plug adapter for N/DYM, MS3000 Wireless	1	19.00	
PA-UK	730103	240V UK plug adapter for N/DYM, MS3000 Wireless	1	19.00	
PA-In Line	730150	120V/12VAC 750mA in-line power supply with cord for the RE-1 series CSR-1000 receiver	1	26.00	

UHF WIRELESS MICROPHONES - SYSTEMS, COMPONENTS, AND FREQUENCY OPTIONS







WT-10

HT-10D

FMR-10 71314FX FMR-10 UHF synthesized wireless mic receiver with Posi-Phase™ Diversity, adjustable amplitude squelch, 10 selectable channels,

amplitude squelch, 10 selectable channels, balanced XLR output: rack mount hardware, 1/4 wave antennas and power supply.

71314WX UHF synthesized wireless beltpack transmitter with 10 selectable channels, on/off switch, silent audio on/off, battery low led indicator and TA-4M mic connector. Operates on a single 9V battery.

71314HDX UHF synthesized wireless handheld transmitter with 10 selectable channels, on/off switch, silent audio on/off switch and the EV N/D 767a dynamic mic element with VOB. Operates on a

dynamic mic element with VOB. Operates on a single 9V battery.

Net

455.00


165.00

275.00


Note: FMR-10 Series components are <u>only</u> compatible with other FMR-10 series. X = L for Low Band, "H" for High Band

	FREQUENCY OPTIONS FOR THE FMR-10 SERIES											
		Low Bar	d				High Ban	d				
Channel	Frequency	Seven	Ten	UHF	Channel	Frequency	Seven	Ten	UHF	Frequency		
		Compatible	Compatible Channels	TV Channel			Compatible	Compatible Channels	TV Channel	Compatibility		
0	707.45	•	0	53	0	725.45	•	0	56	All ten in the Ten Compatible		
1	708.25	•	0	53	1	726.25			56	Channels column are fully		
2	709.25	•	0	53	2	727.25	•		56	compatible. Other combina-		
3	710.05			54	3	728.35			57	tions may be compatible.		
4	711.65	•		54	4	729.65	•	0	57	Recommended maximum for		
5	713.85	•	0	54	5	732.65	•	0	57	simultaneous use is ten sys-		
6	715.25			54	6	734.05			58	tems in this series.		
7	718.85	•	0	55	7	736.45	•	0	58	Consult factory for more infor-		
8	720.50			55	8	737.05	•		58	mation.		
9	721.45	•		55	9	737.85	•	0	58	mation.		

UHF WIRELESS MICROPHONES - SYSTEMS, COMPONENTS, AND FREQUENCY OPTIONS



Model	Catalog Number	Description	Pro Net
Δ FMR-1000L	71838-X1	FMR-1000 Bodypack System includes: • FMR-1000 950 channel UHF receiver • WT-1000 bodypack transmitter • ELM-22 micromini omni lav mic • Rack mount hardware for single/dual mount • 2 1/4 wave antennas • In-line power supply cord	\$1,380.00
Δ FMR-1000WT	71834-X1	Bodypack system same as above with no mic	\$1,285.00




△ FMR-1000HD 71835-X1

FMR-1000 Handheld System includes:

\$1,330.00

- FMR-1000 950 channel UHF receiver
- HT-1000D EV 767a NDYM handheld transmitter
- Rack mount hardware for single/dual mount
- 2 1/4 wave antennas
- In-line power supply cord



△ FMR-1000H/L 71836-X1


FMR-1000 Combo System includes:

\$1,830.00

Pro Net

\$835.00

- FMR-1000 950 channel UHF receiver
- HT-1000D EV 767a NDYM handheld transmitter
- WT-1000 bodypack transmitter
- ELM-22S Omni Lapel microphone
- Rack mount hardware for single/dual mount
- 2 1/4 wave antennas
- In-line power supply cord



Δ FMR-1000 71830-X1 UHF synthesized wireless mic receiver with PosiPhase Diversity, adjustable amplitude squelch, 950 selectable channels, balanced XLR output; 1/4" adjustable line output, rack mount

ΔWT-1000 71831-X1

∆ HT-1000D

hardware, 1/4 wave antennas and power supply. UHF synthesized wireless bodypack transmitter

\$450.00 with 950 selectable channels, on/off, metal housing, Tx power switch, battery low led indicator and TA-4M mic connector, Mic/Instrument switch. Operates on

71832-X1

a single 9V battery. UHF synthesized wireless handheld transmitter

\$500.00

with 950 selectable channels, on/off switch, Tx power switch and the EV NDYM 767a dynamic mic element with VOB. Operates on

a single 9V battery

\$520.00

Pro Net

△ HT-1000C 71833-X1 UHF synthesized wireless handheld transmitter with 950 selectable channels, on/off switch, Tx power switch and the EV RE-510 condenser mic element with VOB. Operates on

a single 9V battery

FMR-1000 FREQUENCY CODES

1 = A Band 680 - 704 MHz (TV Channels 49-52)

2 = B Band 722 - 746 MHz (TV Channels 56-59)

WP-1000	879553	Leather Pouch for WT-1000	\$60.00
MAC-G2	879526	George L's™ Guitar Cord for WT-100	\$50.00
BC-1000	879518	Beltclip for WT-1000 with tab and screw	\$10.00
MA-1000	879564	Mic stand adaptor for the HT-1000 Handheld	\$16.00
PLM-1000	640156	Strip connector mating block for FMR-1000	\$10.00
AN-Sflex A	879538-4	1/4 Wave Bodypack Tx Antenna Super Flex - A Band	\$38.00
An-Sflex B	879538-5	1/4 Wave Bodypack Tx Antenna Super Flex - B Band	\$38.00
	71837000	RC767a Dynamic Microphone Cartridge for the	\$200.00
		CSH-1000 RE-1 Handheld	
	71839000	RC510 Electret Condenser Microphone Cartridge	tba
		for the CSH-1000 RE-1 Handheld	

Telex®



FREQUENCY INFO Catalog Numbers. with (XXX) The last three digits of the catalog number determine frequency. Consult chart for frequency choices


MODEL NUMBER LEGEND

732.00


Pro

« Discontinued Item

UHF WIRELESS MICROPHONES - SYSTEMS, COMPONENTS, AND FREQUENCY OPTIONS



Model	Catalog Number	Description	Pro Net	
UR-700L	71246-XXX	UR-700 Omni Lapel Mic System Includes: • UR-700 True Diversity Posi-Phase™ Receiver • WT-700 Belt Pack Transmitter • WLM-50 Omnidirectional Lapel Microphone • 2 - 1/4 Wave Antennas • Rack Mount Hardware for Single/Dual Mount • UL & CSA Approved Wall Pack Transformer	\$688.00	
UR-700C	71247-XXX	UR-700 Cardioid Lapel Mic System	678.00	




Includes: • UR-700 True Diversity Posi-Phase™ Receiver

• WT-700 Belt Pack Transmitter • AT-831b Unidirectional Lapel Microphone • 2 - 1/4 Wave Antennas

• Rack Mount Hardware for Single/Dual Mount

• UL & CSA Approved Wall Pack Transformer




UR-700/N7 71249-XXX UR-700 Handheld Microphone System Includes: • UR-700 True Diversity Posi-Phase™ Receiver • HT-700/N7 Handheld Transmitter/Mic with EV N/D 767a dynamic mic element • 2 - 1/4 Wave Antennas

• Rack Mount Hardware for Single/Dual Mount • UL & CSA Approved Wall Pack Transformer

O O O 00000 ALC (**)

Net 71241-XXX UHF receiver with Posi-Phase II Smart Diversity™ 410.00 reception. XLR balanced mic level output and adjustable 1/4" unbalanced line level output; user adjustable squelch; 1/4 wave antennas; rack mount hardware; and power supply 71242-XXX WT-700 beltpack transmitter with TA-4M mic 242.00 connector - operates on single 9 volt battery HT-700/N7 handheld transmitter mic with HT-700/N7 71257-XXX 405.00 EV N/D 767a dynamic mic element - operates on single 9 volt battery




STANDARD FREQUENCY OPTIONS FOR THE UR-700 SERIES UHF WIRELESS MICROPHONES					
FREQUENCY / ORDER CODE	FREQUENCY / ORDER CODE	FREQUENCY / ORDER CODE			
690.100 501*	698.200 521	708.600 535			
690.500 502*	699.800 522	709.150 536			
691.200 503*	700.200 523*	710.350 541			
692.100 511	702.200 524	712.250 542			
694.200 512	702.600 525	713.900 543			
695.000 513	703.250 526	714.450 544			
695.350 514	704.250 531	715.350 545			
695.500 515*	706.250 532	717.750 551*			
696.425 516*	707.450 533*	719.050 552*			
696.725 517	707.850 534	720.600 553*			


First two digits of the order code represent the TV channel range of the frequency. The ten frequencies identified by "*" are compatible for simultaneous use. There are other compatible combinations - consult factory for details. NOTE:

UR-700

WT-700

UHF WIRELESS MICROPHONES - SYSTEMS, COMPONENTS, AND FREQUENCY OPTIONS





« USR-100H 7123200X


USR-100 Handheld Mic System Includes:

- USR-100 True Diversity Posi-Phase II Smart Diversity Receiver™
- SH-100/CE-8 Handheld Transmitter/Mic with Telex Cardioid Condenser Mic Element

1.190.00

1.673.00

- 2 1/4 Wave Antennas
- Rack Mount Hardware for Single/Dual Mount
- UL & CSA Approved Wall Pack Transformer



« USR100H/L 7123300X USR-100 Combo System Includes:

 USR-100 True Diversity Posi-Phase II Smart Diversity Receiver™

- SH-100/CE-8 Handheld Transmitter/Mic with Telex Cardioid Condenser Mic Element
- LT-100 Belt Pack Transmitter
- ELM-22S MicroMini™Omnidirectional Lapel Mic
- 2 1/4 Wave Antennas
- Rack Mount Hardware for Single/Dual Mount
- UL & CSA Approved Wall Pack Transformer

NOTE: The handheld and beltpack transmitter units included with this option can be used interchangeably - but not simultaneously.

See next page for components and frequency chart.

Telex®

MICROPHONES

MIC CABLE TERMINATION MICROPHONE ELEMENTS DIRECTIONAL PATTERNS PRODUCT ILLUSTRATION UNI OR CARDIOID 0 ELECTRET/ LEMO **③** XLR 1/4" JACK • CONDENSER FEMALE SYMBOLS AND ABBREVIATIONS FOR XLR MALE UN-TERMINATED **③** •• DYNAMIC OMNI TA4

FREQUENCY INFO
Catalog Numbers. with (XXX) The last three digits of the catalog number determine frequency.
Consult chart for frequency choices

 $\begin{array}{c} \text{MODEL NUMBER LEGEND} \\ \Delta \text{ New Item} \\ \text{``endowner} \end{array}$

UHF WIRELESS MICROPHONES - SYSTEMS, COMPONENTS, AND FREQUENCY OPTIONS

	Model	Catalog Number	Description	Pro Net
Tolex* OPPOSE OF RECOVERY OF RESERVED OF R	« USR-100	7122900X	UHF synthesized wireless mic receiver with Posi-Phase II Smart Diversity [™] reception, Posi-Squelch III Auto Suppression [™] includes tone code squelch; 100 selectable frequencies; XLR audio output with mic/line selection switch; 1/4 wave antennas; rack mount hardware; and power supply	\$605.00
Tologo (g-100)	« LT-100	7122500X	UHF synthesized wireless beltpack transmitter with 100 selectable frequencies; silent single switch on/off; four segment battery life indicator; TA-4M mic jack; hi/low transmit power output; operates on 2 AA batteries; and has external charging pins for use with BC-100 drop-in pocket charger	547.00
SH100/OM-3 SH100/CE-8	« SH-100/CE-8		UHF synthesized wireless handheld transmitter/mic with Telex cardioid condenser mic head; 100 selectable frequencies; silent single switch on/off; four segment battery life indicator; hi/low transmit power output; and operates on 2 AA batteries UHF synthesized wireless handheld transmitter/mic with Audix cardioid dynamic mic head; 100 selectable frequencies; silent single switch on/off; four segment battery life indicator; hi/low transmit power output; and operates on 2 AA batteries	645.00 683.00


TV	O STAN	DARD FREQ	UENCY OP	TIONS FO	OR USR-100	SERIES FR	EQUENC	Y AGILE WIF	RELESS MI	СКОРНО	NES
		U	SR-100 FRE	QUENC	GROUP 'A'	- UHF TV C	HANNEL	RANGE 47/4	8		
		U:	SR-100 FRE	QUENC	GROUP 'B'	- UHF TV C	HANNEL	RANGE 58/5	9		
CHANNEL	FREQ A	FREQ B	CHANNEL	FREQ A	FREQ B	CHANNEL	FREQ A	FREQ B	CHANNEL	FREQ A	FREQ B
00	668.100	734.100	25	671.000	737.000	50	674.100	740.100	75	677.000	743.000
01	668.200	734.200	26	671.100	737.100	51	674.200	740.200	76	677.100	743.100
02	668.300	734.300	27	671.200	737.200	52	674.300	740.300	77	677.200	743.200
03	668.400	734.400	28	671.300	737.300	53	674.400	740.400	78	677.300	743.300
04	668.500	734.500	29	671.400	737.400	54	674.500	740.500	79	677.400	743.400
05	668.600	734.600	30	671.500	737.500	55	674.600	740.600	80	677.500	743.500
06	668.700	734.700	31	671.600	737.600	56	674.700	740.700	81	677.600	743.600
07	668.800	734.800	32	671.700	737.700	57	674.800	740.800	82	677.700	743.700
08	668.900	734.900	33	671.800	737.800	58	674.900	740.900	83	677.800	743.800
09	669.000	735.000	34	671.900	737.900	59	675.000	741.000	84	677.900	743.900
10	669.500	735.500	35	672.000	738.000	60	675.500	741.500	85	678.000	744.000
11	669.600	735.600	36	672.100	738.100	61	675.600	741.600	86	678.100	744.100
12	669.700	735.700	37	672.200	738.200	62	675.700	741.700	87	678.200	744.200
13	669.800	735.800	38	672.300	738.300	63	675.800	741.800	88	678.300	744.300
14	669.900	735.900	39	672.400	738.400	64	675.900	741.900	89	678.400	744.400
15	670.000	736.000	40	672.500	738.500	65	676.000	742.000	90	678.500	744.500
16	670.100	736.100	41	672.600	738.600	66	676.100	742.100	91	678.600	744.600
17	670.200	736.200	42	672.700	738.700	67	676.200	742.200	92	678.700	744.700
18	670.300	736.300	43	672.900	738.900	68	676.300	742.300	93	678.900	744.900
19	670.400	736.400	44	673.000	739.000	69	676.400	742.400	94	679.000	745.000
20	670.500	736.500	45	673.100	739.100	70	676.500	742.500	95	679.100	745.100
21	670.600	736.600	46	673.200	739.200	71	676.600	742.600	96	679.200	745.200
22	670.700	736.700	47	673.300	739.300	72	676.700	742.700	97	679.300	745.300
23	670.800	736.800	48	673.400	739.400	73	676.800	742.800	98	679.400	745.400
24	670.900	736.900	49	673.500	739.500	74	676.900	742.900	99	679.500	745.500

	MICROPHONE ELEMENTS	DIRECTIONAL PATTERNS		MIC CABLE TERMINATION	
PRODUCT ILLUSTRATION SYMBOLS AND	ELECTRET/ CONDENSER	UNI OR CARDIOID	LEMO	XLR FEMALE	1/4" JACK
ABBREVIATIONS FOR MICROPHONES	D DYNAMIC	ОМИ	TA4	XLR MALE	UN- TERMINATED

FREQUENCY INFO
Catalog Numbers. with (XXX) The last three digits of the catalog number determine frequency.
Consult chart for frequency choices

Pro

VHF WIRELESS MICROPHONES - SYSTEMS, COMPONENTS, AND FREQUENCY OPTIONS



Model	Catalog Number	Description	Pro Net
FMR-70L	71063-XXX	FMR-70 Lapel Mic System Includes: • FMR-70 true diversity Posi-Phase™ Receiver • WT-55 Belt Pack Transmitter • WLM-50 Omnidirectional Lapel Microphone • 2 - 1/4 Wave Antennas • UL & CSA Approved Wall Pack Transformer	\$668.00
FMR-70C	71137-XXX	FMR-70 Cardioid Lapel Mic System Includes: • FMR-70 true diversity Posi-Phase™ Receiver • WT-55 Belt Pack Transmitter • AT-831b Unidirectional Lapel Microphone • 2 - 1/4 Wave Antennas • UL & CSA Approved Wall Pack Transformer	690.00




FMR-70H 71135-XXX FMR-70 Handheld System 778.00 Includes:
• FMR-70 true diversity Posi-Phase™ Receiver

• HT-200/65 Handheld Transmitter/Mic (Telex 65 ELE Condenser mic head)

• Microphone Stand Adapter

• 2 - 1/4 Wave Antennas


• UL & CSA Approved Wall Pack Transformer




			Net
FMR-70	71061-XXX	High Performance true diversity Posi-Phase™ receiver with Posi-Squelch™, 2-1/4 wave antennas, balanced output, audio and RF meters and UL & CSA approved AC wall pack transformer.	378.00
WT-55	71062-XXX	Belt pack transmitter (TA4 connector)	268.00
«WT-60	70881-XXX	Micro pack transmitter (TA4 connector)	322.00
HT-200/65	71124-XXX	Handheld mic/transmitter with Telex 65ELE condenser mic head, stand adapter, carry case	447.00
«HT-200/OM-3	71201-XXX	VHF Handheld transmitter with Audix OM-3	510.00
HT-200/767	71122-XXX	VHF Handheld mic/transmitter with EV N/D 767	542.00

	FREQUENCY OPTIONS FOR THE FMR-70, ENG-1 Series					
Traveling Frequencies Frequency Suffix (xxx) 065 171,095 066 171,045 067 170,245 068 169,505	TV Channel 7 Frequency Frequency Suffix (xxx) (MHz) 019 175.000 021 177.800 022 178.400	TV Channel 8 Frequency Frequency Suffix (xxx) (MHz) 025 183.000 026 183.800 027 184.400	TV Channel 9 Frequency Frequency Suffix (xxx) (MHz) 070 186.100 032 190.400 071 191.300			
TV Channel 10 072 192.100 036 195.800 073 197.000	TV Channel 11 074 198.100 041 201.800 075 203.100	TV Channel 12 076 204.100 047 208.400 077 209.250	TV Channel 13 078 210.100 051 213.800 079 215.300			

UHF WIRELESS MICROPHONES - SYSTEMS, COMPONENTS, AND FREQUENCY OPTIONS



Model	Catalog Number	Description	Pro Net
« FMR-450L	. 71139-XXX	FMR-450 Omnidirectional Lapel Mic System Includes: • FMR-450 UHF true diversity Posi-Phase™ Receiver • WT-450 UHF Metal Micro Belt Pack Transmitter • ELM-22L MicroMini™ Condenser Omnidirectional Lapel Microphone • 2 - 1/2 Wave Collinear Ground Independent Antennas • UL & CSA Approved AC Wall Pack Transformer	\$1,653.00




« FMR-450C 71140-XXX

FMR-450 Unidirectional Lapel Mic System Includes:

1,668.00

- FMR-450 UHF true diversity Posi-Phase™ Receiver
- WT-450 UHF Metal Micro Belt Pack Transmitter
- ELM-33L MicroMini™ Electret Unidirectional Lapel Mic
- 2 1/2 Wave Collinear Ground Independent Antennas
- UL & CSA Approved Wall Pack Transformer



« FMR-450H 71145-XXX FMR-450 Cardioid Handheld Mic System Includes:


1,737.00

Pro Net

947.00

642.00

- FMR-450 UHF true diversity Posi-Phase™ Receiver
- HT-450/65 UHF Handheld Transmitter w/Telex 65 ELE Cardioid Condenser Element
- 2 1/2 Wave Collinear Ground Independent
- UL & CSA Approved Wall Pack Transformer



« FMR-450 71131-XXX

Broadcast quality true diversity Posi-Phase™ UHF receiver with transformer balanced output, level adjustment, audio & RF meters, diversity phase indicators, 2 Collinear ground independent antennas, and UL and CSA approved wall pack transformer.

« WT-450 71132-XXX

Broadcast quality metal, micro pack transmitter, separate RF on and mic mute switches, field replaceable antenna, and gold plated LEMO microphone connector. Charge pins on bottom of unit for use with optional BC-80 charger.

« HT-450/65 71144-XXX

Broadcast quality handheld UHF mic/ transmitter with separate RF on and mic mute switches, low battery LED, Telex 65 ELE Cardioid condenser mic element.

« HT-450/767 71142-XXX

770.00

UHF Handheld Transmitter w/EV N/D 767a mic

905.00

	FREQUENCY OPTIONS FOR THE FMR-450, HT-450, AND WT-450								
TV Cha Frequency Suffix (xxx)	annel 30 Frequency (MHz)	TV Cha Frequency Suffix (xxx)	nnel 34 Frequency (MHz)	TV Cha Frequency Suffix (xxx)	annel 38 Frequency (MHz)	TV Cha Frequency Suffix (xxx)	annel 42 Frequency (MHz)	TV Cha Frequency Suffix (xxx)	annel 46 Frequency (MHz)
301	566.300	341	590.300	381	614.300	421	638.300	461	662.300
302	566.700	342	590.700	382	614.700	422	638.700	462	662.700
303	568.500	343	592.500	383	616.500	423	640.500	463	664.500
304	569.700	344	593.700	384	617.700	424	641.700	464	665.700
305	570.500	345	594.500	385	618.500	425	642.500	465	666.500
306	571.100	346	595.100	386	619.100	426	643.100	466	667.100

PRODUCT ILLUSTRATION SYMBOLS AND ABBREVIATIONS FOR MICROPHONES



DYNAMIC

MICROPHONE

DIRECTIONAL PATTERNS UNI OR CARDIOID

OMNI







MIC CABLE TERMINATION



1/4" .IACK

UN-TERMINATED

FREQUENCY INFO Catalog Numbers. with (XXX) The last three dig its of the catalog number determine frequency. Consult chart for frequency choices

> MODEL NUMBER LEGEND △ New Item « Discontinued Item

S.A.F.E.™ Wireless Microphone Systems

© () () () () () () () () () (Telexo L9-1
PORTS.	SATE COOCO TO THE TO TH

Model	Catalog Number	Description		
SYSTEM	2			

« RS-1L Lapel System

7126100X S.A.F.E. Secure Audio Frequency Encryption

\$1,785.00

Includes: • RS-1 100 channel selectable encrypted receiver • LS-1 100 channel encrypted beltpack transmitter

• 2 - 1/4 wave antenna

Pro Net

• Rack mount hardware for single/dual mount • CS200 uni-directional lapel microphone • UL & CS approved wall pack

« RS-1H S.A.F.E. Secure Audio Frequency Encryption Handheld System Includes:

- RS-1 100 channel selectable encrypted receiver • HS-1 100 channel encrypted handheld transmitter • with EV dynamic N/D 267a mic element
 - 2 1/4 wave antenna • Rack mount hardware for single/dual mount
 - UL & CS approved wall pack \$2,710.00

Pro

\$1,890.00


« RS-1H/L	7126300X

S.A.F.E. Secure Audio Frequency Encryption Combo System (Handheld & Lapel) Includes:


- 2 1/4 wave antenna
- RS-1 100 channel selectable encrypted receiver • LS-1 100 channel encrypted beltpack transmitter • CS200 uni-directional lapel microphone
- Rack mount hardware for single/dual mount • UL & CS approved wall pack
- HS-1 100 channel encrypted handheld transmitter with EV dynamic N/D 267a mic element

9 0 m	

Compone	ents		Net	
« LS-1	7125900X	LS-1 100 channel encrypted beltpack	\$942.00	
« HS-1	7126000X	HS-1 100 channel encrypted handheld transmitter with EV dynamic N/D 267a mic element	\$1,047.00	
CS200	CS200TEX	CS200 uni-directional lapel Mic w/TA4F connector	\$347.00	
	70316	Replacement tie clip	\$11.00	
	70339	Replacement windscreen	\$11.00	



ACCESS	ORIES		Net	
UAD-2	71253-000	UHF narrowband diversity antenna splitter combiner with power supply for (4) RS-1 receivers	\$420.00	
CLA-4	870658-4	1/2 wave collinear remote antenna, covers 660-689.9 MHz (White)	\$70.00	
CLA-6	870658-6	1/2 wave collinear mountable antenna, covers 725-760 MHz (Orange)	\$70.00	
AB-2	71138-000	Universal bracket for 1/2 wave antenna w/ 10' coax cable	\$52.00	
TP-2	650095	TNC 50 ohm termination plug for UAD-2	\$12.00	




Note: To eliminate the potential for security breach, the model RS-1 receiver will NOT be available for sale as an individual item. It will only be available as part of a system.

Every S.A.F.E. system is a matched set.


If an HS-1 Handheld or LS-1 Beltpack transmitter is added to a system after it originally ships, the RS-1 receiver must be shipped back to the factory in order to match it to the additional transmitter.

An additional cost, as reflected in above pricing, is incurred when transmitters are purchased separately. THEREFORE, it is strongly recommended to purchase the RS-1H/L Combo System upon initial order if planning future transmitter add on.

PORTABLE ENG/EFP - SYSTEMS, COMPONENTS, AND FREQUENCY OPTIONS




Model	Catalog D Number	Description	Pro Net	
ENG-100UT		100 Channel, UHF camera mountable, true diversity, universal plug on system. • ENG-100 Portable Receiver • UT-102 Plug on two channel transmitter • SEB-1 single earbud w/cord • XLR to pigtail audio cable	\$1,500.00	



ENG-100L 7125610X 100 channel, UHF, camera mountable, \$1,047.00 SYSTEM true diversity, lapel microphone system. • ENG-100 Portable Receiver LT-100 Beltpack Transmitter • ELM-22S Omni-directional Lapel Microphone • SEB-1 Single earbud w/cord XLR to pigtail audio cable Pro Net ENG-100 7125600X UHF synthesized, camera mountable, wireless \$553.00 microphone receiver with Posi-Phase II Smart Diversity reception, Posi-Squelch III Auto Supression, tone code squelch, XLR mic output, and headphone monitor jack. Operates on 2 AA batteries or external 9.0

to 17.0 VDC source.

Note: Compatible transmitter options for the ENG-100 receiver are the LT-100 beltpack & SH-100 series handhelds




UT-102 71316-XXX UHF 2-Channel frequency-agile, crystal- 1,080.00

controlled plug on transmitter with metal aircraft alloy case; low battery/over modulation indicator; separate power on/off and mic mute; provides +6 VDC phantom power for electret mics; operates on single 9 volt battery

STANDARD FREQUENCY OPTIONS FOR ENG-100/UT-102 COMBO				FOR	PORTABLE ENG/EFP - FREQUENCY OPTIONS
Order Suffix	-A16	-A45	-B20	-B47	TWO STANDARD FREQUENCY OPTIONS FOR USR-100 SERIES FREQUENCY AGILE WIRELESS MICROPHONES
ENG-100 Channel (UHF)	A16 A51	A45 A79	B20 B51	B47 B72	USR-100 FREQUENCY GROUP 'A' - UHF TV CHANNEL RANGE 47/48
Freq. Ch 1 Ch 2	670.100 674.200	673.100 677.400	736.500 740.200	739.300 742.700	USR-100 FREQUENCY GROUP 'B' - UHF TV CHANNEL RANGE 58/59 Please see page 7 for components and frequency chart
TV CH	47 48	47 48	58 59	58 59	

ENG MOUNTING ACCESSORIES



DC-GM	71193-030	Anton Bauer Gold Mount™ kit - mounts ENG-100 to an Anton Bauer™ camera power pack	274.00
DC-SM	71193-020	Anton Bauer™ side mount kit	43.00
DC-NP1	71193-010	Standard NP-1 mount kit	43.00
DC-UM	71193-040	Universal adjustable strap mount kit	43.00
CC-UT	878801	Leather pouch with beltclip for UT-102	43.00


Replacement Antenna for ENG-100

AN-Flex A 879220-4 AN-Flex B 879220-5 Covers 636-725.9 MHz Covers 726-825.9 MHz 27.00 27.00

Pro Net


\$387.00

PORTABLE ENG/EFP - SYSTEMS, COMPONENTS, AND ACCESSORIES



Model	Catalog Number	Description	Pro Net	
« ENG-1/VB-12L SYSTEM	71217-0XX	VHF ENG System Includes: • ENG-1 camera-mountable, single antenna receiver • VB-12L beltpack transmitter with Telex WLM-10 electret condenser omnidirectional lapel mic attached • DC power adapter cable - unterminated	\$455.00	

STANDARD FREQUENCY OPTION	NS FOR THE ENG-1/VB-12L SYSTEM
TV CHANNEL 7 FREQUENCY/ ORDER CODE	TV CHANNEL 8 FREQUENCY/ ORDER CODE
174.100 -010	180.200 -050
178.100 -020	183.700 -060
178.500 -030	184.350 -070
179.100 -040	185.350 -080



« ENG-1 71078-XXX

71078-XXX VHF camera-mountable, single antenna receiver with balanced 3.5 mm adjustable line level audio output, 1/8" headphone jack, adjustable squelch control, removable belt clip and Velcro mounting strip; operates on 9 volt battery or DC - DC power adapter cable included - audio cables sold separately. Compatible for use with either the WT-55 or the VB12L beltpack transmitter or HT-200 handheld transmitter

ENG-1 ACCESSORIES

Model	Catalog Number	Description	Pro Net
« MHA-2	979911-1	Rubber duck antenna (175-216 MHz)	19.00
« EC-35	71094-000	3.5 mm MONO to 3.5 mm MONO plug for ENG-1	19.00
« EC-14	71095-000	3.5 mm MONO to 1/4" MONO plug for ENG-1	21.00
« EC-XM	71096-000	3.5 mm Stereo to XLR Male plug for ENG-1	26.00

STANDARD FREQUENCY OPTIONS FOR THE ENG-1 RECEIVER COMPONENT				
TV CHANNEL 7 FREQUENCY/ ORDER CODE 174.100 -100 178.100 -200 178.500 -300 179.100 -400	TV CHANNEL 8 FREQUENCY/ ORDER CODE 180.200 -500 183.700 -600 184.350 -700 185.350 -800			
Please refer to the frequency option chart under the FMR-70 series for additional ENG-1 component frequency options.				

ACCESSORIES AND COMPONENTS FOR WIRELESS SYSTEMS

AD-200 71108-000	VHF Wideband (150-234 MHz) diversity antenna splitter/ \$590.00 combiner system with power supply for (4) FMR-70 series receivers. Combines as many as 8 antennas into two. Includes rack mount brackets and (8) 2' low loss coaxial receiver cables, and (4) 2' power cables for receivers. UL & CSA Approved AC Wall Pack Transformer included. RM-C front panel rack mount antenna connector kit sold separately. Antennas and termination plugs available separately.
AD 450 74440 000	
Telex AD-450 71146-000	UHF wideband (520-760 MHz) diversity antenna splitter/ 975.00 combiner system with power supply for (4) FMR-450 series receivers. Combines as many as 8 antennas into two. Includes rack mount brackets with front or rear panel antenna connectors, and (8) 2' low loss coaxial receiver cables. (2) 1' front panel mount low loss antenna cables, (4) 2' power cables for receivers. UL & CSA Approved AC Wall Pack Transformer included. Antennas and termination plugs available separately.
VAD-2 71253-000	UHF narrowband (600-780 MHz) diversity antenna splitter/ 420.00 combiner system with power supply for (4) USR, UR or FMR-10 receivers. Includes rack ears and cables for front mounting antennas as well as all interconnect cables for (8) receiver antennas (TNC) and for (4) receiver power connections. Antennas and termination plugs available separately.

VHF ANTENNA ACCESSORIES

		Pro Net
879248-1	5/8 Wave antenna w/right angle (150-169 MHz)	81.00
879248-2	5/8 Wave antenna w/right angle (170-185 MHz)	81.00
879248-3	5/8 Wave antenna w/right angle (186-200 MHz)	81.00
879248-4	5/8 Wave antenna w/right angle (201-216 MHz)	81.00
63906-100	Wall/Mic stand mounting bracket for all 5/8 wave antennas	15.00
63910-000	VHF Log Periodic Antenna with unique forward coverage pattern	277.00
	that increases signal gain up to 5 dB over 1/4 wave whip types.	
	Supplied with mounting hardware and case. Covers 150-234 MHz,	
	and measures 36"W x 24"H	
870840	1/4 Wave Whip Antenna, covers 150-234 MHz	19.00
63901-001	4' - 50 Ohm Low Loss Coaxial Cable	20.00
63901-000	25' - 50 Ohm Low Loss Coaxial Cable	28.00
650081	50 Ohm Termination Plug for AD-200	9.00
	879248-2 879248-3 879248-4 63906-100 63910-000 870840 63901-001 63901-000	879248-2 5/8 Wave antenna w/right angle (170-185 MHz) 879248-3 5/8 Wave antenna w/right angle (186-200 MHz) 879248-4 5/8 Wave antenna w/right angle (201-216 MHz) 63906-100 Wall/Mic stand mounting bracket for all 5/8 wave antennas VHF Log Periodic Antenna with unique forward coverage pattern that increases signal gain up to 5 dB over 1/4 wave whip types. Supplied with mounting hardware and case. Covers 150-234 MHz, and measures 36"W x 24"H 870840 1/4 Wave Whip Antenna, covers 150-234 MHz 63901-001 4' - 50 Ohm Low Loss Coaxial Cable 63901-000 25' - 50 Ohm Low Loss Coaxial Cable

UHF ANTENNA ACCESSORIES

			Net
CLA-1	870658-1	1/2 wave collinear antenna, covers 520-564.9 MHz (Blue)	74.00
CLA-2	870658-2	1/2 wave collinear antenna, covers 565-614.9 MHz (Yellow)	74.00
CLA-3	870658-3	1/2 wave collinear antenna, covers 615-659.9 MHz (Red)	74.00
CLA-4	870658-4	1/2 wave collinear antenna, covers 660-689.9 MHz (White)	74.00
CLA-5	870658-5	1/2 wave collinear antenna, covers 690-724.9 MHz (Green)	74.00
CLA-6	870658-6	1/2 wave collinear antenna, covers 725-760 MHz (Orange)	74.00
CLA-8	870658-8	1/2 wave collinear antenna, covers 798-865 MHz (Purple)	74.00
ANU-14	879010	1/4 wave UHF antenna, covers 668-746MHz	37.00
AB-2	71138-000	Universal bracket for 1/2 wave antenna w/10' coax cable	52.00
ALP-450	71147-000	Directional log periodic ant. covers 450-900 MHz. Unique forward	172.00
		coverage pattern increases signal gain up to 5 dB. Supplied	
		w/mounting hardware for wall or mic stand, and 10' of low loss coaxial	
		cable. Measures 9-1/2"L x 11" H painted matte black.	
CXU-25	71151-025	25' 50 ohm low loss coaxial cable, w/TNC conn.	70.00
CXU-50	71151-050	•	183.00
CXU-75	71151-075	75' 50 ohm low loss semi-flexible coaxial cable, TNC connector	239.00
CXU-100	71151-100	100' 50 ohm low loss semi-flexible coaxial cable, TNC connector	280.00
TP-2	650095	TNC 50 ohm termination plug for AD-450 and UAD-2	12.00
TNC	650097	TNC Connector	4.00
AN-WTB	870533-2	WT-450 Transmitter Antenna, covers 480-527.9 MHz(Blue)	27.00
AN-WTW	870533-3	WT-450 Transmitter Antenna, covers 528-580.9 MHz(White)	27.00
AN-WTY	870533-4	WT-450 Transmitter Antenna, covers 581-632.9 MHz(Yellow)	27.00
AN-WTR	870533-5	WT-450 Transmitter Antenna, covers 633-691.9 MHz(Red)	27.00
AN-WTG	870533-6	WT-450 Transmitter Antenna, covers 692-758 MHz(Green)	27.00
AN-HTB	870601-2	HT-450 Transmitter Antenna, covers 480-527.9 MHz(Blue)	39.00
AN-HTW	870601-3	HT-450 Transmitter Antenna, covers 528-580.9 MHz(White)	39.00
AN-HTY	870601-4	HT-450 Transmitter Antenna, covers 581-632.9 MHz(Yellow)	39.00
AN-HTR	870601-5	HT-450 Transmitter Antenna, covers 633-691.9 MHz(Red)	39.00
AN-HTG	870601-6	HT-450 Transmitter Antenna, covers 692-758 MHz(Green)	39.00

MICROPHONE ELEMENTS DIRECTIONAL PATTERNS PRODUCT ELECTRET/ UNI OR • ILLUSTRATION SYMBOLS AND CARDIOID CONDENSER ABBREVIATIONS **③** DYNAMIC OMNI TA4 MICROPHONES

LEMO

❽

FEMALE XLR MALE

MIC CABLE TERMINATION



1/4" JACK UN-TERMINATED


FREQUENCY INFO Catalog Numbers. with (XXX) The last three digits of the catalog number determine frequency. Consult chart for frequency choices

> MODEL NUMBER LEGEND Δ New Item « Discontinued Item

155.00

122.00


ACCESSORIES AND COMPONENTS FOR WIRELESS SYSTEMS




	Model	Catalog Number	Description	Pro Net	
	WPHS-746	746TA4	Special Projects headworn aerobics mic with condenser unidirectional mic and TA4F connector. Waterproofing material covers mic and headband.	\$227.00	
	AT-Pro 8	71110-000	Headworn, unidirectional Audio-Technica dynamic microphone with TA4 connector	190.00	
	SCHS-745	745TA4	Special Projects headworn condenser vocal mic w/TA4F connector	173.00	
]	PH-21	64327-001	Headworn, unidirectional Telex condenser mic with TA4 connector	137.00	
	PH-23	70730-000	Headworn, unidirectional Telex condenser mic w/ TA4 connector, includes sweatband and Velcro strip for microphone attachment	137.00	
	ELM-33L	70926-002	Telex MicroMini™ uni. lapel mic w/ LEMO connector	237.00	
	ELM-33S	70926-001	Telex MicroMini™ uni. lapel mic w/TA4F connector	223.00	
_	ELM-22S	70925-001	Telex MicroMini™ omni. lapel mic w/TA4F connector	215.00	
	ELM-22L	70925-002	Telex MicroMini [™] omnidirectional lapel mic w/ LEMO connector	232.00	
	WLM-200	63852-001	Telex omnidirectional lapel mic with LEMO connector	157.00	

Audio-Technica unidirectional lapel mic w/ TA4F connector

Telex omnidirectional lapel mic with TA4 connector





E	WLM-200	 () ()<l< th=""><th>ELM-33L ELM-22L</th><th></th></l<>	ELM-33L ELM-22L	
£4	5 ^F	4	4	

Model
BAT-2 BC-2 BC-60 BC-80 RC-100
WP-23 RM-S RM-D FMC-K
RM-C

AT-831b

WLM-50

70856-000

64277-000


		N
3L		B
2L		B B B B R
)	W RI RI FI
		R

*NOTE: Belt Pack transmitters must modified for use with RSB switches	

Note on order.

	Model	Catalog Number	Description	Pro Net
	BAT-2 BC-2 BC-60 BC-80 RC-100	63912-000 64267-000 71020-000 71020-001 71082-000	8.4 V Nickel Metal Hydride ("9V" size for transmitters) Battery Charger for Single BAT-2 "Drop-In" Battery Charger (WT-60/WT-150 only) "Drop-In" Battery Charger (WT-80/WT-400/WT-450 only) ATA flight approved road case fits one 1/2 rack receiver,	21.00 20.00 137.00 137.00 216.00
	WP-23 RM-S RM-D FMC-K	70747-000 71081-001 71081-002 878978	one belt pack, and one handheld mic Aerobics Sports Pouch for belt pack transmitters Single Rack Mount for 1/2 rack receivers/transmitters Double Rack Mount for two 1/2 rack receivers/transmitters Front mount TNC connector kit, includes:	57.00 43.00 55.00
J	RM-C	71081-003	(4) cables for use with RM-S or RM-D for UHF receivers Rack mount kit w/front mounted PL-259 ant. connectors for AD-200 only	53.00 77.00
	RMS-239	71081-005	Single rack mount kit w/front mount PL-259 conn. for VHF rec.	54.00
	RMS-TNC MAC-2 MAC-1 PL-50 PL-100 PA-C	71081-004 63841-002 63841-001 53986-002 53980-000 730139	Single rack mount kit w/front mount TNC conn. for UHF rec. XLR to TA4 Adapter Cord XLR to LEMO Adapter Cord Replacement TA4F Plug Replacement LEMO Plug Replacement power supply for 120VAC US, 12VAC, 700mA	70.00 40.00 53.00 19.00 26.00 19.00
*	PA-EUR PA-UK RSB-1	730140 730103 64420-000	for all receivers Replacement power supply for 230VAC EUR, 12VAC, 700m/ Replacement power supply for 230VAC UK, 12VAC, 700mA Referee Switch Box for WT-200, WT-450	A 19.00 19.00 271.00
	RSB-2 WS-30 WS-10 WS-E WS-11 WS-745 WS-746 WS-CS WS-H MSA-2 RCSA MSSA HB-23 MC-23 MC-5 MC-T TC-200V	64420-001 450563 59703-002 57013-001 59747-001 450146 450147 70339 50178-1 870343 450124 870343 70748-000 63097-002 70928-001 800019-000	(LEMO connector) Referee Switch Box (TA4 connector) Foam windscreen for WLM-10/30 Foam windscreen for WLM-50/200 Windscreen for all ELM mics Foam windscreen for PH-21/PH-23 Windscreen for SCHS-745 Windscreen for WPHS-746 Replacement windscreen for CS-200 Windscreen for all handheld transmitters Mic Stand Adapter for HT-150/200/450 series Mic stand adapter - HT-700, HT-10D Deluxe mic stand adapter - HT-700, HT-10D Replacement Headband for PH-23 Replacement Clothing Clip for PH-23 Single Mic Clip for ELM Series Mini microphone Tie Tac for ELM models Vertical Tie Clip - WLM-200/50 Horizontal Tie Clip - WLM-200/50 Tie Tac for WLM-200/50 (back clutch not included) Back Clutch for TT-200 Replacement tie clip for CS-200 TEX	260.00 7.00 8.00 5.00 7.00 9.00 9.00 11.00 9.00 15.00 20.00 16.00 7.00 7.00 4.00 7.00 7.00 4.00 2.00 11.00

SOUNDMATE PERSONAL LISTENING - SYSTEMS, COMPONENTS, AND FREQUENCY OPTIONS



	Model	Catalog Number	Description	Pro Net
	SM-1	71235-XXX	SoundMate Personal Listening System Includes:	\$868.00
			 1 ST-200 synthesized 16-channel base transmitter 4 SR-50 single frequency receivers 	1 Wall plaque1 UL & SCSA wall pack transformer
			 4 SEB-1 Single Earbud Earphone with Cord 	 1 1/4 Wave Telescoping Antenna
=	SMP-1	71158-XXX	SoundMate Portable Listening System	\$1,225.00




Includes:

- 1 PST-16 portable transmitter • 1 SCHS-745 headworn Uni-directional Mic
- 6 SR-50 single channel receivers
- 6 HED-2 lightweight, collapsible headphones
- 14 AA Alkaline batteries
- 1 System briefcase w/ custom foam • Manuals for PST-16 and SR-50
- · Channels A, E, I, O Only




Pro Net 16 Ch. synthesized base transmitter - features include XLR input w/selector switch for mic/line/ 70 volt audio level, 1/4" \$600.00 ST-200 71218-000 input w/level adjust, RF transmit power hi/low selector switch, includes telescoping antenna and wall pack power supply 16 Ch. portable narrowband transmitter w/omnidirectional PST-16 71255-000 505.00 lapel mic, operates on two AA batteries SR-50 71155-XXX Single frequency personal receiver w/beltclip - requires two 85.00 AA batteries (batteries and earphone sold separately) SR-100 71156-000 16 Ch. synthesized personal receiver w/detented backlit 232.00 channel selection and high frequency boost button

(batteries and earphones sold separately).




	SOUNDMATE® ASSISTIVE LISTENING SYSTEM FREQUENCIES - Narrow Band						
Narrowband rece	ivers are compatible with wideband syst	tems. Channel F (72.6) will be ava	ailable upon request at no extra cha	rge, however, this frequency is not	on the SR-100 receiver.		
CHANNEL NO. A B C D E G H	FREQUENCY 72.1 72.2 72.3 72.4 72.5 72.7 72.8 72.9	CATALOG NO031 -032 -033 -034 -035 -037 -038	CHANNEL NO. J K L M N O P Q	FREQUENCY 75.5 75.6 75.7 75.8 75.9 74.7 75.3 75.4	CATALOG NO. -040 -041 -042 -043 -044 -045 -046 -047		

ACCESSORIES FOR SOUNDMATE® ASSISTIVE LISTENING SYSTEMS



Model	Catalog Number	Description	Pro Net	
BC-100	71216-000	Two pocket drop-in charger - accommodates two personal receivers - models SR-50, SR-100 and/or PST16 portable transmitter	\$110.00	

	tr	ansmitter		
Model	Catalog	Description	Pro	
	Number		Net	
SEB-1	59840-005	Single Earbud with cord	10.00	
DEB-2	59840-001	Dual Earbud with cord	13.00	
CCS-12	59840-006	Cushion Covers for SEB-1 & DEB-2 (Pkg/12)	4.00	
HED-2	59840-007	Collapsible Lightweight Headphone	15.00	
HED-1	879487	Ultra Lightweight Headphone	10.00	
HED-3	63510-021	Full Cushion Noise Reduction Headphone	45.00	
C-4	590402-002	Ear Cushions for HED-2	2.00	
RTV-04	60012-003	Telethin Earphone (125 ohm) moderate to severe losses	16.00	
RTR-04	60012-000	Telethin Earphone (15 ohm) severe loss	16.00	
AEF-2	09252-000	Plastic Covered Metal Earloop	5.00	
ET-1	35608-000	Eartip for all Telethin™ Drivers	5.00	
CMT-98	60013-015	5' Cord w/Straight Connector	21.00	
CMT-92	60013-013	5' Cord w/Right Angle Connector	21.00	
AFC-1	18068-000	Under Chin Tube and foam cushion for use with all Telethin drivers and CMT-98 or CMT-92	11.00	
EH-S	71116-000	Earphone Shell Holder for all Telethin drivers, small ear	13.00	
EH-L	71116-001	Earphone Shell Holder for all Telethin drivers, large ear	13.00	
NL-4S	71120-001	Inductive Neckloop	70.00	
PH-21	64327-001	Headworn, unidirectional Telex condenser mic w/ TA4 connector	137.00	
SCHS-745	745TA4	Special Projects headworn condenser unidirectional vocal mic mic with TA4F connector	173.00	
SM-C	71077-001	Carry Case for System w/ 6 receivers	59.00	
SMP-C	879454	SMP Case with custom foam inserts	120.00	



PH-21	64327-001	Headworn, unidirectional Telex condenser mic w/ TA4 connector	137.00
SCHS-745	745TA4	Special Projects headworn condenser unidirectional vocal mic mic with TA4F connector	173.00
SM-C	71077-001	Carry Case for System w/ 6 receivers	59.00
SMP-C	879454	SMP Case with custom foam inserts	120.00
HGA-1	19759-000	1/2 Wave Dipole Gain Antenna	51.00
RM-S	71081-001	Rack mount kit for single ST-200 transmitter	43.00
RM-D	71081-002	Dual Rack mount kit for double ST-200 transmitter	55.00
PA-C	730139	Power Supply for ST-200/AAT-2N (120V)	19.00
TW-A	877960	Telescoping 1/4 Wave replacement antenna for AAT-2N/ST-20	00 24.00
NCB-AA	59827000	AA Rechargeable NiCad battery	6.00
WP-1	802470	Wall Plaque	6.00

	MICROPHONE ELEMENTS	DIRECTIONAL PATTERNS	MIC CABLE TERMINATION
PRODUCT ILLUSTRATION SYMBOLS AND	E ELECTRET/ CONDENSER	UNI OR CARDIOID	LEMO XLR FEMALE 1/4" JACK
ABBREVIATIONS FOR MICROPHONES	D DYNAMIC	ОМИІ	TA4 XLR MALE UN- TERMINATED

FREQUENCY INFO Catalog Nos. with (XXX) The last three digits of the catalog number determine frequency.

Consult chart for frequency choices

 $\begin{array}{c} \text{MODEL NUMBER LEGEND} \\ \Delta \text{ New Item} \\ \text{ $^{\circ}$ Discontinued Item} \end{array}$

GOOSENECK AND LAPEL MICROPHONES AND ACCESSORIES

Model	Catalog Number	Description	Pro Net
ELM-22PT ELM-22S ELM-22SL ELM-22SL ELM-33PT ELM-33S ELM-33SL ELM-33SL	70925-000 70925-001 70925-006 70925-002 70926-000 70926-001 70926-008 70926-002	Omni - Stripped & Tinned Leads, 18' cord length Omni - TA4F Connector, 4' cord length Omni - TA4F Connector, 6' cord length Omni - LEMO Connector, 4' cord length UNI - Stripped and Tinned Leads, 18' cord length UNI - TA4F Connector, 4' cord length UNI - TA4F Connector, 6' length UNI - LEMO Connector, 4' length	210.00 215.00 223.00 232.00 217.00 223.00 228.00 237.00
MC-S MC-T WS-E WS-G	70928-001 800019000 57013-001 300256-000	Single Mic Clip for ELM Series Tie Tac for ELM Series Windscreen for ELM Series Windscreen for EGM Series	Pro Net 7.00 4.00 5.00 12.00

PAGING AND PUBLIC ADDRESS MICROPHONES

	Model	Catalog Number	Description	Pro Net
MP753 MP756	MP753 MP756	75007 75008	Dynamic 3 Zone, All Call, Low Z, w/cable Dynamic 11 Zone, All Call, Low Z, w/o cable	255.00 233.00
D	253	25003	Dynamic Low Z, with talk bar and locking feature	165.00
D 785 Series D NB282N	SR785L SR785LN/0 785L NC585L MP785	46001 46002 46033 58816 46027	Dynamic, Norm. Closed, Low Z Gooseneck paging mic Dynamic, Norm. Open, Low Z Gooseneck paging mic Dynamic, No Switch, Low Z Gooseneck paging mic Dynamic, No Switch, Noise Cancelling, Low Z Gooseneck paging microphone Dynamic, 3 Zone, Low Z gooseneck paging mic	151.00 139.00 119.00 108.00
D D	450D NC450D	47000 47005	Dynamic Normally Open, Low Z Handheld paging mic Dynamic Noise Cancelling, Low Z Handheld paging mic	78.00 89.00
450 Series	WP-300 WP-300S	70666-001 70666-000	Dynamic Plate Mic, Low Z Dynamic Plate Mic, Low Z w/switch	36.00 50.00

FOR YOUR INFORMATION Frequency Spectrum Allocations

Lower VHF (Hearing Assistance)				
Use	Frequency Band			
TV2	54-60 MHz			
TV3	60-66 MHz			
TV4	66-72 MHz			
FM Hearing Assistance	72-76 MHz			
TV5	76-82 MHz			
TV6	82-88 MHz			
FM Radio	88-108 MHz			
Aircraft	108-138 MHz			
Cable TV D	138-144 MHz			
Cable TV E	144-150 MHz			
Upper VHF (Wireless N	lics, Intercom, IFB)			
Land Mobile Communication	ns 150-168 MHz			
Wireless Mic (traveling)	169-172 MHz			
TV7	174-180 MHz			
TV8	180-186 MHz			
TV9	186-192 MHz			
TV10	192-198 MHz			
TV11	198-204 MHz			
TV12	204-210 MHz			
TV13	210-216 MHz			

UHF					
Use	Frequency Band	Use	Frequency Band	Use	Frequency Band
TV14	470-476	TV35	596-602	TV56	722-728
TV15	476-482	TV36	602-608	TV57	728-734
TV16	482-488	No Use	608-614	TV58	734-740
TV17	488-494	TV38	614-620	TV59	740-746
TV18	494-500	TV39	620-626	TV60	746-752
TV19	500-506	TV40	626-632	TV61	752-758
TV20	506-512	TV41	632-638	TV62	758-764
TV21	512-518	TV42	638-644	TV63	764-770
TV22	518-524	TV43	644-650	TV64*	770-776
TV23	524-530	TV44	650-656	TV65*	776-782
TV24	530-536	TV45	656-662	TV66*	782-788
TV25	536-542	TV46	622-668	TV67*	788-794
TV26	542-548	TV47	668-674	TV68*	794-800
TV27	548-554	TV48	674-680	TV69*	800-806
TV28	554-560	TV49	680-686		
TV29	560-566	TV50	686-692	* Recently re	eallocated by FCC
TV30	566-572	TV51	692-698	for public s	service use.
TV31	572-578	TV52	698-704		
TV32	578-584	TV53	704-710		
TV33	584-590	TV54	710-716		
TV34	590-596	TV55	716-722		

FREQUENCY ORDERING INFORMATION

GENERAL INFORMATION

The last few digits in the receiver and transmitter catalog numbers represent a frequency code (generally shown as one to three "X"s). Actual suffix code is determined by the frequency that is selected from the available frequency list.

TECHNICAL ASSISTANCE FOR FREQUENCY COORDINATION & ORDERING:

Call Telex Pro Audio Sales (800) 392-3497 for help with design, application information, frequency coordination, plus technical assistance especially in installations requiring multiple system operation. You may also fax your requests and requirements to (800) 323-0498 or the internet address is: pro.sound@telex.com. For proper frequency coordination, please include the location of the installation (city) and the make and operating frequency of any other wireless equipment that will be used on the same site.

CUSTOM FREQUENCY/RECRYSTAL OPTION:

Any desired frequency can be ordered within the operating limits of Telex wireless products. Delivery time is 3-4 weeks to allow for special handling. Price is in addition to the basic equipment price. See service centers or factory service department for Recrystal Options.

Note: Custom units cannot be canceled or returned once the order has been processed.

Designator	Description	Pro Net
SPECIAL	Custom frequency for each receiver Custom Frequency for each transmitter	\$75.00 \$75.00
RECRYSTAL	Frequency change made to existing receiver Frequency change made to existing transmitter	\$75.00 \$75.00



TELEX COMMUNICATIONS, INC. • 12000 Portind Avenue South, Burnsville, MN 55337 • Tel: 952-884-4051, Fax: 952-884-0043 E-mail: pro.sound@telex.com • Web page: www.electrovoice.com/Telex-wireless