

SxA Loudspeakers

 $Sx \stackrel{\frown}{,} 100, Sx \stackrel{\frown}{,} 250, and Sx \stackrel{\frown}{,} 180$ powered loudspeakers

If you perform music give speeches spin disks or sing praises

EV

E

you belong to the **Fy** family

The power to reach your audience.



Musicians, MBAs, ministers — anyone who stands before an audience depends on a sound system to excite, to motivate, to inspire. That's why we developed a family of powered loudspeakers that anyone can use; Electro-Voice[®] SXA100 and SXA250 full-range powered speakers, and the SXA180 powered subwoofer.

Everything you need for high-quality sound reinforcement is packed into these self-contained, easy-to-transport-and-set-up systems. There's no separate amplifer rack, no complicated wiring. The SxA100 and 250 full-range speakers include built-in two-channel mixers with mic and line inputs and two-band EQ. Just connect the SxA² speakers (if you're using more than one), blug in the power, plug in a microphone and maybe a CD player or keyboard, and you're good to go. Whether you're a band on tour, or a salesperson making a presentation, SxA power loudspeakers make it easy to sound your best.

SxA for musicians

No matter what kind of music you play, there's an SxA system that's perfect for what you do. The range, clarity, and projection of SxA powered loudspeakers ensure that the audience hears every note, every nuance of your performance. SxA100 is superb for solo gigs in small-to-medium rooms when you just need reinforcement for your voice, acoustic guitar, or keyboard. For more volume, and warmer, richer lows, you'll want the SxA250. You can always turn an SxA100 or SxA250 on its side as a self-powered floor monitor. And when you play bigger gigs, add the SxA180 powered subwoofer for chest-pounding bass that fills the space with full-impact sound. With so many uses, you'll never outgrow your SxA powered loudspeakers.



SxA for DJs

SxA powered loudspeakers provide the energy and excitement that dance grooves need, with plenty of power and clarity to cut through crowd noise. Add the SxA180 powered subwoofer to your system for the classic Electro-Voice thundering bass that gets the whole room shakin'. For DJs. the SxA250 is the way to go for rounder, fatter sound and higher output. All SxA systems are easy to setup, tear down, and load out. Convenient pole mounting of the two-ways above the SxA180 sub eliminates the need for separate speaker stands. The SxA family is amazingly compact for a system that sounds so big.

SxA for sound reinforcement and A/V

Sound reinforcement can throw all kinds of different situations at you: a sales presentation in a low-ceiling meeting room, bringo in a church basement, a wedding reception under an outdoor tent. SAA powerd loudspeakers have the flexibility to work, in all these venues and many more. Thanks to the SAA family's versatile mounting and flying options, and room-filling performance, your audience wort miss a thing. And legendary EV' reliability means, years of truble-free operation and happy customers.

ELLING





Versatile SxA full-range speakers make excellent floor and sidefill monitors — with amps built in.

The audio quality to deliver your best performance.

We put a lot of thought into the design, features, and performance of SxA[¬] powered loudspeakers. Each one is a precise matched combination of our own lightweight, powerful amplifiers; well-designed, efficient Electro-Voice[®] speak components; and rugged, loadworthy enclosures. The carefully balanced SxA combination of components, electronics, ar enclosures delivers full, rich sound, incredible flexibility, and high acoustic output. The ease-of-use, convenience, and durabili of SxA powerfol loudspeakers easily blow away the competition.



Sx.A100 12-inch, full-range powered loudspeaker

Pound for pound, inch for inch. SxA100 is the most versatile powered speaker available Its 12-inch worker is perfect at reproducing voices and instruments like guitars and horns. SxA100 has the most compact enclosure of any professional, full-range powered speaker — gues anywhere for performances, presentiations, or parties. Large HF horn with 65° x 65° pattern gives SxA100 tremendous projection capability in horizontal or vertical use. TimePath "phase plug allows response to 25 kHz.

- · Polypropylene structural foam enclosure is extremely strong, yet light.
- Includes F200 adapters for use as a powered floor monitor, and stand adapter for pole mounting. Can be flown and arrayed using optional Mb Series hardware.
- Dynamic 350-watt LF and 80-watt HF amplifiers deliver 124 dB maximum output capability.

SxA250 15-inch. full-range biamped loudspeaker

A concert-quality speaker disguised as a 49-lb powered system. Sva250 delivers superb music reproduction with premium EV* components, including a cast frame DL 15-inch woofer for higher outpu and warmer lows. Its multi-angle enclosure makes SvA250 more versait perfect as a floor monitor, or horizontally oriented as a F0H system. The 80° x 55° CD horn gives SvA250 wide coverage, yet provides better control and longer throw than competitive systems.

- Tour-grade 18 mm plywood enclosure with Futura[™] finish that's resistant to dings, and damage, and the effects of weather.
- Handles on top and side of enclosure for easier lifting regardless of orientation. Built-in stand adapter for pole mounting.
- · Optional SK1 kit for safe overhead suspension.
- Dynamic 350-watt LF and 80-watt HF amplifiers deliver 126 dB output capability.

Two SxA100s (shown in their optional SxZB tote bags) easily fit in the trunk of a car. The tote bags have extra room for audio and power cables.



When your gig is done, just take the SxA full-range off its mounting pole... ...pack the pole and your cables in the SxA180 storage compartment


The versatility to fit any application.

Even in simple setups, you can mix a microphone and a line input (cassette, CD player, instrument, computer sound card, etc.) Need more sound to cover a large area? Just cascade the signal to additional SXA speakers.

> LINE-LEVEL HI-PASS OUT

OUTPUT TO

ADDITIONAL SXA SYSTEMS



SxA180 18-inch, biamped subwoofer

Eγ

A direct-radiating. 18-inch Electro-Vicie[®] DL19MT woofer — the same driver that has toured the world in EV concert systems — pushed by 650 dynamic watts delivers legendary, floor-shaking EV bass. While 18-inch subs aren't light and compact, the SxA180 is easy to move thanks to its removable transport dolly.

- Tour-grade 18 mm plywood enclosure with Futura[™] finish that's resistant to dings, and damage, and the effects of weather.
- Included 34-inch pole allows mounting of SxA100/250 above the 180 sub, eliminating the need for separate speaker stands.
- Transport dolly covers large storage compartment with ample room for mounting pole, cables, and other accessories.
- Variable active crossover with 24-dB-per-octave filters.
 Filtered high-pass line output feeds full-range speakers for louder, cleaner sound.




...attach the SxA180 back panel/transport dolly...

nt...

ly er id

> ...then roll everything away. Who needs roadies?



Only Electro-Voice builds powered loudspeakers this good.

What sets the SxA^{**} family above all other powered loudspeakers is the name on the box: Electro-Voice*

Professionals know, use, and trust their sound to EV⁹. We've been building loudspeakers for 75 years, and amplifiers for more than 50 years. Only Electro-Voice can put all that innovation and experience together to build powered speakers that work so well in so many different applications.

Innovative thinking...

Electro-Voice has a long track record of important loudspeaker innovations. While other speaker manufacturers ramble on and on about their products, just remember that a lot of the technology they use was invented by Electro-Voice.

For example: Other speaker manufacturers often talk about their 'constant-directivity' or 'CD' horns. Electro-Voice *invented* and *patented* CD horns and ours do the job right, accurately spreading the full range of music and speech across their coverage pattern. Most manufacturers still haven't caught up with other Electro-Voice "firsts" such as flat-wire voice coils, pure titanium compression driver diaptrams, and equalized crossover networks.

Electro-Voice is one of the world's largest manufacturers of premium loudspeaker components.



Electro-Voice Constant-directivity horns maintain their coverage patterns throughout their frequency range. Other CD horns often collapse coverage in the vertical plane at high frequencies.

...in every product

Electro-Voice also sparked a revolution in loudspeaker design more than 25 years ago when we created the pro audio industrys first lightweight, high-output speakers a Today, more than a million EV[®] lightweight speakers are used around the world, many in places you wouldn't expect such as Notre Dame Stadium, Broadway theaters, and large churches. Notody has more experience with professional lightweight speakers if than Electro-Voice.

SxA[®] powered loudspeakers are the newest members of our highly successful line of Sx Series[®] lightweight speakers. Like the Sx Series, SxA powered loudspeakers demonstrate that we don't just reserve our best innovations for our most expensive concert systems. When the name Electro-Voice is on the box, you know you're getting the best in the business.

| Ev | SxA technical specifications | | | |
|---|---|---|--|---|
| | Str.4100 | Sx: A 250 | Ste | A180 |
| Frequency response (-10 dB): | 65 Hz - 20 kHz | 55 Hz - 20 kHz | Frequency response (-10 dB): | 38 Hz - 120 Hz |
| Maximum SPL: | 124 dB | 126 dB | Maximum SPL: | 126 dB |
| Coverage: | 65° horizontal, 65° vertical | 80° horizontal, 55° vertical | LE amplifier nouver | 650 W 50 ms burst, 300 W continuous |
| LF amplifier power: | 350 W 10 ms burst, 150 W continuous | 350 W 10 ms burst, 150 W continuous | | |
| HF amplifier power: | 80 W 10 ms burst, 50 W continuous | 80 W 10 ms burst, 50 W continuous | | -12 dBu to 0 dBu for full output |
| Mic input sensitivity: | -35 dBu to 0 dBu for full output | -35 dBu to 0 dBu for full output | LF transducer: | 18" (450mm) DL18MT |
| Line input sensitivity: | -12 dBu to 0 dBu for full output | -12 dBu to 0 dBu for full output | Voice coil diameter: | 2.5" (63.5mm) |
| LF transducer: | | 15" (381mm) DL15BFH | Connectors: | |
| HF transducer: Connectors: Balanced mic, line inputs: Balanced output: | 1.25" (31.75mm) compression driver XLR, XLR+1/4"phone combo XLR | 1.25" (31.75mm) compression driver XLR, XLR+1/4"phone combo XLR | Eline input: Balanced output: High-pass balanced output: | XLR |
| Equalization: | Shelving; LF ±6dB @ 140 Hz HF ±4dB @ 5 kHz | Shelving; LF ±6dB @ 140 Hz HF ±4dB @ 5 kHz | Power requirement: | 110-130 VAC, 50-60 Hz, or 220-240 VAC, 50-60 Hz 700 W |
| Power requirement: | 110-130 VAC, 50-60 Hz, or 220-240 VAC, 50-60 Hz 600 W | 110-130 VAC, 50-60 Hz, or 220-240 VAC, 50-60 Hz 600 W | Enclosure material: | |
| Enclosure material: | | 18mm plywood | Grille: | Powder-coated steel with foam backing |
| Grille: | | Powder-coated steel with fiber backing | Dimensions (H x W x D): | 31.5° x 21° x 23.5° |
| Dimensions (H x W x D): | 23.1" x 16.9" x 12.3" (586mm x 429mm x 312mm) | 24.6" x 17.2" x 13.1" (625mm x 437mm x 333mm) | | (800mm x 533mm x 596mm) |
| Net weight (each): | 43 lbs (19.5 kg) | 49 lbs (22.2 kg) | Net weight (each): | |
| Shipping weight: | 47 lbs (21.3 kg) | 53 lbs (24.0 kg) | Shipping weight: | 102 lbs (46.3 kg) |
| | | | | |



The ins and outs of SxA powered loudspeakers.



Why they sound so darn good: SxA technical notes

SxA two-way powered loudspeakers borrow a key technology from Electro-Voice* concert systems: our exclusive Ring-Mode Decoupling (RMD*) technology. RMD identifies and dampens acoustic and mechanical resonances that would color the sound. The result is pure vocal reproduction and the smoothest, most detailed mids available. Thanks to RMD, the sound quality doesn't change at different listening levels.

High-current amplifiers with beefv power supplies are perfectly matched to each SxA driver. "Over-easy" limiters built into each SxA speaker prevent amp clipping from damaging the drivers, and preserve the spectral balance of your sound - even when pushed hard. The amps contain 24-dB-peroctave Linkwitz-Riley crossovers and customized signal

processing to make the speakers sound their best.



SxA100 and SxA250 reproduce high frequencies with the Electro-Voice® DH2010a, one of the best sounding and most reliable drivers available. This pure titanium driver

is coupled to our TimePath" phase plug for smooth, extended HF response. Both SxA100 and SxA250 have narrower-than-typical coverage to control room surface reflections and to throw their sound farther, improving intelligibility at the back of the room.

With their intelligent design and well-integrated components and amplifiers. the SxA family of powered loudspeakers deliver beautifully balanced sound in real-world applications.



12000 Portland Avenue South, Burnsville, Minnesota 55337 U.S.A. TEL: 800-392-3497 FAX: 952-736-4582

www.electrovoice.com

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE. ©2001 Telex Communications PA-20600 1/02