

DN300 Single Channel 30 Band 1/3 Octave

- Unrivalled audio and engineering quality
- Earth lift facility to eliminate ground loops
- EQ bypass allowing easy comparison between signals
- Variable hi & lo pass shelving filters for bandwidth control
- Five-year factory warranty

DN301 Single Channel 30 Band Attenuation Only

- Failsafe relay bypass - signal reaches outputs even when power off
- Provides system protection through cut-only facility whilst retaining great sound quality
- Earth lift facility to eliminate ground loops
- Variable hi & lo pass shelving filters for bandwidth control
- Five-year factory warranty

DN332 Dual Channel 16 Band 2/3 Octave

- Unrivalled audio and engineering quality
- Dual 16-band graphic EQ in only 2RU
- Earth lift facility to eliminate ground loops
- 18dB / octave low cut filters to eliminate subsonic overload
- Five-year factory warranty

DN360 Dual Channel 30 Band 1/3 Octave

- Industry standard dual 30-band graphic EQ
- Unrivalled audio and engineering quality
- 18dB / octave low cut filters to eliminate subsonic overload
- EQ bypass allowing easy comparison between signals
- Five-year factory warranty

DN3600 Programmable Graphic Equaliser

- Dual 30-band graphic EQ + 4 notch filters and swept high and low pass filters

- Digital control of analogue audio provides best possible blend of operation and performance
- Unique auto gain ranging means level in equals level out regardless of EQ settings
- 66 memories locations
- Five-year factory warranty

DN3601 Slave Graphic Equaliser

- All features of DN3600 but in slave format without front panel controls
- Up to 64 DN3601s can be addressed by one DN3600, 49 by one DN3698
- Failsafe relay bypass - signal reaches outputs even when power off
- Selectable DN360 and DN27 'Q' emulations
- Five-year factory warranty

DN3698 Remote Controller

- Hand held remote control of up to 49 DN3600 and / or DN3601
- Full access to all DN3600 functions including memory store / recall
- One button per function operation plus dual thumbwheel encoders for easy access
- 5-hour battery life from 2-hour charge plus battery status indicators
- Five-year factory warranty

DN3603 Docking Station

- Rackmount docking station for DN3698
- Intelligent RS232 to MIDI conversion for DN3698 operation over a single 5-core cable
- Pro-MIDI XLR connectors fitted on rear panel, also archives all current DN3600 settings
- Also acts as charger unit for DN3698 when fitted
- Five-year factory warranty

WS01 Wireless Transceiver

DN320 Dual Channel 16 Band Preset Eq

- Dual 16 band 2/3 octave EQ controlled by high quality rotary potentiometers
- Auto switching 24V DC backup
- EQ bypass allowing easy comparison between signals
- All controls may be protected by a security cover after system calibration
- Five-year factory warranty

DN330 Single Channel 30 Band Preset Eq

- Single 30 band 1/3 octave EQ controlled by high quality rotary potentiometers
- Auto switching 24V DC backup
- EQ bypass allowing easy comparison between signals
- All controls may be protected by a security cover after system calibration
- Five-year factory warranty

DN405 Single Channel Five Filter Parametric Eq

- Single channel 5-band analogue parametric EQ in 1RU
- Five 20Hz to 20kHz PEQ sections plus separate high and low pass filters
- Individual EQ in / out switch for each filter plus global EQ in / out switch
- Unrivalled audio and engineering quality
- Five-year factory warranty

DN410 Dual Channel 5 Band Parametric

- Dual channel 5-band analogue parametric EQ in 2RU plus Switchable dual / mono switch
- 2 x Five 20Hz to 20kHz PEQ sections plus separate high and low pass filters

- Individual EQ in / out switch for each filter plus global EQ in / out switch
- Unrivalled audio and engineering quality
- Five-year factory warranty

DN422M Dual Channel Mic Pre amp

- Dual discrete channel microphone preamplifier and parametric EQ in 1RU
- Extremely high quality signal path, low noise floor, Midas Heritage 3000 mic pre
- Inserts on each channel to allow interconnection of compression, limiting etc
- Use as standalone channels or in front of average console to enhance performance
- Five-year factory warranty

DN4000 Dual Channel PEQ & Delay

- Dual channel digital parametric EQ with full function delay line in 2RU
- 5 bands of PEQ plus high and low pass filters and shelf Eq's on each channel
- Unweighted dynamic range of >144dB provides great sound and headroom
- 30 non-volatile memories, large LED display and dedicated filter selection switches
- Five-year factory warranty

DN500 Dual Compressor Limiter/Expander

- Two channels of full function compression, expansion, limiting and peak clipping in 1RU
- VCA compression provides extremely quiet operation - 2dB quieter than nearest competitor
- Variable knee control to enable various compression styles

- Peak clipper eliminates transient overload and tracks limiter threshold for total protection
- Five-year factory warranty

DN504 Quad Compressor Limiter

- Four channels of full function quick-set compression in 1RU
- Switchable knee function provides for both soft and hard compression
- Separate side chain inputs provided for each channel
- Stereo link function to provide two pairs of stereo compression
- Five-year factory warranty

DN510 Dual Channel MIDI Gate

- Two channels of frequency-conscious gating
- Velocity-sensitive MIDI out provides instant triggering for drum machines and samplers
- Additional DC trigger inputs / outputs allow remote keying of DN510
- Mask function removes offbeats, drumfill or echo and creates accents
- Five-year factory warranty

DN514 Quad Auto Gate

- Four channels of frequency-conscious gating in 1RU
- Two semi-automatic attack modes plus hold time automatically scaled to release value
- Unique sync function synchronises harmony parts by locking all four gate release times
- Additional key inputs for each channel allows triggering from external sources
- Five-year factory warranty

DN7103 Delay Line

- Full function 1 input / 3 output digital time alignment delay unit with 1.4s total delay time
- 2 x parametric EQ sections and 1 x shelving EQ section per output
- Peak limiter on every output
- MIDI interface as standard
- Five-year factory warranty

DN7204 Delay Line

- Full function 2 input / 4 output digital time alignment delay unit with 2.8s total delay
- 2 x parametric EQ sections and 1 x shelving EQ section per output
- Peak limiter on every output
- MIDI interface as standard
- Five-year factory warranty

DN6000 Audio Analyser

- The most comprehensive and accurate rackmount RTA device available
- Supplied with calibrated reference microphone
- Internal signal generator with sine wave and band limited pink noise test signals
- Multitude of features include RTA 1/3 & 1/6 Octave, RT60, SPL LET and LEQ measurement
- Five-year factory warranty

DN800 Configurable Active Crossover

- The best sounding frequency-dividing device, analogue or digital, available anywhere
- 4 inputs and 8 outputs allow for multiple application and configuration flexibility

- Advanced VCA limiters cards fitted as standard
- Mono bass facility for sub-woofer systems
- Five-year factory warranty

DN8000 Loudspeaker Processor

- Two inputs plus 5 outputs in 1RU with fully configurable routing
- Internal dynamic range >114dB, plus 32 user programmable memories
- Features include onboard EQ, delay, compression, limiting and phase adjustment
- Simple and quick to configure for almost any loudspeaker control application
- Five-year factory warranty

LBB100 Roadworthy Active DI Box

- Road-proof active direct-injection box with high impedance transformer isolated output
- Twin 1/4 inch jacks plus XLR input connectors
- Separately Switchable 30db input pad and 15dB output attenuator
- Switchable earth link
- Five-year factory warranty