


ClearOne Product Catalog



ClearOne[®]
You're Virtually ThereSM


ClearOne Conferencing Solutions

This product catalog outlines ClearOne's industry-leading, comprehensive suite of products developed specifically for conferencing. We've designed clear, reliable audio systems; powerful yet easy-to-use cameras; and durable, functional furniture to help you achieve natural, effective communication. And all our products are backed by a knowledgeable staff committed to your conferencing success.

ClearOne's heritage in professional-quality audio and video equipment has given us a thorough understanding of how people conference and the kind of equipment they really need. When you have 20 years of innovation behind you, it all comes together for our customers. Our audio solutions — from the professional XAP® 800 installed system to the new RAV™ Complete Conferencing Systems — provide the best possible sound quality. Our professional presentation cameras let you share documents, images and video with ease. Our educational cameras can capture and display full-color documents, 3-D objects, video and microscope specimens to enhance classroom learning activities. And our conferencing furniture creates an ideal setting for interaction.

From the simplest classroom to the most sophisticated boardroom, ClearOne's high-quality equipment provide the best possible conferencing solutions. Contact ClearOne for more information. Call 1-800-707-6994 or visit www.clearone.com.


CLEARONE
S O L U T I O N S



Boardroom

A well-designed conferencing system for the boardroom allows dialogue between remote and in-room participants, visual contact between participants and the ability to effortlessly share information and documents. ClearOne has a complete suite of products to make any boardroom setting an effective conferencing environment.

Products for the boardroom:
 XAP Products, RAV Products, Ceiling DocCam, Titan Plasma Carts, Tabletop Mics, Conference Tables.



Executive Office

A high-quality executive conferencing system can be the single link holding together an important, strategic discussion, meetings with off-site investors, even merger or acquisition negotiations. ClearOne offers ideal systems with high functionality combined with a compact and mobile design.


Products for the executive office:
 Max Products, XAP Products, Microphones, DocCam Pro AV, AV Carts, Conference Tables.

Distance Learning/ Training Facility

ClearOne's educational conferencing products can bring instructors and students together from any location and can incorporate multiple forms of media to create a more effective learning environment.

Products for distance learning:

XAP Products, DocCam Pro VC, Microphones, Highboy AV Cart, Educational Cameras, Rack Carts, Document Camera Carts, Training Tables.





Courtroom

A courtroom requires clear, easy-to-understand audio as well as the ability to incorporate audio and video from devices such as a VCR or tape player to allow for audio or video-based evidence. With ClearOne products, conferencing can be easily integrated into a courtroom setting.

Products for the courtroom:

XAP Products, PSR1212, DocCam Pro, Ceiling DocCam, Microphones, Podium.






Hotel/Convention Venue

A conferencing system in a hotel or convention center must deliver high-quality audio, especially given the background noise and acoustical and visual challenges inherent in such applications. ClearOne’s audio systems offer the quality required, as well as the ability to adapt quickly to room changes, and are simple to use.

Products for hotel/convention venues:
 XAP Products, Control Panels, PSR1212, Highboy AV Cart.



Auditorium

An auditorium must be equipped to serve a wide variety of purposes: theatrical performances, presentations, debates and more. ClearOne’s high-quality audio systems adapt to the changing needs of this demanding application, providing filters and equalizers to compensate for loud-speaker characteristics, and document cameras that facilitate presenting or sharing documents for videoconferencing and presentations.

Products for auditoriums:
 XAP Products, PSR1212, DocCam Pro VC, Microphones, AV Carts.

AUDIO CONFERENCING
P R O D U C T S

Installed Audio Conferencing Systems

Powerful, high-quality audio equipment enables productive conversations in which people can address important issues and make decisions efficiently. It's at the heart of every leading conferencing system and successful meeting space. And it can be easily set up and controlled for every conferencing need. ClearOne audio products give you the full benefits of ClearOne's decades of audio innovation in features like adaptive noise cancellation, proprietary Gentner® Distributed Echo Cancellation® and more. So everyone can interact naturally and be heard clearly.

XAP Family

XAP® 800

The XAP® 800 audio management and distribution device has set new standards for audio conferencing performance. With eight microphone inputs, a microphone mixer, Gentner® Distributed Echo Cancellation®, noise cancellation, advanced audio processing and filters, it manages microphones and speakers, as well as local and auxiliary audio. Connect up to eight XAP 800s to use 64 individual microphones.

910-151-101	XAP 800 Audio Conferencing System	
-------------	-----------------------------------	---

XAP 400

The XAP 400 audio management and distribution device combines the incredible features of the XAP 800 with a single-line digital telephone hybrid and 10W amplifier to create a stand-alone teleconferencing unit. It has four microphone inputs, a microphone mixer, Gentner Distributed Echo Cancellation, noise cancellation, and advanced audio processing and filters. The XAP 400 manages microphones and speakers, as well as local and auxiliary audio.

910-151-201	XAP 400 Audio Conferencing System	
-------------	-----------------------------------	---

XAP TH2

The XAP TH2 is a telephone interface that provides audio-conferencing capabilities to the XAP 800 through a single telephone line or adds a second line to the XAP 400. The XAP TH2 uses digital signal processing to eliminate distortion, weak signals and feedback, resulting in clear, crisp audio conferencing.

910-151-301	XAP TH2 Telephone Interface	
-------------	-----------------------------	--

PSR1212

The PSR1212 is an advanced 12x12 digital matrix mixer that provides advanced audio processing, microphone mixing and routing for local audio reinforcement. It features 32 user-definable presets to quickly adapt to a variety of sound reinforcement and room-combining applications.

910-155-001	PSR1212 Digital Matrix Mixer with audio processing	
-------------	--	---

XAP NET

XAP Net brings Ethernet connectivity to all XAP products and the PSR1212. This advanced control interface provides the freedom to access ClearOne audio devices remotely via either local-area network (LAN) or the Internet. So you can program a XAP or PSR1212 audio system or perform system diagnostics from anywhere.

910-150-151	XAP NET Control Interface	
-------------	---------------------------	---

G-WARE™

G-Ware™ is advanced software for all XAP/PSR1212 products that simplifies setup for sophisticated mixing and processing functions. G-Ware features advanced controls allowing you to access and customize all input, output and processing parameters, and also establish presets and macros and make instant configuration changes for a variety of room scenarios.

800-000-001	G-Ware software platform for XAP/PSR products	
-------------	---	---

AP Family

AP800

The AP800 is a flexible audio-management and distribution device featuring a microphone mixer and Gentner Distributed Echo Cancellation, as well as eight microphone/line inputs, four auxiliary line-level inputs and 12 auxiliary line-level outputs. These outputs are ideal for integrating codecs, AP10 telephone interfaces, external PAs, sound reinforcement, VCRs and CD players.

910-150-001	AP800 Audio Conferencing System	
-------------	---------------------------------	---

AP400

The AP400 is a flexible audio-management and distribution device featuring a microphone mixer and Gentner Distributed Echo Cancellation, as well as four microphone/line inputs, four line-level inputs and eight line-level outputs. A built-in telephone interface adds a phone line for teleconferencing capabilities and an internal power amplifier provides easy loudspeaker integration. AP800 compatibility lets you easily expand your system.

910-150-100	AP400 Audio Conferencing System	
-------------	---------------------------------	---

AP10

The easy-to-install AP10 adds audio conferencing capabilities to the AP800, which can accommodate up to 16 AP10 units, to incorporate remote callers to any conference via a single telephone line.

910-150-201	AP10 Telephone Interface for the AP800 System	
-------------	---	---


GT1524

The GT1524 provides the highest possible audio quality available in a single-channel echo canceller and features a telephone interface to turn your existing audio system into a cost-effective teleconferencing system. Its simultaneous two-wire/four-wire operation means you can audio conference and videoconference at the same time.

910-114-101	GT1524 Single Channel Echo Canceller for high audio quality	
-------------	---	---

AP-WARE™

Based on the proven G-Ware software platform, AP-Ware™ was designed to ensure consistent and reliable audio performance by making configuration more intuitive and simple.

800-000-001	AP-Ware configuration software for the AP800, AP400 and AP10.	
-------------	---	---

Installed Audio Accessories

XAP IR REMOTE CONTROL

The XAP IR Remote Control uses infrared transmission to operate all XAP and PSR1212 single-unit and combined-unit systems. This remote controls dialing, muting, connection, disconnection and volume control. It's a cost-effective alternative to expensive remote-control devices.

910-170-150	XAP IR Remote for use with XAP and PSR products	
-------------	---	---

CONTROL PANEL

The Control Panel provides convenient control of zoning, volume and other functions for the PSR1212, XAP 800 and XAP 400. It's available in two models: Volume and Select.



910-155-050	Select Control Panel
910-155-051	Volume Control Panel

AP IR REMOTE CONTROL

The AP IR Remote Control system operates the Audio Perfect® (AP) product line. Using infrared transmission, it can control a GT1524 stand-alone system, an AP400 stand-alone system, an AP400/AP800 combination or an AP800/AP10 combination. This remote controls dialing, mute, connect, disconnect and volume.



910-160-050	AP IR Remote for use with AP800, AP400, GT1524
-------------	--

TABLETOP MIC

The Tabletop Mic is perfect for teleconferencing applications that demand high-performance audio quality. The small size makes this mic ideal for conference tables that require minimum-visibility microphones.



910-103-160	Tabletop Omni-Mic with omni-directional pickup range
-------------	--

BUTTON MIC

The Button Mic is ideal for unobtrusive tabletop placement. Commonly used in custom applications in which mics are permanently built into the table, the button mic provides excellent pick-up range.



910-103-162	Button Omni-Microphone in black with omni-directional pickup range
910-103-164	Button Uni-Microphone in black with uni-directional pickup range

DELTA MIC

The Delta Mic's sleek design accentuates teleconferencing applications that demand high-performance audio quality. Its compact size makes it ideal for conference tables requiring minimum-visibility mics with 360-degree pickup.



910-103-340	Delta Mic with three, wide-range microphones for 360-degree pickup
-------------	--

WALL-MOUNT SPEAKER

This quality JBL loudspeaker delivers maximum punch, clarity and the subtle voice characteristics necessary for successful teleconferencing. The speaker is perfect for placement on a table or credenza, or for mounting on the wall.



910-103-010	JBL Wall-Mount Speaker for audio conferencing
-------------	---

Complete Audio Conferencing Systems

RAV 600/900 audio conferencing system uniquely combines the sound quality of a professionally installed audio system with the simplicity of a conference phone. This complete, out-of-the-box system is an easy and affordable way to provide audio conferencing capabilities to small and medium conference rooms. The RAV system can also be fully integrated with rich-media devices, such as video and webconferencing systems, for enhanced audio performance. In addition to conferencing, it allows single input connection to CD, DVD players, VCRs, etc. for playback over the system's speakers.

RAV Family

RAV® 600

The RAV 600 conferencing system includes an audio mixer, two microphone pods, a wireless controller, two Bose® loudspeakers (ceiling or wall-mount) and RAV-Ware™ configuration software.

910-153-100	RAV 600 Audio Conferencing System (No Loudspeakers)
910-153-101	RAV 600 Audio Conferencing System (Ceiling Loudspeakers)
910-153-102	RAV 800 Audio Conferencing System (Wall-mount Loudspeakers)



RAV 900

The RAV 900 conferencing system includes an audio mixer, three microphone pods, a wireless controller, two Bose® loudspeakers (ceiling or wall-mount) and RAV-Ware™ configuration software.

910-153-300	RAV 900 Audio Conferencing System (No Loudspeakers)
910-153-301	RAV 900 Audio Conferencing System (Ceiling Loudspeakers)
910-153-302	RAV 900 Audio Conferencing System (Wall-mount Loudspeakers)



RAV-WARE™

RAV-Ware™ application software provides a drag-and-drop interface to customize the audio in your RAV audio conferencing system via USB, network or serial connection.

800-153-000	RAV-Ware Software CD
-------------	----------------------



Maximum Coverage Conferencing Phones

ClearOne Communications has integrated years of professional-quality audio technology, including adaptive noise cancellation and proprietary Gentner® Distributed Echo Cancellation®, into affordable, plug-and-play conferencing phones. MAX Wireless is ideal for executive offices and MAX EX easily accommodates small conference rooms as a single unit and medium and larger rooms as a linked system. The phones provide incredible clarity and user-friendly controls. So everyone involved can sit back, relax and interact.

MAX Family

MAX WIRELESS

Interact naturally — without wires in your way on the table and the floor. MAX Wireless is ideal for an executive office. This groundbreaking new phone provides all the convenience of wireless communication without compromising audio quality, call security or connection stability. MAX Wireless features 10 speed-dial numbers, a 2.5 mm recording jack, conferencing-services speed dial, an 18-character LCD display and power supply. Simply plug in the base unit and start talking for up to eight hours when fully charged.



910-158-001	MAX Wireless Conferencing Phone – WDCT US version
910-158-002	MAX Wireless Conferencing Phone – DECT European version
910-158-003	MAX Wireless Conferencing Phone – DECT UK version
910-158-005	MAX Wireless Conferencing Phone – WDCT International version

MAX EX

Introducing a conferencing phone that expands to fit your needs. MAX EX provides premium full-duplex sound to small conference rooms as a single unit and to medium and larger conference rooms as an expanded system. Connect up to four MAX EX phone units complete with microphones, loudspeakers and controls for an even distribution of sound and user access throughout the room. MAX EX features 10 speed-dial numbers, a 2.5 mm recording jack, conferencing-services speed dial and an 18-character LCD display.



910-158-015	MAX EX Conferencing Phone
910-158-016	MAX EX Conferencing Phone – European version
910-158-017	MAX EX Conferencing Phone – UK version
910-158-050	MAX EX Expansion Kit

MAXATTACH

The MAXAttach conferencing system is the only conferencing phone system that allows you to attach two additional expansion phone units (not just expansion microphones) in a daisy-chain format to ensure complete microphone and loudspeaker coverage. No matter where participants are seated, conversations are natural and effortless. The MAXAttach includes two phone pods, a base unit, cables and documentation.



910-158-055	MAXAttach Two-Phone Conferencing System
910-158-050	MAX EX Expansion Kit

Echo-Cancelling Microphones

The AccuMic® microphones provide affordable, high-quality audio to significantly enhance web-based video/audio calls, webconferences and videoconferences. Built with Gentner Distributed Echo Cancellation, the AccuMic brings the natural communication experience to executive offices and small conference rooms as a single unit and to medium-sized conferencing rooms as a two-unit, linked system.

AccuMic Family

ACCUMIC® VC

The ClearOne AccuMic™ VC is an echo-cancelling microphone that connects directly to a set-top video codec to bring affordable, high-quality audio to videoconferences.

910-156-115	Echo-Cancelling Microphone for set-top video codecs
910-156-117	Expansion Kit for AccuMic VC (2nd AccuMic VC pod with cable)



ACCUMIC PC

The new ClearOne AccuMic™ PC is an echo-cancelling microphone that connects directly to personal computers to provide affordable, high-quality audio for web-based video/audio calls and webconferences.

910-157-001	Echo-Cancelling Microphone for PC or Macintosh
910-157-010	Expansion Kit for AccuMic PC (2nd AccuMic PC pod with cable)



Audio Conferencing Feature Comparison

Specifications	XAP 800	XAP 400	RAV 900	RAV 600	MAX Wireless	MAX EX	AccuMic PC	AccuMic VC
Gentner Audio Quality	✓	✓	✓	✓	✓	✓	✓	✓
Adjustable Noise Cancel.	✓	✓						
Microphones	8 *	4*	9 (3 pods)	6 (2 pods)	3	3 (per unit)*	3 (per unit)*	3 (per unit)*
Line Inputs	4	4	2	2			1	1
Line Outputs	12	8, Spkr out	2	2	1	1	1	1
Telephone Hybrid	XAP TH2	✓	✓	✓	✓	✓		
Remote Management	XAP Net	XAP Net	✓	✓				
Software	✓	✓	✓	✓				
Webconferencing Support	✓	✓	✓	✓			✓	
Videoconferencing Support	✓	✓	✓	✓				✓
Expandable	up to 8 units	up to 8 units				up to 4 units	2 units	2 units
Portable	✓	✓	✓	✓	✓	✓	✓	✓
Sound Reinforcement	✓	✓						
Dedicated Microphones			✓	✓				
User Configurable	Extensive	Extensive	Restricted	Restricted				
Complete System			✓	✓				

*XAP 800 expandable to 64 mics, XAP 400 expandable to 32 mics, MAX EX expandable to 12 mics (3 per unit), AccuMic PC and VC expandable to 6 mics (3 per unit)

PROFESSIONAL CAMERA
P R O D U C T S

Professional Document Cameras

When making detailed presentations, you need to maintain a natural flow of communication while integrating documents, PC graphics and video. ClearOne Professional Cameras improve collaboration by allowing you to communicate freely and effectively in seamless presentations incorporating multiple media sources — all with the push of a button. So you can discuss new topics, exchange ideas and maintain a completely productive forum for everyone involved.

Professional Cameras

DOCCAM PRO® AV

The cost-effective DocCam Pro® AV is a document camera that clearly displays documents, objects and images on a variety of display devices such as televisions and LCD projectors. Built-in video pass-through lets you connect a second video source and allows simple one-touch switching between sources. The DocCam Pro AV has a 180-degree tilt camera head and built-in microphone that make it ideal for use as an auxiliary presentation camera. This camera is available in four codec-specific models to ensure compatibility with existing videoconferencing systems' IR remotes.



910-171-010	DocCam Pro AV document camera with standard IR remote
910-171-006	DocCam Pro AV document camera for use with Polycom ViewStation IR remote
910-171-007	DocCam Pro AV document camera for use with Polycom iPower 600 and 900 IR remotes
910-171-008	DocCam Pro AV document camera for use with V-There IR remote
910-171-009	DocCam Pro AV document camera for use with Tandberg IR remote

DOCCAM PRO VC

The DocCam Pro VC is a document camera that clearly displays documents, objects and images on a variety of display devices such as televisions and LCD projectors. The integrated scan converter provides a direct PC connection for sharing anything on your computer, from programs to web graphics. The DocCam Pro VC has a 180-degree tilt camera head and built-in microphone that make it ideal for use as an auxiliary presentation camera. This camera is available in four codec-specific models to ensure compatibility with existing videoconferencing systems' IR remotes.



910-171-011	DocCam Pro VC document camera with standard IR remote control
910-171-012	DocCam Pro VC document camera for use with Polycom iPower 600 and 900 IR remotes
910-171-013	DocCam Pro VC document camera for use with Polycom ViewStation IR remote
910-171-014	DocCam Pro VC document camera for use with V-There IR remote
910-171-015	DocCam Pro VC document camera for use with Tandberg IR remote

CEILING DOCCAM™ II

The Ceiling DocCam™ II is a lightweight, easy-to-install, ceiling-mounted document camera system that captures detailed images within a wide field of view for display on a variety of devices. Its razor-sharp focus makes it perfect for sharing even the tiniest details of blueprints and other large-scale documents on the tabletop.



910-171-066	Ceiling DocCam II – Ceiling-mounted document camera with advanced feature set
-------------	---

Professional Camera Accessories

BACK LIGHT DISPLAY PANEL

The 8 1/2" x 11" Back Light Display Panel is perfect for displaying transparencies or slides with any ClearOne camera.



910-171-325	Back Light Display Panel (110V)
-------------	---------------------------------

DELUXE TRIPOD


This tripod has a two-way fluid effect head, quick release plate with video pin and a bubble level with tilt tension control. It also features independent pan and tilt locks, telescoping legs with quick release latches and center brace support with lock for added stability.



910-171-310	Deluxe Tripod for PTZ cameras
-------------	-------------------------------

WALL-MOUNT BRACKET


This lightweight wall-mounting bracket is ideal for today's smaller pan/tilt/zoom cameras. This inexpensive bracket is white and is equipped with a ball and socket type connector for maximum positioning flexibility.



910-171-311	Pan/Tilt/Zoom Camera Wall-Mounting Bracket
-------------	--

WALL-MOUNT SHELF KIT FOR PAN/TILT/ZOOM CAMERAS

Made from heavy-duty aluminum alloy, this wall-mount shelf is an easy way to wall-mount a small pan/tilt/zoom camera unobtrusively while providing cable pathways out the back for in-wall wiring or out the bottom of the shelf kit.



910-171-299	Wall-Mount Shelf for a Pan/Tilt/Zoom Camera
-------------	---

PAN/TILT/ZOOM CAMERA MOUNTING KIT

The Pan/Tilt/Zoom Camera Mounting Kit includes telescoping extension tubes that allow for adjustment between 42" and 60". Cables can be run through hollow extension tubes. These kits are ideal for ClearOne Plasma and Monitor Carts.



911-171-298	Pan/Tilt/Zoom Camera Mounting Kit
-------------	-----------------------------------

SCAN CONVERTER

With true plug-and-play VGA-to-video format conversion (NTSC composite and S-VHS), this cost-effective scan converter proves a valuable tool for displaying computer presentations during a videoconference. It automatically detects scan rates and resolutions up to 1024 x 768 at 75Hz (XGA).



910-171-191	Scan Converter, Computer (up to XGA) to video converter
-------------	---

VIDEO SCALER PRO

This video-to-XGA scaler and multi-system converter changes S-video and composite video input signals to VGA, SVGA and XGA output resolutions. The Video Scaler Pro can also convert NTSC, PAL and SECAM video formats to NTSC or PAL.



910-171-380	Video Scaler Pro Video to XGA scaler and multi-system format converter
-------------	--

Professional Camera Feature Comparison

Specifications	DocCam Pro VC	DocCam Pro AV	Ceiling DocCam II
Image Sensor	1/4" CCD	1/4" CCD	1/6" Type Super HAD CCD
Total Pixels	410 K	410 K	410 K
Lines Scanned	525 NTSC/625 PAL	525 NTSC/625 PAL	525 NTSC/625 PAL
Horizontal Resolution	450TVL	450TVL	480TVL
Powered Zoom	16x	16x	300x (25x Optical, 12x Digital)
Video Output	S-video, Composite	S-video, Composite	S-video, Composite
Audio	Integrated Mics	Integrated Mics	NA
Audio Output	Stereo RCA	Stereo RCA	NA
Focus	Auto	Auto	Auto , Manual, RS-232
Control	IR Remote	IR Remote	IR Remote
Serial Control	NA	NA	RS-232
Scan Converter Input	15 Pin HD (VGA)	NA	NA
Scan Converter Resolution	1024x768@75Hz	NA	NA
Video Pass-Through Switch	NA	S-video and Composite	NA
Light Sensitivity	3 Lux	3 Lux	2.5 Lux
Camera Head	180° Rotating Head	180° Rotating Head	In Ceiling Enclosure
Neck	18" Telescoping	18" Telescoping	NA
Top Lighting	LED Light Arms	LED Light Arms	NA
Light Panel	Optional	Optional	Optional
Weight	11 lb/5 kg	11 lb/5 kg	4 lb/1.82 kg
Video Format	NTSC & PAL	NTSC & PAL	NTSC & PAL

EDUCATIONAL CAMERA
P R O D U C T S

Educational Presentation Cameras

ClearOne's comprehensive line of educational cameras introduce students to entirely new ways of learning. Teachers can easily capture and display full-color documents, 3-D objects and video. Use the microscope adapter to display specimens and experiments in full-color detail. Attach to a VCR to record interactive activities. And connect to a computer to let students capture, edit and share content on their own.

Educational Cameras

FLEXCAM® ICAM

The affordable multipurpose FlexCam® iCam offers simple microscope compatibility, quick and easy document display and video-only presentations. The microscope couplers enable class-wide display of microscopic organisms. Full-color, full-motion video makes lessons more memorable. Document sharing capabilities let you present newspaper articles, pictures and objects of all kinds. And the flexible gooseneck and swivel head enable you to position the FlexCam iCam easily and accurately.



910-171-101	FlexCam iCam Multi-purpose, entry-level video presentation camera
-------------	---

FLEXCAM USB

The portable FlexCam USB is a multipurpose, microscope-compatible camera that easily connects to a PC or Macintosh® to record, edit and share images, video and audio. Full-color, full-motion video, document display capabilities and video-capture software enable virtual field trips and lab video sharing. Image-capture software allows students to record experiments, create time-lapse photography and edit photos.



910-171-100	FlexCam USB with PC & MAC drivers and video application software
-------------	--

FLEXCAM

Ideal for presentations and desktop videoconferencing applications, the cost-effective FlexCam is a multipurpose camera for displaying high-quality, full-color images and documents, as well as simple audio and video on a TV or LCD projector. The integrated microphone includes a preamplifier to facilitate connection to a video codec or audio-reinforcement system.



910-171-110	FlexCam Desktop video camera
-------------	------------------------------

FLEXCAM ICAM DIGITAL

The multipurpose, microscope-compatible FlexCam iCam Digital features dual output and easily connects to a PC, Macintosh, television or LCD projector for sharing documents, lab specimens and video. It features S-video and USB digital capabilities for enhanced flexibility in a wide variety of applications. The USB interface and the included software allow you to easily capture video and edit with special effects.



910-171-102	FlexCam iCam Digital Multi-purpose camera with USB and S-video Outputs
-------------	--

STUDENTCAM® 2.0

The versatile, feature-rich StudentCam® lets students and teachers share detailed documents, images and video using advanced lighting controls, including fluorescent and brightness adjustments. The StudentCam is microscope compatible and comes with a microscope eyepiece adapter and couplers. Full-color, full-motion video makes lessons more memorable. The built-in microphone captures audio for presentations or videoconferencing. Desktop videoconferencing increases student access to information through virtual field trips. And document sharing enables the display of newspaper articles, pictures and objects of all kinds. With a 20" flexible gooseneck, swivel head and user-friendly controls, the StudentCam can enliven any classroom.



910-171-120	StudentCam Presentation and microscope video camera
-------------	---

IDCAM™ 2.0

The full-color, full-motion IDCam™ has a flexible 20" gooseneck, a 60° swivel head and 16 mm C-mount lens that allow it to be precisely positioned for proper head and shoulder framing at a distance of four to eight feet. The IDCam also features an S-video connection. The IDCam is ideal for use photographing student IDs, corporate security cards, membership cards and guest passes. Its integrated microphone and preamplifier expand the IDCam's functionality to include full presentation and recording capabilities.



910-171-125	IDCam Desktop identification and security
-------------	---

TEACHCAM® 2.0

The powerful TeachCam® has a flexible 27" gooseneck for easy positioning and connection to microscopes. It offers superior-quality image display and enables clear audio and video sharing with a broad selection of features. Its built-in IllumaBase® light source and advanced lighting and color controls give teachers unprecedented viewing options with microscope slides, 35 mm slides, macro objects and more. IllumaBoxes hold objects on the base for illuminated 3-D display while IllumaSlides empower the convenient performance of a slide projector. The microscope eyepiece adapter and couplers enable class-wide display of microscopic organisms, encouraging group participation.



910-171-150	TeachCam Presentation and microscope video camera w/built-in display base
-------------	---

Educational Camera Accessories

CURRICULUM GUIDE

The ClearOne Flexible Educational Camera Curriculum Guide helps educators maximize teaching with innovative lessons created specifically for use with ClearOne Educational Cameras. It features a comprehensive camera overview and helpful usage instructions, as well as software information and lab suggestions for an incredible variety of science topics and activities. The Teacher Support section includes tips on lab preparation and procedures, as well as data collection and analysis tips. It's one indispensable tool for enhancing science education.



800-171-000	ClearOne Flexible Educational Cameras Curriculum Guide and CD
-------------	---

FLEXLITE™

Designed for use with any of ClearOne's FlexCam models, the FlexLite™ has dual flexneck top lights that attach to a camera base to light all subjects. The FlexLite is available in both 110V (NTSC) and 220V (PAL) versions.



910-171-320	FlexLite (NTSC 110V)
-------------	----------------------

HARDSHELL CARRYING CASE

The sturdy Hardshell Carrying Case protects your ClearOne Educational Camera and accessories when you need to transport them to different locations.



910-171-346	Hardshell Carrying Case (Small)
910-171-348	Hardshell Carrying Case (Large)

LENS ACCESSORIES

ClearOne offers a wide variety of after-market custom lenses to fit most any application. These lenses are compatible with the StudentCam, TeachCam and IDCam.



910-171-474	3.5 mm C-Mount Lens (for StudentCam, TeachCam and IDCam)
910-171-476	6 mm C-Mount Lens (for StudentCam, TeachCam and IDCam)
910-171-478	8 mm C-Mount Lens (for StudentCam, TeachCam and IDCam)
910-171-482	Zoom 6-12 mm C-Mount Lens (for StudentCam, TeachCam and IDCam)
910-171-484	16 mm C-Mount Lens (for StudentCam, TeachCam and IDCam)

MICROSCOPE COUPLERS AND EYEPIECE ADAPTER

The microscope couplers (26, 28 and 34 mm) or the metal eyepiece adapter easily connect your ClearOne Educational Camera to most industry-standard microscopes.



910-171-326	Microscope Couplers (26, 28 and 34mm – plastic)
910-171-327	Microscope Eyepiece Adapter (metal)

VIDEO TO USB ADAPTER

The USB Adapter, a convenient, affordable alternative to an installed video-capture card, lets teachers connect their ClearOne Educational Cameras to a PC or Macintosh to easily capture, display and edit video and audio. It comes with an attached USB cable and features four connectors: an audio connector, a composite-video connector, an S-video connector and a video pass-through connector. It also includes easy-to-use video and photo-imaging software for capturing audio and still images and using them to create video and other multimedia projects. The USB Adapter works with Microsoft® Windows® 98 or higher, iMac® systems and Macintosh OS 8.1, 8.6 and 9.0.



910-171-318	Video to USB Adapter with PC & MAC drivers and application software
-------------	---

WIRELESS AV (TRANSMITTER AND RECEIVER)

The Wireless AV system transmits live video through the air instead of through hard wires, allowing ultimate flexibility in positioning your ClearOne Educational Cameras. The Wireless AV features stereo audio capability.



910-171-382	Wireless AV Complete transmitter and receiver system for video and audio
-------------	--

Educational Camera Feature Comparison

Specifications	FlexCam iCam	iCam Digital	FlexCam	FlexCam USB	StudentCam 2.0	TeachCam 2.0
Image Sensor	1/3" CMOS	1/3" CMOS	1/4" CCD	1/4" CCD	1/4" CCD	1/4" CCD
Gooseneck	20"/50.8 cm	20"/50.8 cm	18"/45 cm	18"/45 cm	20"/50.8 cm	27"/65 cm
Lens	D-mount	D-mount	D-mount	D-mount	C-mount	C-mount
Optics	8 mm	8 mm	5.57 mm	8 mm	8 mm	8 mm
Focal Length	1/4" to 50'	1/4" to 50'	1/4" to 50'	1/4" to 50'	1/4" to 50'	1/4" to 50'
Light Sensitivity	3 Lux	3 Lux	3 Lux	3 Lux	1.5 Lux	1.5 Lux
Flickerless Mode	NA	NA	NA	NA	On/Off	On/Off
Iris	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
Lines Scanned	525 NTSC/625 PAL	525 NTSC/625 PAL	525 NTSC/625 PAL	525 NTSC/625 PAL	525 NTSC/625 PAL	525 NTSC/625 PAL
Horizontal Res.	330 TVL min.	330 TVL min.	330 TVL min.	350 TVL min.	480 TVL min.	480 TVL min.
Video Output	S-video	S-video	S-video	NA	S-video	S-video
Audio	NA	NA	Integrated Mic	Integrated Mic	Integrated Mic	Integrated Mic
USB Output	NA	USB	NA	USB	NA	NA
Camera Controls	On/Off	On/Off, Software Control	On/Off	Software Control	On/Off, Brightness, Flickerless	On/Off, Brightness, Flickerless, Neg., White Bal., Color Inv.
Microscope Couplers	Included	Included	NA	Included	Included	Included
Eyepiece Adapter	Optional	Optional	NA	Optional	Included	Included
Video Format	NSTC & PAL	NSTC, PAL & USB	NTSC & PAL	USB	NTSC & PAL	NTSC & PAL

CONFERENCING
FURNITURE

Conferencing Furniture

ClearOne provides a complete line of professionally designed wood and metal conferencing tables, carts, and a variety of custom pieces that not only look great but are extremely strong and durable. Each item is designed for the flexibility you need to create easy-to-use and effective conferencing settings.

Titan Metal Series

TITAN™ MONITOR CARTS

Titan™ Monitor Carts blend heavy-duty metal construction and professional styling in a durable, scratch-resistant cart with your choice of single or dual model. Reinforced for extreme balance and smooth movement, Titan Monitor Carts are built to handle rigorous use and withstand wear and tear. They are tall enough for easy monitor viewing and provide a professional depth, 9-space rack on the inside to accommodate multiple equipment pieces. Removable vented back panel with cable-management duct facilitates easy installation.



911-300-001	Titan Single Monitor Cart, Fits up to 36" WEGA monitor
911-300-010	Titan Dual Monitor Cart, Fits up to two 36" standard monitors or two 32" WEGA monitors

TITAN PLASMA CARTS

Titan Plasma cart is available in single or dual configurations and is reinforced for extreme balance and smooth movement, making it easy to transport from room to room. The Titan Single Plasma Cart includes a set-top codec shelf and the Titan Dual Plasma Cart includes a set-top codec shelf and a center PTZ camera mount. Both carts provide a professional depth, 9-space rack on the inside to accommodate multiple equipment pieces and are built to handle rigorous use and withstand wear and tear.



911-300-101	Titan Single Plasma Cart, Fits one 42", 50" or 60" Plasma Screen
911-300-110	Titan Dual Plasma Cart, Fits up to two 42" or 50" Plasma Screens

Monitor Carts

SET-TOP VC CARTS

The Set-Top VC Carts are specifically designed to meet the needs of set-top videoconferencing systems. The shallow depth gives this cart a sleek appearance and a small footprint that is welcome everywhere from the training room to the boardroom. With still more than 20" of depth in the interior cabinet, there is room for your VCR and other peripheral equipment. Our VC carts are designed to accommodate most monitors and are ideal for the wider Sony WEGA FS series monitors.



911-171-012	27" Monitor Cart, Curved front with Grommet back, Fits 27" and WEGA 24" Monitors
911-171-013	32" Monitor Cart, Curved front with Grommet back, Fits 32" and WEGA 27" Monitors
911-171-014	35" Monitor Cart, Curved front with Grommet back, Fits 35/36" and WEGA 32" Monitors
911-171-015	38" Monitor Cart, Curved front with Grommet back, Fits WEGA 36" Monitor

STANDARD VC CARTS

ClearOne Standard VC Carts are built for maximum strength, durability, and versatility. These vented carts are specifically designed to hold monitors and larger equipment. They have a deeper equipment enclosure to allow space for legacy codecs or tower systems and easier cabling access. When you add the rack-rail option (911-171-308), this cart is ideal for rack-mounted equipment.



911-171-040	27" Monitor Cart, vented back panel, Fits 27" and WEGA 24" Monitors
911-171-041	32" Monitor Cart, vented back panel, Fits 32" and WEGA 27" Monitors
911-171-042	35" Monitor Cart, vented back panel, Fits 35/36" and WEGA 32" Monitors
911-171-043	38" Monitor Cart, vented back panel, Fits WEGA 36" Monitor

HIGHBOY AV CARTS

The Highboy AV Cart is perfect for front of the room applications. With a full 42" height, monitors on these carts are easy to see. They feature a fixed peripheral shelf to house a VCR or center-channel speaker, over 26" of interior cabinet height and a depth of 23". Add the rack-rail option (911-171-308) to easily accommodate rack-mounted equipment.



911-171-060	Highboy AV Cart For up to 32" monitor, 42" tall, Fixed peripheral shelf
911-171-061	Highboy AV Cart For up to 35" monitor, 42" tall, Fixed peripheral shelf
911-171-062	Highboy AV Cart For up to 36" WEGA monitor, 38" wide, 42" tall, Fixed peripheral shelf

AV CARTS

ClearOne AV Carts integrate design, function, strength and affordability. The AV Carts feature a fixed peripheral shelf, ideal for a VCR or speaker, and an internal adjustable shelf. With a smaller footprint than standard carts, our AV Carts are all 33" high to allow easy viewing over most industry standard 30" office furniture.



911-171-070	20" Monitor Cart Fixed peripheral shelf, Grommet back
911-171-071	27" Monitor Cart Fixed peripheral shelf, Grommet back, Fits 27" and WEGA 24"
911-171-072	32" Monitor Cart Fixed peripheral shelf, Grommet back, Fits Normal 32" and WEGA 27"
911-171-073	35" Monitor Cart Fixed peripheral shelf, Grommet back, Fits Normal 35/36" and WEGA 32"
911-171-074	38" Monitor Cart Fixed peripheral shelf, Grommet back, Fits WEGA 36" Monitor

DUAL MONITOR CARTS

Dual Monitor Carts are the carts of choice for moving large monitors and large quantities of equipment. They feature three open peripheral shelves for VCR, speaker, and DVD player and three bays that are ideal for rack-mounted equipment when you add the rack-rail option (911-171-308) to each bay. Rack capacities are listed below. All of these carts have removable, vented back panels and 3" round openings between bays for easy equipment connection.



911-171-136	Fits dual 32" standard or 27" WEGA monitors – 18 optional rack units (2 bays of 9)
911-171-137	Fits dual 35" standard or 32" WEGA monitors – 27 optional rack units (3 bays of 9)
911-171-138	Fits dual 32" standard or 27" WEGA monitors – 28 optional rack units (2 bays of 14)
911-171-139	Fits dual 35" standard or 32" WEGA monitors – 42 optional rack units (3 bays of 14)

DUAL-TOP HYBRID MONITOR CARTS

The economical Dual-Top Hybrid Monitor Cart features a wood base and a metal channel reinforced wood top for added strength. It is ideal for transporting dual monitors and features an internal shelf for peripheral equipment.



911-171-128	Dual-Top Hybrid for two 32" WEGA monitors or two 36" standard monitors
911-171-129	Dual-Top Hybrid for two 36" WEGA monitors or two 36" standard monitors

Plasma Carts and Pedestals

PLASMA CARTS

Plasma Carts are designed to table-top mount a 42" or 50" plasma, or a single monitor and a document camera. The 29" deep models are ideal for rack-mounted equipment when you add dual, 10-space rack bays.



911-171-090	42" Plasma Monitor Cart, 24" deep, Grommet back, peripheral shelf
911-171-091	50" Plasma Monitor Cart, 24" deep, Grommet back, peripheral shelf
911-171-092	42" Plasma Monitor Cart, 29" deep, vented back, peripheral shelf
911-171-093	50" Plasma Monitor Cart, 29" deep, vented back, peripheral shelf

PLASMA PEDESTALS

Our Plasma Pedestals are the ideal solution for housing equipment under a wall-mounted plasma display or for table-top mounting of plasma monitors. These pedestals are 29" deep, vented for easy cabling access, and their double bay systems can house optional dual, 10-space rack bays. Plasma Pedestals can also be custom ordered to meet your requirements.




911-171-102	42" Plasma Monitor Pedestal, 29" deep, vented back, peripheral shelf
911-171-103	50" Plasma Monitor Pedestal, 29" deep, vented back, peripheral shelf

Accessory Carts

DOCUMENT CAMERA CARTS

These carts are shorter and have a smaller footprint to take up less space while still providing all the room you need for your document camera, accessories and presentation materials. These carts provide easy access to your document camera, enabling you to change documents and share them with a remote videoconferencing site without leaving your seat. It also features an adjustable shelf. These carts can be used with a wide variety of electronic peripheral equipment.

911-171-120	Standard Document Camera Cart, Grommet back	
911-171-121	Trapezoid Top Document Camera Cart, Grommet back	

PROJECTOR CARTS


The Projector Carts incorporate style, value and utility. These carts are built standard with 19 1/8" internal dimensions, allowing them to be fitted with a rack rail for equipment storage and are available in 29" and 38" heights. These carts also have the flexibility to be customized from our list of standard options.

911-171-140	29" Projector Cart	
911-171-141	38" Projector Cart	
911-171-142	36" Projector Cart with Trapezoid top	
911-171-143	44" Projector Cart with Trapezoid top	

Podiums and Cabinets


PRESENTER STATION

The Presenter Station is as stylish as it is versatile. Designed for today's technology-driven presenters, the ergonomic design allows plenty of space to lay out your presentation and still have room for your laptop and document camera. The Presenter Station is equipped with a document camera slide out shelf and casters for easy mobility.

911-171-144	Presenter Station with slide-out shelf for document camera and casters	
-------------	--	--

INSTRUCTOR STATION

With even more space for the presenter and storage for professional rack-mounted equipment, the Instructor Station is ideal for the instructor in an electronic conference room. It is equipped with a document camera slide-out shelf, ample storage, casters and a rack bay with rails. Size: 56"(W) x 48"(H) x 30"(D).

911-171-145	Instructor Station with rack bay, storage, camera pull-out and casters	
-------------	--	---

STANDARD PODIUMS

Standard Podiums feature a convenient adjustable reading shelf and a fixed internal shelf for holding all your essential presentation materials. They have casters, a lineal edge and are available in your choice of stock melamine colors. Podiums can be customized to meet your needs and can be color-matched to your current room environment.

911-171-146	Standard Podium 48" H x 24" W x 24" D	
911-171-147	Wide Podium 48" H x 30" W x 24" D	
911-171-148	Deep and Wide Podium 48" H x 30" W x 29" D	

SECURE CABINET

The Secure Cabinet houses up to a 32" WEGA monitor and set-top videoconferencing system. This attractive cabinet offers the added security of a lockable cabinet and a 1/2" Lexan monitor cover. This cabinet is ideal for secure or lock-down environments such as courtrooms and provides equipment accessibility from the back.

911-171-280	Secure Cabinet, for up to 32" monitor and VC system	
-------------	---	---

Rack Carts

RACK CARTS AND SHELLS

Rack Rail systems are offered in a wide variety of wood grains and solid colors, allowing them to blend into any environment. The Rack Carts are available with many options including Plexiglas doors and locks. These carts come standard with a vented removable back to allow for easy cabling. We can easily customize any of these carts to meet your specific needs. The following basic styles are the perfect place to start.

- Rack Carts — Available in sizes with 12, 16 or 20 spaces; the carts are mounted on casters for easy mobility. (Standard style is shown.)
- Racks — Shells are available with 8, 12, 16 or 20 spaces.



Standard



8 unit space

911-171-200	AV Rack Cart 12 space rack unit, 20" internal depth
911-171-201	AV Rack Cart 16 space rack unit, 20" internal depth
911-171-202	AV Rack Cart 20 space rack unit, 20" internal depth
911-171-207	VC Rack Cart 12 space rack unit, 24" internal depth
911-171-208	VC Rack Cart 16 space rack unit, 24" internal depth
911-171-209	VC Rack Cart 20 space rack unit, 24" internal depth
911-171-181	Mobile Rack Shell 12 space rack unit, 15" internal depth
911-171-182	Mobile Rack Shell 16 space rack unit, 15" internal depth
911-171-203	8 Space Rack Shell with rack rails, 18" internal depth
911-171-204	12 Space Rack Shell with rack rails, 18" internal depth
911-171-205	16 Space Rack Shell with rack rails, 18" internal depth
911-171-206	20 Space Rack Shell with rack rails, 18" internal depth

Tables

TABLES

Your table is not only the visual focus of a meeting or videoconference, it also affects the communication dynamics. ClearOne's Meeting Room Tables are designed in a variety of shapes and sizes to create an optimal environment for your meetings. ClearOne Training Tables are designed to be durable enough for factory training rooms and lunchrooms. And with your choice of laminates, they are elegant enough for high-visibility training rooms. All Training Tables have modesty panels and provisions for cable management.




911-171-240	5-Person Trapezoid Table, for videoconferencing applications
911-171-241	7-Person Trapezoid Table, for videoconferencing applications
911-171-242	9-Person Trapezoid Table, for videoconferencing applications
911-171-245	48" Round Table, seats four
911-171-246	60" Round Table, seats six
911-171-250	96" Race Track Table Oval, seats eight
911-171-251	120" Race Track Table Oval, seats ten
911-171-260	54" Wide Training Table
911-171-261	72" Wide Training Table

Accessories

WALL MOUNT FOR SET-TOP/PTZ CAMERA SHELF KIT

The Set-Top and PTZ Camera Shelf Kits are a discrete way to wall mount your videoconferencing equipment. Both come with a black powder coated finish and are made from heavy-duty aluminum alloy. Included with the kits are wiring knockouts that allow for wiring through the back or bottom of the shelf.



911-171-299	Wall Mount Shelf for a pan/tilt/zoom camera
911-171-300	Wall Mount Shelf for videoconferencing set-top codec

PLASMA SET-TOP/PTZ CAMERA MOUNTING KIT

The Plasma Set-Top and PTZ Camera Mounting Kit include telescoping extension tubes that allow for adjustment between 42" and 60". Cables can be run through hollow extension tubes and either a Set-Top Shelf Kit or PTZ Camera Shelf kit is included for mounting videoconferencing equipment atop the extension arm.



911-171-298	Pan/Tilt/Zoom Camera Mounting Kit, for mounting over to top of 42-60" Plasma screens, includes telescoping pole and shelf
911-171-302	Video Conf. Set-Top Mounting Kit, for mounting over to top of 42-60" Plasma screens, includes telescoping pole and shelf


OPTIONS

These items are available to customize our standard line of furniture to fit your needs quickly and economically.


911-171-305	Locks for smoked Plexiglas doors
911-171-306	Extra Adjustable Internal shelf
911-171-308	Rack Rails
911-171-309	Additional smoked Plexiglas door

FINISHES

Our selection of fine, quality meeting room furniture is designed and engineered to provide lasting value. Our standard line of furniture is built with laminate and melamine to resist scratching and damage from everyday use. Eight color options are available at no extra charge and are shown here. Custom laminates are available at a nominal charge. The options offered give you the flexibility to create the perfect environment. Unless specified, ClearOne's furniture comes in Standard Matte Black.



Cherry



Oak



Graphite Nebula



Mahogany




Grey Nebula



Standard Matte
Black



Maple



Walnut

Custom Work

CUSTOM FURNITURE

We can modify our current line of furniture or create a custom piece that fits the needs of your unique environment. With the help of a sample, we can also match your custom stains and finishes.

Furniture Feature Comparison

PRODUCT		EXTERNAL DIMENSIONS					INTERNAL DIMENSIONS			SUPPORT	ACCESSORIES					
Category	Part Number	Width (Top)	Width (Base)	Height	Depth (Top)	Depth (Base)	Width	Height	Depth	TV Sizes	Casters	Rack Rails	Grommet Back	Vented Back	Peripheral Shelf	Adjustable Shelf
Titan Monitor	911-300-001	45	45	31	28	28	19.125	15.75	22	38", 36" WEGA	s	s	-	s	s	-
	911-300-010	78	45	31	28	28	19.125	15.75	22	Dual 35", 32" WEGA	s	s	-	s	s	-
Titan Plasma	911-300-100	45	45	31	28	28	19.125	15.75	22	up to 60" Plasma	s	s	-	s	s	-
	911-300-110	45	45	31	28	28	19.125	15.75	22	Dual 42", 50" Plasmas	s	s	-	s	s	-
Set-Top Carts	911-171-012	27	29	33.5	26.5	27	21.75	25	23.5	27", 24" WEGA	s	-	s	-	-	s
	911-171-013	31.75	33.75	33.5	26.5	27	26.5	25	23.5	32", 27" WEGA	s	-	s	-	-	s
	911-171-014	35	37	33.5	26.5	27	29.5	25	23.5	36", 32" WEGA	s	-	s	-	-	s
	911-171-015	38	40	33.5	26.5	27	33.25	25	23.5	any, 36" WEGA	s	-	s	-	-	s
Standard VC	911-171-040	27	29	33.5	29	29.5	21.75	25	26.5	27", 24" WEGA	s	o	-	s	-	s
	911-171-041	32	34	33.5	29	29.5	26.5	25	26.5	32", 27" WEGA	s	o	-	s	-	s
	911-171-042	35	37	33.5	29	29.5	29.5	25	26.5	36", 32" WEGA	s	o	-	s	s	s
	911-171-043	38	40	33.5	29	29.5	33.25	25	26.5	any, 36" WEGA	s	o	-	s	s	s
Highboy AV	911-171-060	32	34	42.75	29	29.5	26.5	26.75	26.5	32", 27" WEGA	s	o	-	s	s	s
	911-171-061	35	37	42.75	29	29.5	29.5	26.75	26.5	36", 32" WEGA	s	o	-	s	s	s
	911-171-062	38	40	42.75	29	29.5	33.25	26.75	26.5	36" WEGA	s	o	-	s	s	s
AV Carts	911-171-070	23.125	23.125	33.5	26.5	27	19.125	17	23.5	20"	s	-	s	-	s	s
	911-171-071	27	29	33.5	26.5	27	21.75	17	23.5	27", 24" WEGA	s	-	s	-	s	s
	911-171-072	31.75	33.75	33.5	26.5	27	26.5	17	23.5	32", 27" WEGA	s	-	s	-	s	s
	911-171-073	35	37	33.5	26.5	27	29.5	17	23.5	36", 32" WEGA	s	-	s	-	s	s
	911-171-074	38	40	33.5	26.5	27	33.25	17	23.5	any, 36" WEGA	s	-	s	-	s	s
Dual Monitor	911-171-136	62	64	33.5	29	29.5	23.5 (2)	17	25	Dual 32", 27" WEGA	s	o	-	s	s	s
	911-171-137	72	74	33.5	29	29.5	19.125 (3)	26.75	25	Dual 35", 32" WEGA	s	o	-	s	s	s
	911-171-138	62	64	42.75	29	29.5	23.5 (2)	17	25	Dual 32", 27" WEGA	s	o	-	s	s	s
	911-171-139	72	74	42.75	29	29.5	19.125 (2)	26.75	25	Dual 35", 32" WEGA	s	o	-	s	s	s
Dual Hybrid	911-171-128	78	38.5	30	27	27	33	22	22	Dual 35"	s	o	s	-	s	o
	911-171-129	83	38.5	30	27	27	33	22	22	Dual 38"	s	o	s	-	s	o
Plasma Carts	911-171-090	43.25	45.25	33.5	23.25	23.75	19.125 (2)	17.5	18	42" Plasma	s	-	s	-	s	s
	911-171-091	47.75	45.25	33.5	23.25	23.75	19.125 (2)	17.5	18	50" Plasma	s	-	s	-	s	s
	911-171-092	43.25	45.25	33.5	29	29.5	19.125 (2)	17.5	25	42" Plasma	s	o	-	s	s	s
	911-171-093	47.75	45.25	33.5	29	29.5	19.125 (2)	17.5	25	50" Plasma	s	o	-	s	s	s
Plasma Pedestal	911-171-102	43.25	41.25	33.5	29	28	19.125 (2)	17.5	25	42" Plasma	-	o	-	s	s	s
	911-171-103	48	41.25	33.5	29	28	19.125 (2)	17.5	25	50" Plasma	-	o	-	s	s	s
DocCam Carts	911-171-120	23.125	25.125	30.75	26	26	19.125	22.25	24	-	s	-	s	-	-	s
	911-171-121	39.125	25.125	30.75	26	26	19.125	22.25	24	-	s	-	s	-	-	s
Projector Carts	911-171-140	30.625	23.75	29	23.5	23.5	19.125	10/12	21.75	-	s	-	s	-	-	s
	911-171-141	30.625	23.75	38	23.5	23.5	19.125	9/21	21.75	-	s	-	s	-	-	s
	911-171-142	38.063	25.125	36	28	26.75	19.125	9/19	23.75	-	s	-	s	-	-	s
	911-171-143	38.063	25.125	44	28	26.75	19.125	12/24	23.75	-	s	-	s	-	-	s

PRODUCT		EXTERNAL DIMENSIONS					INTERNAL DIMENSIONS			SUPPORT	ACCESSORIES					
Category	Part Number	Width (Top)	Width (Base)	Height	Depth (Top)	Depth (Base)	Width	Height	Depth	TV Sizes	Casters	Rack Rails	Grommet Back	Vented Back	Peripheral Shelf	Adjustable Shelf
Podiums	911-171-144	36	-	48	-	30	-	-	-	-	s	-	s	-	-	-
	911-171-145	56	-	48	-	30	-	-	-	-	s	s	-	s	-	-
	911-171-146	24	-	48	-	24	22	33	22	-	s	0	-	-	-	-
	911-171-147	30	-	48	-	24	28	33	22	-	s	0	-	-	-	-
	911-171-148	30	-	48	-	29	28	33	27	-	s	0	-	-	-	-
Secure Cabinet	911-171-280	41	39	68.5	29	29.5	36.75	34.75	26	35" 32" WEGA	s	s	s	Doors	-	-
Rack Carts	911-171-200	25.125	27.125	28.5	23.25	24	19.125	21	20	-	s	s	-	s	-	-
	911-171-201	25.125	27.125	35.5	23.25	24	19.125	28	20	-	s	s	-	s	-	-
	911-171-202	25.125	27.125	42.5	23.25	24	19.125	35	20	-	s	s	-	s	-	-
	911-171-207	25.125	27.125	28.5	29	29.5	19.125	21	24	-	s	s	-	s	-	-
	911-171-208	25.125	27.125	35.5	29	29.5	19.125	28	24	-	s	s	-	s	-	-
	911-171-209	25.125	27.125	42.5	29	29.5	19.125	35	24	-	s	s	-	s	-	-
Rack Shells	911-171-181	20	20	28	22.625	22.625	19.125	21	17	-	s	s	-	-	-	-
	911-171-182	20	20	35	22.625	22.625	19.125	28	17	-	s	s	-	-	-	-
	911-171-203	20	20	16	23.125	23.125	19.125	14	17	-	-	s	-	-	-	-
	911-171-204	20	20	23	23.125	23.125	19.125	21	17	-	-	s	-	-	-	-
	911-171-205	20	20	30	23.125	23.125	19.125	28	17	-	-	s	-	-	-	-
	911-171-206	20	20	37	23.125	23.125	19.125	35	17	-	-	s	-	-	-	-
Category	Part Number	Width	Height	Length												
Tables	911-171-240	68	29	27												
	911-171-241	68	29	96												
	911-171-242	68	29	120												
	911-171-245	48	29	Round												
	911-171-246	60	29	Round												
	911-171-250	48	29	96												
	911-171-251	48	29	120												
	911-171-260	54	29	27												
	911-171-261	72	29	24												
Speakers/Amps	911-171-311	20	6.5	6.375												
	911-171-312	10.25	3.5	7.25												

NOTES
Monitor sizes are listed per item. The Sony WEGA series is the wider FS100 series monitor with side-mounted, internal speakers.
Check the measurements of monitors prior to ordering your carts.
s = Standard equipment 0 = Optional equipment

