WHY CHOOSE CLEARONE® WIRELESS CONFERENCE PHONES?





- · Conference where you want
- Turn any room within 150 feet of the base unit into a conference room
- Clean look no cables on the table or floor

ClearOne.

WHEN TO RECOMMEND CLEARONE® WIRELESS CONFERENCING

Interact naturally – without bothersome cables in your way. With the industry's first single-phone and dual-phone wireless conferencing systems, ClearOne's wireless products deliver rich, full-duplex audio anywhere within 150 feet of the base unit, turning any room into a conference room and eliminating wire clutter.

MAX Wireless


- Small conference rooms up to 8 people
- · Executive offices
- · Home offices
- Rooms without phone lines and within 150 feet of base unit

MAXAttach™ Wireless

- Medium sized conference rooms
- · Rooms without phone lines and within 150 feet of base unit

					ClearOne Customer Benefit
System Coverage	3 microphones 1 control console	6 microphones 2 control consoles	• 3 microphones • 1 control console	3 microphones plus 2 wired extension mics 1 control console	MAXAttach Wireless provides superior room coverage and control of system: answer phone, dial, set volume and mute from either console.
Sound Distribution	1 loudspeaker	2 loudspeakers	1 loudspeaker	1 loudspeaker	With MAXAttach Wireless, multiple loudspeakers provide more uniform, comfortable volume to all participants resulting in more relaxed, efficient conference calls.
Enhanced Audio	Exclusive ClearEffect™ DSP Audio Technology	Exclusive ClearEffect DSP Audio Technology	N/A	N/A	ClearEffect DSP enhances the telephone line audio from any phone adding both highs and lows for more natural, high-fidelity sounding audio.





MAXAttach Wireless

ClearOne. 800-707-6994 www.clearone.com

The recommended distance between the phone unit and each participant is between 3 and 8 feet, depending on room conditions. Background noise, reflective hard surfaces and the number of participants may affect the pick-up range.

©2006 ClearOne Communications, Inc. ClearOne, MAX and MAXAttach are trademarks of ClearOne Communications. All rights reserved. All trademarks, trade names, product names and images are property of their respective owners. 803–900-405 Rev 1 0