

I Art



JVC[®]

Features

Real Flat Picture Tube ...

JVC's flat screen televisions incorporate Real Flat Picture Tubes that provide a more natural looking picture, one free of distortions, from corner to corner. The flat tube also helps reduce ambient light reflections to produce crystal-clear images. See the undistorted image of the flat tube versus the bloated image of the conventional tube (below).



Real Flat Picture Tube



Conventional Picture Tube

Conventional picture tubes are round, some slightly more than others. The rounder the picture tube, the greater the distortion of the image displayed. With JVC's real flat picture tubes, the picture's focus is perfect from corner to corner, eliminating any distortion.

Hyper Deflection Yoke ...

JVC's Hyper Deflection Yoke increases image resolution across the screen by improving the accuracy of the electron beam gun. Better overall image resolution is achieved by increasing the scanning precision and decreasing any image distortion and color shifting of the image.

Real Color Creation and Real Detail Creation ...

JVC's Real Color and Detail Creation ensure the picture you see on your Flat TV has the best color and detail reproduction possible. This baseband tint circuitry maximizes the CRT color level so that any incoming signal, whether it be from the TV's RF or a DVD input, is as rich, vibrant, and has as much detail as the original programming was intended to have. See the difference between JVC's Real Color & Detail Creation versus the image on a picture tube without it. (Available on screen sizes of 27 inches and above.)



JVC's Superior Real Color
& Detail Creation



Standard Color & Detail

Velocity Scan Modulation ...

JVC's Velocity Scan Modulation circuitry varies the electron beam's horizontal scanning speed to help accentuate the differences in picture brightness to sharpen the edges of images — creating an exceptional, vibrant and clear picture. New this year, Velocity Scan Modulation can be turned on or off on select models. (Not available on AV-14F703.)

Black Level Expansion Circuitry ...

BLE provides true black color for incredible contrast and a remarkably clear picture. By clamping down on the video signal to eliminate stray signals and low-level noise, the true black color created contrasts sharply with whites and other colors to enhance detail and provide realistic color.

Digital 4 Mega 10bit 3D Y/C Comb Filter ...

Currently the best in the industry, JVC's Digital 4 Mega 10bit 3D Y/C Comb Filter (available on F803 models) provides better sampling between frames to eliminate dot crawl and cross color interference than standard 3D Y/C Comb Filters. The 10bit A/D - D/A converters enhance Y/C output separately with 1024 smooth scaling for an overall smoother, more natural picture. See the difference between the stripes on the tiger with JVC's Comb Filter versus the typical 3D Y/C Comb Filter.



JVC's 4 Mega 10bit 3D Y/C Comb Filter



Typical 3D Y/C Comb Filter

Digital 3 Line Comb Filter...

A Digital 3 Line Comb Filter is available on all F703 and F713 models. This Comb Filter delivers a sharper picture, smoother graphics, and a picture more rich in color than standard televisions without one. By comparing three consecutive scanning lines, our 3 Line Digital Comb Filter corrects distracting picture anomalies such as hanging dots, color bleeding, and other cross color interference. No matter what television show or program you are watching, the digital comb filter will enhance your television viewing experience.


INVAR Shadow Mask ...

JVC's INVAR Shadow Mask makes use of a special alloy that resists thermal distortion and provides bright, detailed pictures and the truest, purest colors under even the most demanding conditions.

Dynamic Focus ...

The distance travelled by the electron beam gun in a Flat Screen Television varies significantly as the beam gun travels from edge to center to edge. In order to maintain clear focus, additional circuitry, such as JVC's Dynamic Focus, is necessary.

Dynamic Focus utilizes a beam gun with DQ (Double Quadrapole) lenses to correct beam-spot distortion at the screen edges. The result is uniformly sharp focus across the entire screen and improved focus precision from corner to corner. (Available on screen sizes 27 inches and above.)



JVC Flat Screen with Dynamic Focus and DQ

Conventional Picture Tube Image

Apacon ...

Apacon circuitry enhances picture sharpness by sharpening the transitions between darks and brights, by adding pre-shoot and over-shoot, and by speeding up the transitions. Apaceon ensures details are enhanced so that the picture is always clear and sharp.

Features


Noise Clear Circuitry ...

Sometimes factors that are seemingly beyond our control create noise that interferes with our pleasant picture viewing experience. These factors can be a weak electrical field or the video source itself, such as a VCR. JVC's Noise Clear Circuitry, also known as video noise reduction circuitry, detects and reduces this noise producing a crisper, clearer picture. (F803s only.)

Dual Tuner Picture in Picture w/New EZ Surf ...

All JVC PIP models for 2002 add a new convenience feature we call EZ Surf which utilizes the PIP window to surf all the available channels so you don't have to change your current program to see what else is on.

Also, dual tuners mean easy connections without second sources and, as always, you can still Swap the picture with the main screen, Move it to any corner, and Freeze the PIP or main screen images. (F803 models only.) The screen to the right illustrates the Freeze function.



JVC's Freeze can capture a screen shot of an important number

TheaterPro D6500K Color Temperature Technology ...

The NTSC Standard Color Temperature is D6500K because it is the standard for the editing equipment used in the conversion of film to DVD or other secondary video formats. TheaterPro D6500K Temperature Technology makes sure that the video you watch is set to that standard color temperature so that what you see is as true to what the film to video editors intended it to be.

16:9 Mode for Watching Anamorphic DVDs ...

JVC's 16:9 Mode lets you watch anamorphic DVDs in their true, highest resolution form by scanning only the video image and not the black bars at the top and bottom of the screen. While other brands also offer the ability to watch anamorphic DVDs in the 16:9 aspect ratio, the resolution is not true to form like the image produced by JVC's 16:9 mode because the only way to produce the highest resolution is to scan the movie area only.

Complete Connectability ...


Every l'Art model comes well equipped with a great connectivity package. The standard for home theater connectability, the DVD Component Input, is featured on every model, and F803 models even feature dual DVD Component Inputs. Other inputs included with every l'Art model are an S-Video Input and three AV Inputs ~ two rear, one front for the added convenience to be able to easily hook up to camcorders and game consoles.*

BBE High Definition Audio ...

We think that sound is just as important as video. BBE recreates sound that is natural and clear with brilliant finely detailed highs, and well defined harmonically rich lows. BBE also compensates for the inevitable phase and amplitude distortions that often prevent sound from being it's purest.**

Hyper Surround Sound ...

JVC's exclusive 3-dimensional soundfield simulator makes having home theater sound without having rear speakers possible. By electronically processing the stereo audio signal and manipulating the phase relationships and frequency response for a fuller, richer 3D effect, Hyper Surround makes it seem like the sound is surrounding you. (Available on screen sizes of 27 inches and above.)



Normal Sound Hyper Surround Sound

AV Compu Link III ...

New AV Compu Link III makes the TV the heart of your home theater. All AV Compu Link III televisions are capable of accepting the commands from the remote controls of select JVC receivers. Simply insert a pre-recorded videotape into an AV Compu Link compatible VCR, or a disc into the DVD player, and the receiver will select the proper inputs — everything turns on automatically. Home theater has never been so simple.***

Universal Remote w/TV, VCR, Cable Box & DVD Control Capability ...

Every I'Art remote control is preprogrammed with the IR codes for today's most popular brands of DVD players, VCRs, satellite dishes and cable boxes. Each remote also comes with a TV/VCR button that allows customers to seamlessly change their VCR between TV and VCR modes.****

New Features for 2002

Icon-based OSD with Half Tone Display ... we believe that aesthetics are an added bonus to functionality, and that's why our new menu screens are icon-based, bright colored, high contrast menus with a new half tone background that lets you see the program behind them.

Interactive Plug In Menu ... an even easier menu to help you setup your preferences right from the first time you turn on the TV. The Interactive PIM walks you through each menu, one at a time so you do not have to switch back and forth between basic setup menus ever again.

XDS ID Display ... when turned on the XDS ID Display provides useful information for viewers such as a channels call letters, the network's name, and even the program name for what is currently on that channel. (Information availability is based on broadcaster's conditions and may vary as a result.)

On-Timer Volume Setup ... a supplement to the handy On-Off Timer, the On-Timer Volume Setup feature lets you preset the volume at which the TV will turn on when the On-Timer is activated.

Front Panel Lock ... the new front panel lock feature lets you decide whether the buttons on the front panel will operate the TV or not. This feature is especially handy when toddlers are in a button pressing mood!

Auto Shutoff ... this power saving feature insures that you are not wasting energy by monitoring the incoming signal minute by minute and automatically shutting the TV off when no signal is received for more than a minute.

AV-14F703



Key Features

- 14" Diagonal Pure Flat Screen Picture Tube with INVAR Shadow Mask
- BBE High Definition Audio
- 3 Line Digital Comb Filter
- Illuminated Universal Remote w/TV, VCR, Cable Box and DVD Control
- Auto Shutoff
- Return
- Multi-function Timer
- Sleep Timer
- V-Chip
- Channel Guard

Video Features

- English, French, and Spanish Menus
- Closed Captions w/Text
- Noise Muting
- Auto Tuner Setup

Sound Features

- 2.5W + 2.5W Audio Output
- MTS Stereo with SAP
- AI Volume
- TV Speaker On/Off in Menu
- Side Mounted, Front Firing Speakers

Inputs/Outputs

- 1 DVD Component Input
- 1 S-Video Input
- 2 Rear AV Inputs
- 1 Front AV Input
- 1 RF Input
- 1 Monitor Output
- 1 Headphone Jack



AV-20F703



Key Features

- 20" Diagonal Pure Flat Screen Picture Tube with INVAR Shadow Mask
- BBE High Definition Audio
- Velocity Scan Modulation
- 3 Line Digital Comb Filter
- Illuminated Universal Remote w/TV, VCR, Cable Box and DVD Control
- Auto Shutoff
- Return
- Multi-function Timer
- Sleep Timer
- V-Chip
- Channel Guard

Video Features

- English, French, and Spanish Menus
- Closed Captions w/Text
- Noise Muting
- Auto Tuner Setup

Sound Features

- 2.5W + 2.5W Audio Output
- MTS Stereo with SAP
- AI Volume
- TV Speaker On/Off in Menu
- Side Mounted, Front Firing Speakers

Inputs/Outputs

- 1 DVD Component Input
- 1 S-Video Input
- 2 Rear AV Inputs
- 1 Front AV Input
- 1 RF Input
- 1 Monitor Output
- 1 Headphone Jack



AV-24F703



Key Features

- 24" Diagonal Pure Flat Screen Picture Tube with INVAR Shadow Mask
- BBE High Definition Audio
- 3 Line Digital Comb Filter
- Velocity Scan Modulation
- Illuminated Universal Remote w/TV, VCR, Cable Box and DVD Control
- Auto Shutoff
- Return
- Multi-function Timer
- Sleep Timer
- V-Chip
- Channel Guard

Video Features

- English, French, and Spanish Menus
- Closed Captions w/Text
- Noise Muting
- Auto Tuner Setup

Sound Features

- 5W + 5W Audio Output
- MTS Stereo with SAP
- AI Volume
- TV Speaker On/Off in Menu
- Side Mounted, Front Firing Speakers

Inputs/Outputs

- 1 DVD Component Input
- 1 S-Video Input
- 2 Rear AV Inputs
- 1 Front AV Input
- 1 RF Input
- 1 Monitor Output
- 1 Headphone Jack



AV-27F703



Key Features

- 27" Diagonal Pure Flat Picture Tube with INVAR Shadow Mask
- 750 Lines Horizontal Resolution
- 3 Line Digital Comb Filter
- New Velocity Scan Modulation
- Real Color and Detail Creation
- Dynamic Focus
- New Theater Pro (D6500K)
- New On-Timer Volume Setup
- Hyper Scan High Speed Channel Changer
- Illuminated Universal Remote w/TV, VCR, Cable Box and DVD Control
- New Interactive Plug In Menu
- New Front Panel Lock
- New Auto Shutoff
- Return+
- Multi-function Timer w/Sleep Timer
- XDS Auto Clock Set
- V-Chip & Channel Guard
- Energy Star Compliant

Video Features


- New Icon-based OSD w/Half Tone
- New 16:9 Mode
- New XDS ID Display
- Adjustable White Balance
- Black Level Expansion
- English, French, and Spanish Menus
- Closed Captions w/Text
- Noise Muting

Sound Features

- BBE High Definition Audio
- Hyper Surround Sound
- 5W + 5W Audio Output
- MTS Stereo with SAP
- TV Speaker On/Off in Menu
- Side Mounted, Front Firing Speakers

Inputs/Outputs

- 1 DVD Component Input
- 1 S-Video Input
- 2 Rear AV Inputs
- 1 Front AV Input
- 1 RF Input
- 1 Fixed Audio Output
- 1 AV Compu Link Mini Jack



AV-27F713



Key Features

- 27" Diagonal Pure Flat Picture Tube with INVAR Shadow Mask
- 750 Lines Horizontal Resolution
- 3 Line Digital Comb Filter
- New Velocity Scan Modulation
- Real Color and Detail Creation
- Dynamic Focus
- New Theater Pro (D6500K)
- New On-Timer Volume Setup
- Hyper Scan High Speed Channel Changer
- Illuminated Universal Remote w/TV, VCR, Cable Box and DVD Control
- New Interactive Plug In Menu
- New Front Panel Lock
- New Auto Shutoff
- Return+
- Multi-function Timer w/Sleep Timer
- XDS Auto Clock Set
- V-Chip & Channel Guard
- Energy Star Compliant

Video Features


- New Icon-based OSD w/Half Tone
- New 16:9 Mode
- New XDS ID Display
- Adjustable White Balance
- Black Level Expansion
- English, French, and Spanish Menus
- Closed Captions w/Text
- Noise Muting

Sound Features

- BBE High Definition Audio
- Hyper Surround Sound
- 5W + 5W Audio Output
- MTS Stereo with SAP
- TV Speaker On/Off in Menu
- Side Mounted, Front Firing Speakers

Inputs/Outputs

- 1 DVD Component Input
- 1 S-Video Input
- 2 Rear AV Inputs
- 1 Front AV Input
- 1 RF Input
- 1 Fixed Audio Output
- 1 AV Compu Link Mini Jack



AV-27F803



Key Features

- 27" Diagonal Pure Flat Picture Tube with INVAR Shadow Mask
- 750 Lines Horizontal Resolution
- Digital 4 Mega10bit 3D Y/C Comb Filter
- New Dual Tuner PIP w/EZ Surf
- New Velocity Scan Modulation
- Real Color and Detail Creation
- Dynamic Focus
- Noise Clear Circuitry
- New Theater Pro (D6500K)
- New On-Timer Volume Setup
- Hyper Scan High Speed Channel Changer
- Illuminated Universal Remote w/TV, VCR, Cable Box and DVD Control
- New Interactive Plug In Menu
- New Front Panel Lock
- New Auto Shutoff
- Return+
- Multi-function Timer w/Sleep Timer
- XDS Auto Clock Set
- V-Chip & Channel Guard
- Energy Star Compliant

Video Features


- New Icon-based OSD w/Half Tone
- New 16:9 Mode
- New XDS ID Display
- Adjustable White Balance
- Black Level Expansion
- English, French, and Spanish Menus
- Closed Captions w/Text
- Noise Muting

Sound Features

- BBE High Definition Audio
- Hyper Surround Sound
- 5W + 5W Audio Output
- MTS Stereo with SAP
- TV Speaker On/Off in Menu
- Side Mounted, Front Firing Speakers

Inputs/Outputs

- 2 DVD Component Inputs
- 1 S-Video Input
- 2 Rear AV Inputs
- 1 Front AV Input
- 1 RF Input
- 1 Fixed Audio Output
- 1 AV Compu Link Mini Jack



AV-32F703



Key Features

- 32" Diagonal Pure Flat Picture Tube with INVAR Shadow Mask
- 800 Lines Horizontal Resolution
- 3 Line Digital Comb Filter
- New Velocity Scan Modulation
- Real Color and Detail Creation
- Dynamic Focus
- New Theater Pro (D6500K)
- New On-Timer Volume Setup
- Hyper Scan High Speed Channel Changer
- Illuminated Universal Remote w/TV, VCR, Cable Box and DVD Control
- New Interactive Plug In Menu
- New Front Panel Lock
- New Auto Shutoff
- Return+
- Multi-function Timer w/Sleep Timer
- XDS Auto Clock Set
- V-Chip & Channel Guard
- Energy Star Compliant

Video Features


- New Icon-based OSD w/Half Tone
- New 16:9 Mode
- New XDS ID Display
- Adjustable White Balance
- Black Level Expansion
- English, French, and Spanish Menus
- Closed Captions w/Text
- Noise Muting

Sound Features

- BBE High Definition Audio
- Hyper Surround Sound
- 5W + 5W Audio Output
- MTS Stereo with SAP
- TV Speaker On/Off in Menu
- Side Mounted, Front Firing Speakers

Inputs/Outputs

- 1 DVD Component Input
- 1 S-Video Input
- 2 Rear AV Inputs
- 1 Front AV Input
- 1 RF Input
- 1 Fixed Audio Output
- 1 AV Compu Link Mini Jack



AV-32F713



Key Features

- 32" Diagonal Pure Flat Picture Tube with INVAR Shadow Mask
- 800 Lines Horizontal Resolution
- 3 Line Digital Comb Filter
- New Velocity Scan Modulation
- Real Color and Detail Creation
- Dynamic Focus
- New Theater Pro (D6500K)
- New On-Timer Volume Setup
- Hyper Scan High Speed Channel Changer
- Illuminated Universal Remote w/TV, VCR, Cable Box and DVD Control
- New Interactive Plug In Menu
- New Front Panel Lock
- New Auto Shutoff
- Return+
- Multi-function Timer w/Sleep Timer
- XDS Auto Clock Set
- V-Chip & Channel Guard
- Energy Star Compliant

Video Features


- New Icon-based OSD w/Half Tone
- New 16:9 Mode
- New XDS ID Display
- Adjustable White Balance
- Black Level Expansion
- English, French, and Spanish Menus
- Closed Captions w/Text
- Noise Muting

Sound Features

- BBE High Definition Audio
- Hyper Surround Sound
- 5W + 5W Audio Output
- MTS Stereo with SAP
- TV Speaker On/Off in Menu
- Side Mounted, Front Firing Speakers

Inputs/Outputs

- 1 DVD Component Input
- 1 S-Video Input
- 2 Rear AV Inputs
- 1 Front AV Input
- 1 RF Input
- 1 Fixed Audio Output
- 1 AV Compu Link Mini Jack



AV-32F803



Key Features

- 32" Diagonal Pure Flat Picture Tube with INVAR Shadow Mask
- 800 Lines Horizontal Resolution
- Digital 4 Mega10bit 3D Y/C Comb Filter
- New Dual Tuner PIP w/EZ Surf
- New Velocity Scan Modulation
- Real Color and Detail Creation
- Dynamic Focus
- Noise Clear Circuitry
- New Theater Pro (D6500K)
- New On-Timer Volume Setup
- Hyper Scan High Speed Channel Changer
- Illuminated Universal Remote w/TV, VCR, Cable Box and DVD Control
- New Interactive Plug In Menu
- New Front Panel Lock
- New Auto Shutoff
- Return+
- Multi-function Timer w/Sleep Timer
- XDS Auto Clock Set
- V-Chip & Channel Guard
- Energy Star Compliant

Video Features


- New Icon-based OSD w/Half Tone
- New 16:9 Mode
- New XDS ID Display
- Adjustable White Balance
- Black Level Expansion
- English, French, and Spanish Menus
- Closed Captions w/Text
- Noise Muting

Sound Features

- BBE High Definition Audio
- Hyper Surround Sound
- 5W + 5W Audio Output
- MTS Stereo with SAP
- TV Speaker On/Off in Menu
- Side Mounted, Front Firing Speakers

Inputs/Outputs

- 2 DVD Component Inputs
- 1 S-Video Input
- 2 Rear AV Inputs
- 1 Front AV Input
- 1 RF Input
- 1 Fixed Audio Output
- 1 AV Compu Link Mini Jack



AV-36F703



Key Features

- 36" Diagonal Pure Flat Picture Tube with INVAR Shadow Mask
- 850 Lines Horizontal Resolution
- 3 Line Digital Comb Filter
- New Velocity Scan Modulation
- Real Color and Detail Creation
- Dynamic Focus
- New Theater Pro (D6500K)
- New On-Timer Volume Setup
- Hyper Scan High Speed Channel Changer
- Illuminated Universal Remote w/TV, VCR, Cable Box and DVD Control
- New Interactive Plug In Menu
- New Front Panel Lock
- New Auto Shutoff
- Return+
- Multi-function Timer w/Sleep Timer
- XDS Auto Clock Set
- V-Chip & Channel Guard
- Energy Star Compliant

Video Features


- New Icon-based OSD w/Half Tone
- New 16:9 Mode
- New XDS ID Display
- Adjustable White Balance
- Black Level Expansion
- English, French, and Spanish Menus
- Closed Captions w/Text
- Noise Muting

Sound Features

- BBE High Definition Audio
- Hyper Surround Sound
- 5W + 5W Audio Output
- MTS Stereo with SAP
- TV Speaker On/Off in Menu
- Side Mounted, Front Firing Speakers

Inputs/Outputs

- 1 DVD Component Input
- 1 S-Video Input
- 2 Rear AV Inputs
- 1 Front AV Input
- 1 RF Input
- 1 Fixed Audio Output
- 1 AV Compu Link Mini Jack



AV-36F713



Key Features

- 36" Diagonal Pure Flat Picture Tube with INVAR Shadow Mask
- 850 Lines Horizontal Resolution
- 3 Line Digital Comb Filter
- New Velocity Scan Modulation
- Real Color and Detail Creation
- Dynamic Focus
- New Theater Pro (D6500K)
- New On-Timer Volume Setup
- Hyper Scan High Speed Channel Changer
- Illuminated Universal Remote w/TV, VCR, Cable Box and DVD Control
- New Interactive Plug In Menu
- New Front Panel Lock
- New Auto Shutoff
- Return+
- Multi-function Timer w/Sleep Timer
- XDS Auto Clock Set
- V-Chip & Channel Guard
- Energy Star Compliant

Video Features


- New Icon-based OSD w/Half Tone
- New 16:9 Mode
- New XDS ID Display
- Adjustable White Balance
- Black Level Expansion
- English, French, and Spanish Menus
- Closed Captions w/Text
- Noise Muting

Sound Features

- BBE High Definition Audio
- Hyper Surround Sound
- 5W + 5W Audio Output
- MTS Stereo with SAP
- TV Speaker On/Off in Menu
- Side Mounted, Front Firing Speakers

Inputs/Outputs

- 1 DVD Component Input
- 1 S-Video Input
- 2 Rear AV Inputs
- 1 Front AV Input
- 1 RF Input
- 1 Fixed Audio Output
- 1 AV Compu Link Mini Jack



AV-36F803



Key Features

- 36" Diagonal Pure Flat Picture Tube with INVAR Shadow Mask
- 850 Lines Horizontal Resolution
- Digital 4 Mega10bit 3D Y/C Comb Filter
- New Dual Tuner PIP w/EZ Surf
- New Velocity Scan Modulation
- Real Color and Detail Creation
- Dynamic Focus
- Noise Clear Circuitry
- New Theater Pro (D6500K)
- New On-Timer Volume Setup
- Hyper Scan High Speed Channel Changer
- Illuminated Universal Remote w/TV, VCR, Cable Box and DVD Control
- New Interactive Plug In Menu
- New Front Panel Lock
- New Auto Shutoff
- Return+
- Multi-function Timer w/Sleep Timer
- XDS Auto Clock Set
- V-Chip & Channel Guard
- Energy Star Compliant

Video Features


- New Icon-based OSD w/Half Tone
- New 16:9 Mode
- New XDS ID Display
- Adjustable White Balance
- Black Level Expansion
- English, French, and Spanish Menus
- Closed Captions w/Text
- Noise Muting

Sound Features

- BBE High Definition Audio
- Hyper Surround Sound
- 5W + 5W Audio Output
- MTS Stereo with SAP
- TV Speaker On/Off in Menu
- Side Mounted, Front Firing Speakers

Inputs/Outputs

- 2 DVD Component Inputs
- 1 S-Video Input
- 2 Rear AV Inputs
- 1 Front AV Input
- 1 RF Input
- 1 Fixed Audio Output
- 1 AV Compu Link Mini Jack



Specifications

Video Features / Models	AV-14F703	AV-20F703	AV-24F703
Picture Tube	Flat w/INVAR	Flat w/INVAR	Flat w/INVAR
Screen Size	14"	20"	24"
Horizontal Resolution	—	—	—
2 Tuner PIP w/EZ Surf	No	No	No
Digital Comb Filter	3 Line	3 Line	3 Line
Velocity Scan Modulation	No	Yes	Yes
Real Detail & Color	No	No	No
Dynamic Focus	No	No	No
Noise Clear Circuitry	No	No	No
Sound Features			
BBE High Definition Audio	Yes	Yes	Yes
Hyper Surround Sound	—	—	—
Total Audio Output	2.5W + 2.5W	2.5W + 2.5W	5W + 5W
Front Firing Side Mounted Speakers	Yes	Yes	Yes
Terminals			
DVD Component Input	1	1	1
S-Video Input	1	1	1
AV Inputs	2	2	2
Audio Output	AV Out	AV Out	AV Out
AV Compu Link III	No	No	No
System Features			
Graphic OSD	No	No	No
OSD Language	E / F / S	E / F / S	E / F / S
XDS ID Display	No	No	No
XDS Auto Clock Set	No	No	No
V-Chip & Channel Guard	Yes	Yes	Yes
Specifications			
Remote Control	RM-C309G	RM-C309G	RM-C309G
Dimensions (W) inches/cm	17 ¹ / ₈ / 43.2	23 ¹ / ₄ / 59.1	26 ³ / ₈ / 67.0
Dimensions (H) inches/cm	13 ⁵ / ₈ / 34.5	17 ¹ / ₂ / 44.5	20 / 50.8
Dimensions (D) inches/cm	15 ¹ / ₂ / 39.4	19 ³ / ₄ / 50.2	19 / 48.3
Weight (lbs / kg)	26.4 / 12.0	50.6 / 23.0	72.8 / 33.0

Special Notes:

- * For Component Video Inputs, component signal must be 15kHz NTSC frequency.
- ** BBE is licensed from BBE Sound, Inc. under USP4638258, 4482866 and 5510572. BBE is a registered trademark of BBESound, Inc.
- *** AV Compu Link III is compatible with select AVCompu Link receivers.
- **** Some manufacturer's VCRs may not respond to the TV/VCR button even if other buttons work properly.

AV-27F703		AV-32F703		AV-36F703	
AV-27F713	AV-27F803	AV-32F713	AV-32F803	AV-36F713	AV-36F803
Flat w/INVAR	Flat w/INVAR	Flat w/INVAR	Flat w/INVAR	Flat w/INVAR	Flat w/INVAR
27"	27"	32"	32"	36"	36"
750	750	800	800	850	850
No	Yes	No	Yes	No	Yes
3 Line	3D Y/C	3 Line	3D Y/C	3 Line	3D Y/C
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
No	Yes	No	Yes	No	Yes
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
5W + 5W	5W + 5W	5W + 5W	5W + 5W	5W + 5W	5W + 5W
Yes	Yes	Yes	Yes	Yes	Yes
1	2	1	2	1	2
1	1	1	1	1	1
2	2	2	2	2	2
Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
E / F / S	E / F / S	E / F / S	E / F / S	E / F / S	E / F / S
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
RM-C326G/326	RM-C325G	RM-C326G/326	RM-C325G	RM-C326G/326	RM-C325G
29 ⁷ / ₈ / 75.8	29 ⁷ / ₈ / 75.8	34 ⁵ / ₈ / 87.7	34 ⁵ / ₈ / 87.7	38 ¹ / ₈ / 96.7	38 ¹ / ₈ / 96.7
23 ³ / ₈ / 59.3	23 ³ / ₈ / 59.3	27 ⁵ / ₈ / 69.9	27 ⁵ / ₈ / 69.9	30 ³ / ₈ / 77	30 ³ / ₈ / 77
19 ³ / ₄ / 50	19 ³ / ₄ / 50	22 ¹ / ₄ / 56.5	22 ¹ / ₄ / 56.5	24 ¹ / ₈ / 61	24 ¹ / ₈ / 61
101.2 / 46.0	101.2 / 46.0	140.8 / 64	140.8 / 64	187.0 / 85	187.0 / 85

Specifications subject to change without notice.
Pictures in screens throughout this book are simulated.



JVC COMPANY OF AMERICA
A Division of JVC Americas Corp.
1700 Valley Road
Wayne, NJ 07470
www.jvc.com