

104M


1:4 Dynamic Microphone Distribution Amplifier



The Kramer **104M** is a high quality distribution amplifier for dynamic microphone signals. It takes a microphone input and distributes the signal to four identical outputs.

FEATURES

- **Level (Gain) Control.**
- **S/N Ratio** - 78dB.
- **Compact Size** - Part of the Kramer TOOLS™ family of compact, high quality and cost effective solutions.



TECHNICAL SPECIFICATIONS

INPUT:	One mono microphone 5mVpp/10k Ω on a 6.5mm phone connector.
OUTPUTS:	4 mono line level 1Vpp/150 Ω on 6.5mm phone connectors.
MAX. OUTPUT LEVEL:	4.8Vpp.
AUDIO BANDWIDTH (-3dB):	37kHz.
GAIN CONTROL:	5dB to 54dB.
S/N RATIO:	78dB.
THD@1kHz:	0.1%.
POWER SOURCE:	12VDC, 20mA.
DIMENSIONS:	12cm x 7.5cm x 2.5cm (4.7" x 2.95" x 0.98", W, D, H).
WEIGHT:	0.28kg. (0.62lbs.) approx.
ACCESSORIES:	Power supply, mounting bracket.
OPTIONS:	VA-50P power supply with six 12VDC outlets. RK-T1, RK-T3 rack adapters.

