## 105V

## 1:5 Composite Video Distribution Amplifier






The Kramer 105V is a high performance distribution amplifier for composite video signals. It takes one input, provide correct buffering and isolation and distribute the signal to five identical outputs.

## **FEATURES**

- Bandwidth 280MHz (- 3dB).
- RCA Connectors (105VB has BNCs).
- Level (Gain) Control.
- Compact Size Part of the Kramer TOOLS<sup>TM</sup> family of compact, high quality and cost effective solutions.



## **TECHNICAL SPECIFICATIONS**

1 video, 1Vpp/75 $\Omega$  on an RCA connector. OUTPUTS: 5 video,  $1\text{Vpp}/75\Omega$  on RCA connectors. MAX. VIDEO OUTPUT: 2Vpp.

VIDEO BANDWIDTH (- 3dB): 280MHz. DIFF. GAIN: 0.1%. DIFF. PHASE: O.15 Deg. < 0.05%. 75dB. K-FACTOR: S/N RATIO: Up to + 6dB. AC. CONTROL: COLIPLING: POWER SOURCE: DIMENSIONS:

12VDC, 100mA. 12cm x 7.5cm x 2.5cm (4.7" x 2.95" x 0.98",

W, D, H).

0.28kg. (0.62lbs.) approx. WEIGHT: Power supply, mounting bracket. 19" rack adapters RK-T1, RK-T3. ACCESSORIES: OPTIONS:

