



The KRAMER **VS-808** is a high quality, industrial 8x8 *Vertical Interval Matrix Switcher*. The **VS-808** switches stereo audio signals in audio-follow-video mode.

The **VS-808** has manual and *RS-232* controls, and may be simultaneously operated in both modes.

Some features and applications:

- ❖ Vertical Interval switching between genlocked sources.
- ❖ Very low crosstalk and wide frequency response.
- ❖ *RS-232* interface built-in.
- ❖ Audio is switched alongside with video.
- ❖ High brightness LED status display.



Technical Specifications:

| | | |
|-------------------------|---|-------------------------------|
| INPUTS: | 8 Composite Video, 1Vpp/75Ω on BNCs. 8 Audio Stereo, 1Vpp/50KΩ on RCAs. | |
| OUTPUTS: | 8 Composite Video, 1Vpp/75 Ω on BNCs. 8 Audio Stereo, 1Vpp/100Ω on RCAs. | |
| VIDEO BANDWIDTH: | Exceeding 34 MHz. | |
| CROSSTALK: | Less than 50dB (Chroma). | |
| COUPLING: | DC (Video), AC (Audio). | |
| VIDEO S/N: | 74 dB. | |
| AUDIO S/N: | 80 dB. | |
| CONTROL: | Manual or <i>RS-232</i> . | |
| AUDIO THD: | 0.05% (1V, 1KHz). | |
| SWITCHING: | Vertical Interval (when input one exists). | DIFF. GAIN: 0.11% |
| DIMENSIONS: | 19 inch, 2 U, rack mountable. | DIFF. PHASE: 0.26 Deg. |
| POWER SOURCE: | 230 VAC, 50/60 Hz, (115VAC, U.S.A.) | K-FACTOR: 0.0%. |