4x1 s-Video Switcher

The Kramer 4x1S is a high quality 4x1 mechanical switcher designed for s-Video (YC) signals using standard 4 pin s-Video connectors. It accepts up to four inputs and allows the user to select any input to be routed to one output using buttons located on the side panel. High quality switching components are used to ensure minimal crosstalk and very high bandwidth. The entirely passive design of the 4x1S eliminates the need for a power supply. Unselected inputs are automatically terminated via 75 resistors.

4x1S

VC

The 4x1S is part of the Kramer TOOLS family of compact, high quality, cost effective solutions for a variety of applications.



TECHNICAL SPECIFICATIONS

JTS:	4 s-Video, 1Vpp / 75 (Y), 0.3Vpp / 75 (C) on 4P connectors.
PUT:	1 s-Video, 1Vpp / 75 (Y), 0.3Vpp / 75 (C) on a 4P connector.
DWIDTH:	400 MHz3 dB(Y).
	Mechanical, break-before-make.
INSIONS:	12cm x 7.5cm x 2.5cm (4.7" x 2.95" x 0.98"), W, D, H.
HT:	0.25 kg. (0.55 lbs.) approx.
ESSORIES:	Mounting bracket.
ONS:	19" rack adapters RK-T1, RK-T3 (see pages 6.24, 6.25 for details).
	TYPICAL APPLICATIONS
Presentation and disp CCTV and home theo	
B: www.krame	erelectronics.com •2.
RAME	R SIMPLE CREATIVE TECHNOLOG

2