VS-44AV

4x4 Composite Video & Stereo Audio Switcher






The **VS-44AV** is a high performance switcher (4 crosspoints) for composite video and unbalanced stereo audio signals. It can route up to 4 inputs to four different outputs, but it can not distribute any one signal to multiple outputs.

FEATURES

- Bandwidth 220MHz (- 3dB).
- Mechanical (Passive) Switching No power required.
- Standard 19" Rack Mount Size 1U.



TECHNICAL SPECIFICATIONS

INPUTS:	4 video, $1Vpp/75\Omega$ on BNC connectors.
	4 audio stereo, + 4dBm on RCA
	connectors.
OUTPUTS:	4 composite video,
	1Vpp/75Ω on BNC connectors.
	4 stereo audio, + 4dBm (typ.)
	on RCA connectors.
SWITCHING SYSTEM:	Mechanical, Break - before - Make.
BANDWIDTH (- 3dB):	Video: 220MHz. audio: 100kHz.
CROSSPOINTS:	16 for video, 16 x 2 for audio,
	4 sets active at any given time.
VIDEO CROSSTALK:	- 46dB @ 5MHz.
MAX SIGNAL LEVELS:	Video: 3Vpp; Audio: + 30dB.
DIMENSIONS:	19 inch (W), 4 inch (D), 1U (H)
	rack mountable.
WEIGHT:	1.6kg. (3.5lbs.) approx.

DIRECTORY OF PRODUCTS 2006 . WWW.KRAMERELECTRONICS.COM



2.64

KRAMER ELECTRONICS, Ltd