


VS-4E 4x4 Composite Video & Stereo Audio Switcher



FEATURES

- **High Bandwidth** - 475MHz (-3dB).
- **Mechanical (Passive) Switching** - No power required.
- **Separate Audio & Video Switching** - 1 Crosspoint (each).
- **Desktop Size** - Compact size. Two units can be rack mounted side-by-side in a 2U rack space with the optional RK-4E/S adapter.

The **VS-4E** is a high performance single crosspoint switcher for composite video and unbalanced audio signals. It independently switches any one of four audio or video signals to a single audio or video output.



TECHNICAL SPECIFICATIONS

INPUTS:	4 video, 1Vpp/75Ω on BNC connectors. 4 audio stereo, +4dBm typical on RCA connectors.
OUTPUTS:	4 composite video (or RGBS), 1Vpp/75Ω on BNC connectors. 4 audio stereo, +4dBm typical on RCA connectors.
SWITCHING SYSTEM:	Mechanical, "Break-before-make".
CROSSTALK:	-42dB. Chroma, -60dB. Sync.
BANDWIDTH [-3dB]:	475MHz (video), 100kHz (audio).
MAX SIGNAL LEVELS:	3Vpp video, +30dBm audio.
DIMENSIONS:	18.8cm x 7cm x 7cm (7.4" x 2.7" x 2.7", W, D, H).
WEIGHT:	0.65kg. (1.4lbs.) approx.
OPTIONS:	19" Rack adapter RK-4E/S.