



PLATEWORKS™

Standard Wallplate Catalog

Includes:

- Blank Wallplates
- Punch-Only Wallplates
- Loaded Wallplates
- Engraved Wallplates
- Straight Plates
- Lamacoid Markers




BRUSHED STAINLESS STEEL 430 ALLOY (302 ALLOY USED FOR ENGRAVED PLATES)

ONE PUNCH-OUT PER GANG - PUNCH-OUT WILL BE CENTERED WITHIN THE GANG.

MORE THAN ONE PUNCH-OUT PER GANG - PUNCH-OUT HOLE CENTERS WILL BE ADJUSTED TO ALLOW FOR MARKERS.

LAMACOID MARKING AVAILABLE --- REFER TO LAMACOID MARKER SECTION FOR DETAILS

Blank & Punched Only Wallplates



WP 1000 BLANK, SINGLE GANG
WPU 1004 SINGLE GANG W/ D-SERIES PUNCH OUT
WPU 1013 SINGLE GANG W/(2) D-SERIES PUNCH OUT
WP 2000 BLANK, DUAL GANG
WPU 2009 DUAL GANG W/(2) D-SERIES PUNCH OUT
WPU 2011 DUAL GANG W/(4) D-SERIES PUNCH OUT
WP 3000 BLANK, TRIPLE GANG
WPU 3001 TRIPLE GANG W/ (3) D-SERIES PUNCH OUT
WPU 3002 TRIPLE GANG W/ (6) D-SERIES PUNCH OUT

1-3 Gang Loaded with Female XLR

WP 1004
(1) NEUTRIK NC3FDL-1 "D-SERIES" 3 COND. LATCHING FEMALE XLR

WPE 109
(1) NEUTRIK NC3FDL-1 "D-SERIES" 3 COND. LATCHING FEMALE XLR

With Engraving ENGRAVING OPTIONS

MODEL #	ENGRAVING	MODEL #	ENGRAVING
WPE 109	MIC 1	WPE 121	MIC 13
WPE 110	MIC 2	WPE 122	MIC 14
WPE 111	MIC 3	WPE 123	MIC 15
WPE 112	MIC 4	WPE 124	MIC 16
WPE 113	MIC 5	WPE 125	MIC 17
WPE 114	MIC 6	WPE 126	MIC 18
WPE 115	MIC 7	WPE 127	MIC 19
WPE 116	MIC 8	WPE 128	MIC 20
WPE 117	MIC 9	WPE 129	MIC 21
WPE 118	MIC 10	WPE 130	MIC 22
WPE 119	MIC 11	WPE 131	MIC 23
WPE 120	MIC 12	WPE 132	MIC 24

Panel Mount Female XLR Connectors

NC3FDL-1 - Female XLR-type, D-Series, nickel shell, silver contacts, locking latch
NC3FDL-1-0 - As NC3FDL-1, retention spring instead of locking latch
NC3FP-P - As NC3FDL-1, glass-filled polyester shell

Mating Cable Mount XLR Connectors

NC3MX - Male XLR-type, screwless, nickel shell, silver contacts, chuck-type strain relief
NC3MX-BAG - As NC3MX, black shell, silver contacts
NC3MX-B - As NC3MX, black shell, gold contacts

WP 1013
(2) NEUTRIK NC3FDL-1 "D-SERIES" 3 COND. LATCHING FEMALE XLR

WPE 101
(2) NEUTRIK NC3FDL-1 "D-SERIES" 3 COND. LATCHING FEMALE XLR

With Engraving

MODEL #	ENGRAVING
WPE 101	MIC 1/2
WPE 102	MIC 3/4
WPE 103	MIC 5/6
WPE 104	MIC 7/8
WPE 105	MIC 9/10
WPE 106	MIC 11/12
WPE 107	MIC 13/14
WPE 108	MIC 15/16

WP 2034
(2) NEUTRIK NC3FDL-1 "D-SERIES" 3 COND. LATCHING FEMALE XLR

WP 2035
(4) NEUTRIK NC3FDL-1 "D-SERIES" 3 COND. LATCHING FEMALE XLR

WPE 201
(4) NEUTRIK NC3FDL-1 "D-SERIES" 3 COND. LATCHING FEMALE XLR

With Engraving

MODEL #	ENGRAVING
WPE 201	MIC 1-4
WPE 202	MIC 5-8
WPE 203	MIC 9-12
WPE 204	MIC 13-16
WPE 205	MIC 17-20
WPE 206	MIC 21-24

WP 3001
(3) NEUTRIK NC3FDL-1 "D-SERIES" 3 COND. LATCHING FEMALE XLR




BRUSHED STAINLESS STEEL 430 ALLOY (302 ALLOY USED FOR ENGRAVED PLATES)

ONE PUNCH-OUT PER GANG - PUNCH-OUT WILL BE CENTERED WITHIN THE GANG.

MORE THAN ONE PUNCH-OUT PER GANG - PUNCH-OUT HOLE CENTERS WILL BE ADJUSTED TO ALLOW FOR MARKERS.


LAMACOID MARKING AVAILABLE --- REFER TO LAMACOID MARKER SECTION FOR DETAILS

Blank & Punched Only Wallplates




WP 1000 BLANK, SINGLE GANG
WPU 1004 SINGLE GANG W/ D-SERIES PUNCH OUT
WPU 1013 SINGLE GANG W/(2) D-SERIES PUNCH OUT
WP 2000 BLANK, DUAL GANG
WPU 2009 DUAL GANG W/(2) D-SERIES PUNCH OUT
WPU 2011 DUAL GANG W/(4) D-SERIES PUNCH OUT
WP 3000 BLANK, TRIPLE GANG
WPU 3001 TRIPLE GANG W/ (3) D-SERIES PUNCH OUT
WPU 3002 TRIPLE GANG W/ (6) D-SERIES PUNCH OUT

1-3 Gang Loaded with Female XLR (cont.)




WP 3002
(6) NEUTRIK NC3FDL-1
"D-SERIES" 3 COND. LATCHING FEMALE XLR




With Engraving

ENGRAVING OPTIONS	MODEL #	ENGRAVING
WPE 301	MIC 1-6	
WPE 302	MIC 7-12	
WPE 303	MIC 13-18	
WPE 304	MIC 19-24	


WPE 301
(6) NEUTRIK NC3FDL-1
"D-SERIES" 3 COND. LATCHING FEMALE XLR




WP 1042
(1) NEUTRIK NC3FDL-1-0
"D-SERIES" 3 COND.
LATCHLESS FEMALE XLR




WP 1043
(2) NEUTRIK NC3FDL-1-0
"D-SERIES" 3 COND.
LATCHLESS FEMALE XLR




WP 2009
(2) NEUTRIK NC3FDL-1-0
"D-SERIES" 3 COND. LATCHLESS
FEMALE XLR




WP 2011
(4) NEUTRIK NC3FDL-1-0
"D-SERIES" 3 COND. LATCHLESS
FEMALE XLR




WP 1025
(1) NEUTRIK NC3FP-P
"D-SERIES" 3 COND.
LATCHLESS PLASTIC
FEMALE XLR



WP 1026
(2) NEUTRIK NC3FP-P
"D-SERIES" 3 COND.
LATCHLESS PLASTIC
FEMALE XLR



WP 1515
(2) NEUTRIK NC3FP-P
"D-SERIES" 3 COND. LATCHLESS
PLASTIC FEMALE XLR



WP 1717
(4) NEUTRIK NC3FP-P
"D-SERIES" 3 COND. LATCHLESS
PLASTIC FEMALE XLR




BRUSHED STAINLESS STEEL 430 ALLOY (302 ALLOY USED FOR ENGRAVED PLATES)

ONE PUNCH-OUT PER GANG - PUNCH-OUT WILL BE CENTERED WITHIN THE GANG.

MORE THAN ONE PUNCH-OUT PER GANG - PUNCH-OUT HOLE CENTERS WILL BE ADJUSTED TO ALLOW FOR MARKERS.


LAMACOID MARKING AVAILABLE --- REFER TO **LAMACOID MARKER SECTION** FOR DETAILS

Blank & Punched Only Wallplates



WP 1000 BLANK, SINGLE GANG
WPU 1004 SINGLE GANG W/ D-SERIES PUNCH OUT
WPU 1013 SINGLE GANG W/(2) D-SERIES PUNCH OUT
WP 2000 BLANK, DUAL GANG
WPU 2009 DUAL GANG W/(2) D-SERIES PUNCH OUT
WPU 2011 DUAL GANG W/(4) D-SERIES PUNCH OUT
WP 3000 BLANK, TRIPLE GANG
WPU 3001 TRIPLE GANG W/ (3) D-SERIES PUNCH OUT
WPU 3002 TRIPLE GANG W/ (6) D-SERIES PUNCH OUT

1-3 Gang Loaded with Male XLR



WP 1014

(1) NEUTRIK NC3MDL-1 "D-SERIES" 3 COND. MALE XLR

With Engraving


LINE OUT 1

WPE 153

(1) NEUTRIK NC3MDL-1 "D-SERIES" 3 COND. MALE XLR

MODEL #	ENGRAVING
WPE 153	LINE OUT 1
WPE 154	LINE OUT 2
WPE 155	LINE OUT 3
WPE 156	LINE OUT 4
WPE 157	LINE OUT 5
WPE 158	LINE OUT 6
WPE 159	LINE OUT 7
WPE 160	LINE OUT 8

Panel Mount Male XLR Connectors




NC3MDL-1 - Male XLR-type, D-Series, nickel shell, silver contacts, locking latch
NC3MDL-1-0 - As NC3FDL-1, retention spring instead of locking latch
NC3MP-P - As NC3FDL-1, glass-filled polyester shell

Mating Cable Mount XLR Connectors



NC3FX - Female XLR-type, screwless, nickel shell, silver contacts, chuck-type strain relief
NC3FX-BAG - As NC3FX, black shell, silver contacts
NC3FX-B - As NC3FX, black shell, gold contacts



WP 1008

(2) NEUTRIK NC3MDL-1 "D-SERIES" 3 COND. MALE XLR

With Engraving

LINE OUT 1

LINE OUT 2

WPE 161

(2) NEUTRIK NC3MDL-1 "D-SERIES" 3 COND. MALE XLR


MODEL #	ENGRAVING
WPE 161	LINE OUT 1/2
WPE 162	LINE OUT 3/4
WPE 163	LINE OUT 5/6
WPE 164	LINE OUT 7/8
WPE 183	INTERCOM A/B
WPE 184	INTERCOM C/D

INTERCOM A

INTERCOM B


WPE 183

(2) NEUTRIK NC3MDL-1 "D-SERIES" 3 COND. MALE XLR




WP 2010

(2) NEUTRIK NC3MDL-1 "D-SERIES" 3 COND. MALE XLR




WP 2012

(4) NEUTRIK NC3MDL-1 "D-SERIES" 3 COND. MALE XLR



WP 3003

(3) NEUTRIK NC3MDL-1 "D-SERIES" 3 COND. MALE XLR



WP 3004

(3) NEUTRIK NC3MDL-1 "D-SERIES" 3 COND. MALE XLR


BRUSHED STAINLESS STEEL 430 ALLOY (302 ALLOY USED FOR ENGRAVED PLATES)

ONE PUNCH-OUT PER GANG - PUNCH-OUT WILL BE CENTERED WITHIN THE GANG.

MORE THAN ONE PUNCH-OUT PER GANG - PUNCH-OUT HOLE CENTERS WILL BE ADJUSTED TO ALLOW FOR MARKERS.


LAMACOID MARKING AVAILABLE --- REFER TO LAMACOID MARKER SECTION FOR DETAILS

Blank & Punched Only Wallplates




WP 1000 BLANK, SINGLE GANG
WPU 1004 SINGLE GANG W/ D-SERIES PUNCH OUT
WPU 1013 SINGLE GANG W/(2) D-SERIES PUNCH OUT
WP 2000 BLANK, DUAL GANG
WPU 2009 DUAL GANG W/(2) D-SERIES PUNCH OUT
WPU 2011 DUAL GANG W/(4) D-SERIES PUNCH OUT
WP 3000 BLANK, TRIPLE GANG
WPU 3001 TRIPLE GANG W/ (3) D-SERIES PUNCH OUT
WPU 3002 TRIPLE GANG W/ (6) D-SERIES PUNCH OUT

1 -3 Gang Loaded with Male XLR (cont.)



WP 1027 (1) NEUTRIK NC3MP-P "D-SERIES" 3 COND. PLASTIC MALE XLR
WP 1028 (2) NEUTRIK NC3MP-P "D-SERIES" 3 COND. PLASTIC MALE XLR
WP 2016 (2) NEUTRIK NC3MP-P "D-SERIES" 3 COND. PLASTIC MALE XLR
WP 2018 (4) NEUTRIK NC3MP-P "D-SERIES" 3 COND. PLASTIC MALE XLR

1 & 2 Gang Loaded with T/R/S 1/4"



WP 1017 (1) L12-B 3 COND(OPEN) 1/4" PHONE JACK W/ ISOLATION WASHERS
WP 1018 (2) L12-B 3 COND(OPEN) 1/4" PHONE JACK W/ ISOLATION WASHERS
WP 2024 (4) L12-B 3 COND(OPEN) 1/4" PHONE JACK W/ ISOLATION WASHERS
WP 1006 (1) NEUTRIK NJ3FP-6C "D-SERIES" LATCHING 3 COND(OPEN) 1/4" PHONE JACK
WPE 171 (1) NEUTRIK NJ3FP-6C "D-SERIES" LATCHING 3 COND.(OPEN) 1/4" PHONE JACK

Panel Mount TRS Connectors


L12-B- 1/4" phone jack, 3 cond., open circuit, iso washers

NJ3FP-6C- 1/4" phone jack, locking latch, D-Series configuration, 3 silver contacts

Mating Cable Mount TRS Connectors

BF3P- 1/4" ShowSavers™ phone plug, T/R/S, copper tip

NP3C- 1/4" phone plug, T/R/S, w/ chuck strain relief



WP 1007 (2) NEUTRIK NJ3FP-6C "D-SERIES" LATCHING 3 COND(OPEN) 1/4" PHONE JACK
WP 2021 (2) NEUTRIK NJ3FP-6C "D-SERIES" LATCHING 3 COND(OPEN) 1/4" PHONE JACK
WP 2023 (4) NEUTRIK NJ3FP-6C "D-SERIES" LATCHING 3 COND(OPEN) 1/4" PHONE JACK


BRUSHED STAINLESS STEEL 430 ALLOY (302 ALLOY USED FOR ENGRAVED PLATES)

ONE PUNCH-OUT PER GANG - PUNCH-OUT WILL BE CENTERED WITHIN THE GANG.

MORE THAN ONE PUNCH-OUT PER GANG - PUNCH-OUT HOLE CENTERS WILL BE ADJUSTED TO ALLOW FOR MARKERS.

LAMACOID MARKING AVAILABLE --- REFER TO LAMACOID MARKER SECTION FOR DETAILS

Blank & Punched Only Wallplates



1 & 2 Gang Loaded with Neutrik™ Speakon

WP 1009
(1) NEUTRIK NL4MP "D-SERIES" 4 COND. SPEAKON

With Engraving

MODEL #	ENGRAVING
WPE 135	SPEAKER 1
WPE 136	SPEAKER 2
WPE 137	SPEAKER 3
WPE 138	SPEAKER 4
WPE 139	SPEAKER 5
WPE 140	SPEAKER 6
WPE 141	SPEAKER 7
WPE 142	SPEAKER 8
WPE 143	SPEAKER 9
WPE 144	SPEAKER 10
WPE 145	SPEAKER 11
WPE 146	SPEAKER 12

WPE 135
(1) NEUTRIK NL4MP "D-SERIES" 4 COND. SPEAKON

WP 1010
(2) NEUTRIK NL4MP "D-SERIES" 4 COND. SPEAKON

WPE 147
(2) NEUTRIK NL4MP "D-SERIES" 4 COND. SPEAKON

Panel Mount Speakon Connectors

NL4MP- Speakon, Male
panel-mount, D-Series configuration, 4 silver contacts for speakers

WP 2032
(2) NEUTRIK NL4MP "D-SERIES" 4 COND. SPEAKON

WP 2033
(4) NEUTRIK NL4MP "D-SERIES" 4 COND. SPEAKON

Mating Cable Mount Speakon Connectors

NL4FC- Speakon, Female
cable-mount, 4 silver contacts for speakers

1 Gang Loaded with RCA Jack

WP 1012
(1) 3501-FR "RCA" TYPE PHONO JACK

WP 1021
(2) 3501-FR "RCA" TYPE PHONO JACK

Panel Mount RCA Connectors

3505FR- RCA, Female panel-mount jack, w/ isolation washers

Mating Cable Mount RCA Connectors

3502HD- RCA, Male cable-mount, nickel contacts, Heavy Duty

1 & 2 Gang Loaded with Female XLR/TRS

WP 1055
(1) NEUTRIK NC3FDL-1 LATCHING FEMALE XLR
(1) NEUTRIK NJ3FP-6C LATCHING 3 COND(OOPEN) 1/4"


WP 2040
(2) NEUTRIK NC3FDL-1 LATCHING FEMALE XLR
(2) NEUTRIK NJ3FP-6C LATCHING 3 COND(OOPEN) 1/4"

BRUSHED STAINLESS STEEL 430 ALLOY (302 ALLOY USED FOR ENGRAVED PLATES)

ONE PUNCH-OUT PER GANG - PUNCH-OUT WILL BE CENTERED WITHIN THE GANG.

MORE THAN ONE PUNCH-OUT PER GANG - PUNCH-OUT HOLE CENTERS WILL BE ADJUSTED TO ALLOW FOR MARKERS.
LAMACOID MARKING AVAILABLE --- REFER TO LAMACOID MARKER SECTION FOR DETAILS

Blank & Punched Only Wallplates



1 & 2 Gang Loaded with BNC Connectors

WP 1019
(1) BCJ-JR CANARE BNC FEEDTHRU

WP 1020
(2) BCJ-JR CANARE BNC FEEDTHRU

WP 2036
(4) BCJ-JR CANARE BNC FEEDTHRU

WP 1039
(1) BCJ-JRU CANARE FLUSHMOUNT BNC FEEDTHRU

WP 1040
(2) BCJ-JRU CANARE FLUSHMOUNT BNC FEEDTHRU

WP 2028
(2) BCJ-JRU CANARE FLUSHMOUNT BNC FEEDTHRU

WP 1030
(4) BCJ-JRU CANARE FLUSHMOUNT BNC FEEDTHRU

Panel Mount BNC Connectors

BCJ-JR- Canare BNC feedthru panel jack with IU-7/16 isolation gasket

BCJ-JRU- Canare flushmount BNC feedthru panel jack

1 Gang Loaded with 5 pin XLR Connectors (DMX)

WP 1049
(1) NEUTRIK NC5FDL-1 "D-SERIES" 5 COND. LATCHING FEMALE XLR

WP 1050
(1) NEUTRIK NC5MDL-1 "D-SERIES" 5 COND. MALE XLR

1 & 2 Gang Loaded with F-Type Connectors

WP 1015
(1) BLONDER-TONGUE GF81C "F-TYPE" COAXIAL FEEDTHRU

WP 1016
(2) BLONDER-TONGUE GF81C "F-TYPE" COAXIAL FEEDTHRU


WP 2027
(2) BLONDER-TONGUE GF81C "F-TYPE" COAXIAL FEEDTHRU

WP 2029
(4) BLONDER-TONGUE GF81C "F-TYPE" COAXIAL FEEDTHRU

Panel Mount BNC Connectors

GF81C- Blonder-Tongue "F" connector, feedthru, iso washers

Pro Co Lamacoid Markers are engraved plastic labels with an adhesive backing. They are suitable for use on wallplates, panels, floor pocket connector plates, stageboxes, and other similar applications where a professional identification label is needed.



MIC 36	MIC 37	MIC 38	MIC 39	MIC 40
MIC 31	MIC 32	MIC 33	MIC 34	MIC 35
MIC 26	MIC 27	MIC 28	MIC 29	MIC 30
MIC 21	MIC 22	MIC 23	MIC 24	MIC 25
MIC 16	MIC 17	MIC 18	MIC 19	MIC 20
MIC 11	MIC 12	MIC 13	MIC 14	MIC 15
MIC 6	MIC 7	MIC 8	MIC 9	MIC 10
MIC 1	MIC 2	MIC 3	MIC 4	MIC 5

8706-40-MIC

SET INCLUDES MIC 1 THRU MIC 40

36	37	38	39	40
31	32	33	34	35
26	27	28	29	30
21	22	23	24	25
16	17	18	19	20
11	12	13	14	15
6	7	8	9	10
1	2	3	4	5

8706-40-NUM

SET INCLUDES NUMBERS 1 THRU 40

VARIETY SET INFORMATION

SHEET FORMAT, PRE-BEVELED EDGES, SNAP-OFF CONSTRUCTION
EACH LABEL MEASURES 3/8" X 1"

MIC 1	MIC 2	MIC 3	MIC 4	MIC 5
MIC 6	MIC 7	MIC 8	MIC 9	MIC 10
MIC 11	1	LINE	LINE	LINE
MIC 12	2	AUX	AUX	AUX
MIC 13	3	CUE	CUE	CUE
MIC 14	4	MON	MON	MON
MIC 15	5	OUTPUT	R	G
MIC 16	6	INPUT	B	SYNC

8706-40-VAR A

SET INCLUDES MIC 1 THRU MIC 16, NUMBERS 1 THRU 6, R, G, B, SYNC, INPUT, OUTPUT, (3) LINE, (3) CUE, (3) AUX, (3) MON

MIC 1	MIC 2	MIC 3	MIC 4	MIC 5
MIC 6	VIDEO	VIDEO	PHONO	PHONO
TAPE	1	LINE	LINE	LINE
TAPE	2	AUX	AUX	AUX
CD	3	CUE	CUE	CUE
CD	4	MON	MON	MON
AUDIO	5	OUTPUT	R	G
AUDIO	6	INPUT	B	SYNC

8706-40-VAR B

SET INCLUDES MIC 1 THRU MIC 6, NUMBERS 1 THRU 6, R, G, B, SYNC, INPUT, OUTPUT, (3) LINE, (3) CUE, (3) AUX, (3) MON, (2) CD, (2) AUDIO, (2) VIDEO, (2) PHONO

STANDARD LAMACOID MARKERS are black with white lettering, 1/16" thick, adhesive backed with beveled edges. Size available is 3/8"x1".

For Lamacoid Markers not found in the LAMACOID MARKER VARIETY SETS, please refer to the PLATEWORKS LAMACOID MARKER COOKBOOK.