



**SONY®**



# CONSUMER PRODUCT GUIDE

# WHAT'S INSIDE


# SONY®

Sony Consumer products are only offered to professional and commercial accounts that have installation capabilities. They are not available to retail outlets.



## video

- Blu-Ray Players Page 2
- LCD 1080 TVS - XBR Series Pages 3-4
- LCD 1080 TVS - V & W Series Pages 5-6
- LCD 720 TVS - S & M Series Pages 7-8
- SRDX LCOS 1080 Rear Projection Pages 9-10
- SRDX LCOS 1080 Front Projection Pages 11
- System Remote Control Page 12
- Location Free TV Page 12
- DVD Recorder Pages 13
- DVD Players Pages 14
- DVD/VCR Combos 15-16
- Camcorders HD & DV Page 19-22
- Still Camera Pages 23 & Back cover
- DV-to-DVD and DV recorders Page 23
- Photo Finish Printing Back Cover



## audio

- CD Players & Recorder Page 16
- Mini Disc Hi-MD Page 17
- Cassette Deck Page 18
- AV Receivers Page 18
- Headphones Pages 24-25

stay up-to-date with pricing at:  
[www.SonyPro.us](http://www.SonyPro.us)

## SONY A meaningful warranty & effective service division

Reports show prices dropping 30%-40% on LCD TVs by many price driven "new brands" and their dealers. What they don't tell you with the enticing price is that Westinghouse, Polaroid, Vizio and others may expose buyers to substantial service charges after their warranties expire and significant charges during the covered period.

The noted on-line advisory, HD Guru, cited how Polaroid for instance has *no means* of providing service after the warranty. Good luck finding anyone who can repair it. Even during a warranty period, there are costs of sending back. Vizio, for example, on a 42" LCD, the carton and packing material and shipping is \$300. Out of warranty service is at a "Flat Rate" of \$300 parts + \$140 labor. Add outbound shipping to Vizio cost \$89. For return freight, Vizio charges \$250 bringing the total cost of an out of warranty repair cost a staggering \$1079! Bear in mind Sony has on site service. And for the XBR series you get 18 months coverage! HD Guru summed it up saying, "The "new brands" look for the sale today and do not have policies that will retain customers. With better warranties and service, the top brands have an incentive to build higher quality more reliable HDTVs."




SELL CONFIDENCE

See why Sony remains the leading seller of TVs in Amercia, with the expanded array of price points, features and quality. Picture quality is as much in the processing as the panel. Sony has the world's best processing from XBR Bravia through to the new economical M Series.

## Starin Sony Representatives

Loft AV  
P: 847-564-9614  
[barbara@loftav.com](mailto:barbara@loftav.com)

Cowser-Lee Marketing  
P: 817-572-6433  
F: 817-478-5262  
[jim@cowserleemarketing.com](mailto:jim@cowserleemarketing.com)



Starin Marketing, Inc.  
P: 219-929-4127  
F: 219-929-4377  
[info@starin.biz](mailto:info@starin.biz)

BC Electronics Sales Inc  
P: 913-962-1990  
F: 913-962-0718  
[info@bcelectronics.com](mailto:info@bcelectronics.com)

Sony Video  
Nu-Way Technologies  
P: 334-222-8950  
F: 334-222-4317

**SONY™ BLU RAY MEDIA CENTER**

**Picture**

**Model/Description**



**VGX-XL3 VAIO® High Definition Media Center with Blu-ray recorder**



**FEATURES**

- Blu-ray Disc™ read/write HD optical drive
- 500 GB Hard Drive capacity
- 2 GB Memory; 2.13GHz speed
- GB Ethernet and 802.11 a/b/g wireless
- CableCARD™-enabled TV tuner supporting Cable HDTV
- Wireless Keyboard with built-in touchpad

**Inputs/Outputs**

- Composite Audio/Video Input(s) : 1 (gold-plated) (front)
- Composite Audio Output(s) : 1 (gold-plated) (Right/Left)
- Composite Audio Input(s) : 1 (gold-plated) (Right/Left)
- Component Video (Y/Pb/Pr) Output(s) : 1
- Ethernet Port : 1
- HDMI™ Connection Output(s) : 1 (1.3a)
- Headphone Jack : 1
- i.LINK® Connection : 3 i.LINK® interface<sup>4</sup> (1x4-pin Front/ 2x6-pin Rear)
- IR Output(s) : 2 (transmitter outputs)
- Microphone Input : 1
- S/PDIF Output(s) : 1
- S/PDIF Input(s) : 1
- Coaxial Digital Output(s) : 1 (Audio)
- S-Video Input(s) : 1 (Front)
- USB Port(s) : 4 (2 Front/2 Rear) (2.0 compliant)
- Memory Stick® Media Slot : 1
- RF Connection Input(s) : 1
- AC-In : 1
- WLAN antenna : 1
- TV Tuner : 1 (NTSC/ATSC/Digital Cable)

**Supplied Accessories:** Remote Control, Wireless Keyboard, HDMI™ Cable, HDMI-DVI Adapter, S/PDIF Optical Cable, Wireless Antenna, AA Batteries (6), Power Cord, 8cm Disc Adapter

**SPECIAL STARIN PRODUCTION PACK:**  
 The VGX-X3 makes a powerful AV Workstation bundled with Sony Media Software. You get VEGAS for HD editing/rendering & CINESCORE for soundtracks.

**SONY™ BLU RAY PLAYER**



**BDP-S300 High Definition DVD Player**

- Full HD 1080/60p & 24p True Cinema Video Output
- DVD Upscaling to 1080p via HDMI™<sup>2</sup>
- BRAVIA® Theatre Sync™ (HDMI-CEC)
- BD/DVD/CD playback and AVC-HD with x.v.Color output
- Multi Channel Linear PCM & Dolby Digital Plus Decoding

**Specifications**

Dimensions: 17 x 3 1/8 x 14 7/8"

- HDMI™ Connection 1 Output 1 (Rear)
- Component (Y/Pb/Pr) Out 1 (Rear)
- S-Video Output 1 (Rear)
- Composite Audio Out 1 (Rear)
- Optical Audio Output 1 (Rear)
- Coaxial Audio Digital Output 1 (Rear)
- Analog Audio Outputs 5.1 ch
- Analog Audio Outputs: 2 ch
- PCM decoding HDMI out
- IR Input 1 (Rear)

**THE TIME FOR BLU-RAY IS NOW:**

Start putting a Blu-Ray player into your installations instead of DVD and you'll be adding a higher ticket item with greater profits, while future proofing your clients. Blu-Ray seems the leader, if not winner, in the HD Disc war, with it being the chosen format of Blockbuster. With BluRay recording available, institutional videos will soon be produced for marketing, training and other applications.

**SONY™ 1080 FLAT PANEL DISPLAYS - XBR Series**

**Picture**

**Model/Description**



- HDMI™ 3- Rear (1 Side; 2 Rear)
- PC Input 1 Rear (with D-sub 15)
- Component (Y/Pb/Pr ) Inputs 2 rear
- S-Video Inputs 1 rear
- Composite Video Inputs 3 (1 side/2 rear)
- RF Connection Inputs 1 Rear
- Audio Ins 5 (1 side/4 rear)
- Audio Out (Variable/Fixed) 1 Rear
- Digital Audio Output 1 Rear
- Headphone Output 1 Side

**KDL-70 XBR3 LCD FLAT PANEL TV**

**FEATURES**

- 70" BRAVIA™ PRO XBR HD TV • Native Resolution: 1080p 1920 x 1080
- **Motionflow™ 120Hz high frame rate capability doubles the number of images displayed on the screen for smoother motion** • Contrast Ratio: 7000:1 • ATSC Digital Tuner & Clear QAM • **TRILUMINOS™ for wide color spacing** • Steady Sound auto level control • **Live Color Creation featuring WCG-CCFL backlight** • Viewing Angle: 178 degrees • **RS-232 Control**
- BBE® Digital Audio Enhancement • High gloss piano black • **Warranty: 18 MONTH Parts, 18 MONTH Labor** • Audio Power Output: 10W Total (5W x 2) • VESA: VESA FDMI Compliant Mounting Holes • Energy Star™

**Specifications**

- Power Requirements: AC 120-240V (50/60Hz); 650 Watt
- Weight: 205 lbs. 8 oz. w/stand 176 lbs. w/o stand 242 lbs. shipping
- Dimensions: 72 9/16" x 44 1/2" x 16 9/16" w/stand  
72 9/16" x 42 1/4" x 5 15/16" without stand

**Supplied Accessories:**

Tabletop Stand, RM-YD013 Remote Control, AA x 2 Batteries, HD-15 to HD15 Cable (x1), Operation Manual

\* Bold are new features



- HDMI™ 3- Rear (1 Side; 2 Rear)
- PC Input 1 Rear (with D-sub 15)
- Component (Y/Pb/Pr ) Inputs 2 rear
- S-Video Inputs 1 rear
- Composite Video Inputs 3 (1 side/2 rear)
- RF Connection Inputs 1 Rear
- Audio Ins 5 (1 side/4 rear)
- Audio Out (Variable/Fixed) 1 Rear
- Digital Audio Output 1 Rear
- Headphone Output 1 Side

**KDL-52 XBR5 LCD FLAT PANEL TV**

**FEATURES**

- 52" BRAVIA™ PRO XBR HD TV • Same feature set as above model

**Specifications**

- Power Requirements: AC 120-240V (50/60Hz); 298 Watt
- Weight: 119 lbs. w/stand 102 lbs. w/o stand 129 lbs. shipping
- Dimensions: 55.71" x 32.56" x 4.9" w/stand  
72 9/16" x 42 1/4" x 5 15/16" without stand

**KDL-46 XBR5 LCD FLAT PANEL TV**

**FEATURES**

- 46" BRAVIA™ PRO XBR HD TV • Same feature set as above model

**Specifications**

- Power Requirements: AC 120-240V (50/60Hz); 298 Watt
- Weight: 79.4 lbs. w/stand 68 lbs. w/o stand 129 lbs. shipping
- Dimensions: 49.69" x 31.3" x 12.68" w/stand  
49.69" x 28.89" x 4.76" without stand

**SONY™ 1080 FLAT PANEL DISPLAYS - XBR Series**

**Picture**

**Model/Description**



- HDMI™ 3- Rear (1 Side; 2 Rear)
- PC Input 1 Rear (with D-sub 15)
- Component (Y/Pb/Pr ) Inputs 2 rear
- S-Video Inputs 1 rear
- Composite Video Inputs 3 (1 side/2 rear)
- RF Connection Inputs 1 Rear
- Audio Ins 5 (1 side/4 rear)
- Audio Out (Variable/Fixed) 1 Rear
- Digital Audio Output 1 Rear
- Headphone Output 1 Side

**KDL-52 XBR4 LCD FLAT PANEL TV**

Estimated Release September

**FEATURES**

- 52" BRAVIA™ XBR PRO HD TV • Native Resolution: 1080p 1920 x 1080
- **Motionflow™ 120Hz high frame rate capability doubles the number of images displayed on the screen for smoother motion**
- Contrast Ratio: 7000:1 • ATSC Digital Tuner • Steady Sound auto level control • Viewing Angle: 178 degrees (left/right) / 178 degrees (up/down)
- High gloss piano black • XMB interface • S-Force Front surround
- **Warranty: 18 MONTH Parts, 18 MONTH Labor**
- Audio Power Output: 10W Total (5W x 2) • VESA: VESA FDMI Compliant Mounting Holes • Energy Star™

**Specifications**

- Power Requirements: AC 120-240V (50/60Hz); 298 Watt
- Weight: 119.05 lbs. w/stand 102.51 w/o stand 145.51 shipping
- Dimensions: 55.71" x 35.04" x 15.12" w/stand  
 55.71" x 32.56" x 4.91" without stand

**Supplied Accessories:**

Tabletop Stand, RM-YD010 Remote Control, AA x 2 Batteries; Coaxial Cable (x1), HD-15 to HD15 Cable (x1), Operation Manual



**KDL-46 XBR4 LCD FLAT PANEL TV**

Estimated Release September

**FEATURES**

- 46" BRAVIA™ XBR PRO HD TV • Same feature set and accessories as above model with addition of optional color bezels

**Specifications**

- Power Requirements: AC 120-240V (50/60Hz); 298 Watt
- Weight: 80 lbs. w/stand 66 w/o stand 90 shipping
- Dimensions: 49.7 x31.3 x12.7" with stand; 49.7 x28.9 x4.8" without stand

**Options:** CRU46X1/W (Arctic White) CRU46X1/B (Velvet Black) CRU46X1/R (Scarlet Red) CRU46X1/L (Pacific Blue) CRU46X1/T (Sienna Brown)



**KDL-40 XBR4 LCD FLAT PANEL TV**

**FEATURES**


- 40" BRAVIA™ XBR PRO HD TV • Same feature set as above model with addition of optional color bezels

**Specifications**



- Power AC 120-240V (50/60Hz); 298 Watt
- Weight: 68 lbs. w/stand 58 w/o stand
- Dimensions: 43.7" x28.2" x 12.7" w/stand  
 43.7" x 25.9" x 4.8" without stand

**Options:** CRU40X1/W (Arctic White) CRU40X1/B (Velvet Black) CRU40X1/R (Scarlet Red) CRU40X1/L (Pacific Blue) CRU40X1/T (Sienna Brown)

color bezel options



**SONY™ 1080 FLAT PANEL DISPLAYS - V Series**

Picture	Model/Description
 <ul style="list-style-type: none"> <li>• HDMI™ 2</li> <li>• PC Input 1 Rear (with D-sub 15 &amp; L/R stereo mini plug)</li> <li>• Component (Y/Pb/Pr ) Ins 2 (2 rear)</li> <li>• S-Video Inputs 2 (1 side/1 rear)</li> <li>• Composite Video Inputs 3</li> <li>• RF Connection Inputs 1 Rear</li> <li>• Audio Ins 5 (1 side/4 rear)</li> <li>• Audio Out (Variable/Fixed) 1 Rear</li> <li>• Digital Audio Output 1 Rear</li> <li>• Headphone Output 1 Side</li> </ul>	<p><b>KDL-46 V2500 LCD FLAT PANEL</b></p> <p><b>FEATURES</b></p> <ul style="list-style-type: none"> <li>• 46" BRAVIA™ HD TV • Native Resolution: 1080p 1920 x 1080</li> <li>• 8 bit panel • Contrast Ratio: 7000:1 • ATSC Digital Tuner • Steady Sound auto level control • Viewing Angle: 178 degrees (left/right) / 178 degrees (up/down) • Limited Warranty: 1 Year Parts, 1 Year Labor • Audio Power Output: 10W Total (5W x 2) • VESA: VESA FDMI Compliant Mounting Holes; • Energy Star™</li> </ul> <p><b>Specifications</b></p> <ul style="list-style-type: none"> <li>• Power Requirements: AC 120-240V (50/60Hz); 298 Watt</li> <li>• Weight: 70.5 lbs. w/stand 57.32 w/o stand 82 shipping</li> <li>• Dimensions: 44.13" x 32.75 x 12.25" w/stand 44.13" x 29.75" x 4.76" without stand</li> </ul> <p><b>Supplied Accessories:</b>        Remote Control, AA x 2 Batteries, Coaxial Cable (x1), HD-15 to HD15 Cable (x1), Operation Manual</p>
 <ul style="list-style-type: none"> <li>• HDMI™ 2</li> <li>• PC Input 1 Rear (with D-sub 15 &amp; L/R stereo mini plug)</li> <li>• Component (Y/Pb/Pr ) Ins 2 (2 rear)</li> <li>• S-Video Inputs 2 (1 side/1 rear)</li> <li>• Composite Video Inputs 3</li> <li>• RF Connection Inputs 1 Rear</li> <li>• Audio Ins 5 (1 side/4 rear)</li> <li>• Audio Out (Variable/Fixed) 1 Rear</li> <li>• Digital Audio Output 1 Rear</li> <li>• Headphone Output 1 Side</li> </ul>	<p><b>KDL-40 V2500 LCD FLAT PANEL</b></p> <p><b>FEATURES</b></p> <ul style="list-style-type: none"> <li>• 40" HD TV • Same feature et as above model in V series</li> </ul> <p><b>Specifications</b></p> <ul style="list-style-type: none"> <li>• Power Requirements: AC 120-240V (50/60Hz); 298 Watt</li> <li>• Weight: 52.9lbs. w/stand 43 w/o stand 64 shipping</li> <li>• Dimensions: 38.9" x 28.2" x 10.2" w/stand 38.9" x 25.7" x 4.2" without stand</li> </ul> <hr/> <p><b>KDL-46 V3000 LCD FLAT PANEL</b></p> <p><b>FEATURES</b></p> <ul style="list-style-type: none"> <li>• 46" BRAVIA™ EX HD TV • Native Resolution: 1080p 1920 x 1080 • 10 bit panel • Contrast Ratio: 7000:1 • RS-232 Control • ATSC Digital Tuner • Steady Sound auto level control • Viewing Angle: 178 degrees • S-Force Front surround • Advanced Contrast Enhance • Warranty: 1 Year Parts / Labor • Audio Power Output: 10W Total (5W x 2) • VESA Compliant Mounting</li> </ul> <p><b>Specifications</b></p> <ul style="list-style-type: none"> <li>• Power Requirements: AC 120-240V (50/60Hz); 275 Watt</li> <li>• Weight: 70.5 lbs. w/stand 57.32 w/o stand 82 shipping</li> <li>• Dimensions: 44.7" x 30.6" x 12.0" with stand; 44.7" x 28.9" x 4.8" w/o stand</li> </ul> <p><b>Supplied Accessories:</b>        Remote, AA Batteries, Coaxial Cable, HD-15 to HD15 Cable, Op. Manual</p>
	<p><b>KDL-40 V3000 LCD FLAT PANEL</b></p> <p><b>FEATURES</b></p> <ul style="list-style-type: none"> <li>• 40" BRAVIA™ EX HD TV • Same feature set as above model</li> </ul> <p><b>Specifications</b></p> <ul style="list-style-type: none"> <li>• Weight: 69 lbs. w/stand 58 lbs. w/o stand 77lbs. shipping</li> <li>• Dimensions: 43.7 x28.2 x12.7" with stand; 43.7 x25.9 x4.8" w/o stand</li> </ul>

**SONY™ 1080 FLAT PANEL DISPLAYS - W Series**

Picture	Model/Description
---------	-------------------



**KDL-52 W3000 LCD FLAT PANEL**

FEATURES:

- 52" BRAVIA Engine™ EX TV • 10-bit • 16:9 Full HD 1080p Panel (1920X1080) • Live Color Creation™ system • DMeX-ready with XMB • GUI - Intuitive & Expandable • Picture Frame Styling/Distinctive Brushed Metal Finish • Advanced Contrast Enhancer (ACE) • Dynamic Contrast Ratio 16,000:1 • ATSC Digital Tuner with unscrambled Digital cable (QAM) capability • RS-232 Control

Specifications

- Weight: 95.1lbs with pedestal
- Dimensions: 50.3" x 44.4" x 15.1" with stand; 50.5" x 32.8" x 4.8" w/o stand

**KDL-46 W3000 LCD FLAT PANEL**

FEATURES:

- 46" BRAVIA Engine™ EX TV • feature set the same as above model

Specifications

- Weight: 71.1lbs (32.0kg) with pedestal
- Dimensions: 44.7" x 30.6" x 12.0" with stand; 44.7" x 28.9" x 4.8" w/o stand

**KDL-46 W3000 LCD FLAT PANEL**

FEATURES:

- 40" BRAVIA Engine™ EX TV • feature set the same as above model

Specifications

- Weight: 56 1lbs with pedestal
- Dimensions: 39.5" x 27.1" x 10.4" with stand; 39.5" x 25.3" x 4.8" w/o stand

## SONY™ 720 FLAT PANEL TVS - S Series

### Picture

### Model/Description



- HDMI™ 2 Rear (with L/R RCA audio)
- PC Input 1 Rear (with D-sub 15 and L/R stereo mini plug)
- Component (Y/Pb/Pr ) Ins 2 (2 rear)
- S-Video Inputs 2 (1 side/1 rear rear w/ Auto S Video Input Detection)
- Composite Video Inputs 3 (1 side/2 rear)
- RF Connection Inputs 1 Rear
- Audio Ins 5 (1 side/4 rear)
- Audio Out (Variable/Fixed) 1 Rear
- Digital Audio Output 1 Rear
- Headphone Output 1 Side



#### KDL-46 S3000 LCD FLAT PANEL TV

##### FEATURES

- 46" BRAVIA™ S-Series HD-Ready TV • Native Resolution: 720p 1366 x 768
- Contrast Ratio: 1300:1 • ATSC Digital Tuner • Horizontal Scan (KHz) for PC: 31/ 31.5 / 35.2 / 37.9 / 46.9 / 47.4 / 47.7 / 47.8 / 56.5 / 60 / 60.3 • S Force front surround • Bottom speaker • Viewing Angle: 178 degrees (left/right) / 178 degrees (up/down) • Limited Warranty: 1 Year Parts, 1 Year Labor • Audio Power Output: 10W Total (5W x 2) • VESA: VESA FDMI Compliant Mounting Holes • Energy Star™ • Color Black

##### Specifications

- Power Requirements: AC 120-240V (50/60Hz)
- Power Consumption (in Operation): 215 W
- Weight: 71 lbs. (17 kg) with stand 61 lbs w/o stand 78.1 shipping
- Dimensions: 43.9" x 30.6" x 12" with stand; 43.9" x 28.7" x 4.5" w/o stand

##### Supplied Accessories:

Tabletop Stand, RM-YD018 Remote Control, AA x 2 Batteries, Coaxial Cable (x1), HD-15 to HD15 Cable (x1), Support belt and screws, Operation Manual

#### KDL-40 S3000 LCD FLAT PANEL TV

##### FEATURES

- 40" BRAVIA™ S-Series HD-Ready TV • Same feature set as above model

##### Specifications

- Power Requirements: AC 120-240V, 50/60Hz 180 Watt
- Weight: 56 lbs. with table stand; 47LBS. w/o stand
- Dimensions: 38.6" x 27.2" x 10.4" with stand 38.6" x 25.3" x 4.3" w/o stand

#### KDL-32 S3000 LCD FLAT PANEL TV

##### FEATURES

- 32" BRAVIA™ S-Series HD-Ready TV • Same feature set as above model

##### Specifications

- Power Requirements: AC 120-240V (50/60Hz) 158 Watt
- Weight: 36 lbs. (17 kg) with tabletop stand 32 lbs without stand
- Dimensions: 31.1 x 22.7 x 8.4" with stand  
31.1" x 20.9 x 3.9" without stand

#### KDL-26 S3000 LCD FLAT PANEL TV

##### FEATURES

- 26" BRAVIA™ S-Series HD-Ready TV • Same feature set as above model

##### Specifications

- Power Requirements: AC 120-240V (50/60Hz) 105 Watt
- Weight: 30 lbs. (17 kg) with tabletop stand 35 lbs without stand
- Dimensions: 25.8" x 19.7" x 8.4" with stand; 25.8" x 17.8" x 3.8" w/o stand



**SONY™ 720 FLAT PANEL TVS - M Series**

Picture	Model/Description
---------	-------------------



**KDL-37 M3000 LCD FLAT PANEL TV**

Estimated Release November

**FEATURES**

- 37" BRAVIA™ M-Series HD-Ready TV • 16:9 HD 720P Resolution Panel (1366 x 768) • 3D Comb Filter • Space Saving Bottom Speaker • Channel labels • Favorite channels • Clock and Sleep Timer • Digital audio amplifier • 8ms panel response • Wide 178° Viewing Angles • Light sensor backlighting control • HDTV with ATSC™ Digital Tuner with QAM • Contrast Ratio 2500:1 • Panel Response Time 8ms (gray to gray) • Tuner ATSC with QAM • Vesa compliant • Warranty: 1 Year Parts/Labor

**Specifications**

- Power Requirements: AC 120-240V (50/60Hz)170W
- Weight: TBA
- Dimensions: TBA

- Analog Audio Inputs 5 (4 Rear/1 Side)
- Audio Out: 1 (Rear) Fixed Only
- Component Video (Y/Pb/Pr ) Inputs 2 (Rear)
- Composite Video Inputs 3 (2 Rear/1 Side)
- Digital Audio Output: 1 (Rear) Coax
- RF Connection Input: 1 (Rear)
- S-Video Input: 1 (Rear)
- Headphone Output: 1 (Side)
- PC Video Input: 1 (Rear) with D-sub 15
- HDMI™ :2 (Rear) 1 with L/R RCA audio

**Supplied Accessories:**

Tabletop Stand, Remote Control , AA x 2 Batteries, Support belt and screws, Operation Manual

**KDL-32 M3000 LCD FLAT PANEL TV**

Estimated Release September

**FEATURES**

- 32" BRAVIA™ M-Series HD-Ready TV • feature set the same as above model

**Specifications**

- Power Requirements: AC 120-240V (50/60Hz)170W
- Weight (Approx.) 36 lbs with pedestal; 31 lbs without pedestal
- Dimensions: 32 3/8" x 23 3/16" x 8 7/16" with

**KDL-26 M3000 LCD FLAT PANEL TV**

Estimated Release September

**FEATURES**

- 26" BRAVIA™ M-Series HD-Ready TV • feature set the same as above model

**Specifications**

- Power Requirements: AC 120-240V (50/60Hz)170W
- Weight (Approx.) 29 lbs with pedestal; 21 lbs without pedestal
- Dimensions: 26" x 20 1/4" x 8 7/16" with stand; 26" x 18 1/2" x 4 1/4" w/o stand

**SONY™ 1080 VIDEO PROJECTION**

**Picture**

**Model/Description**



- RF Connection Inputs (2 Rear)
- CableCARD™ Slot
- Composite Video Inputs 3 (F/2R)
- S-Video Inputs 3 (1 Front / 2 Rear)
- Component (Y/Pb/Pr) In 2 (Rear)
- Digital Audio Output 1 (Rear)
- Dolby® Digital Optical Output
- Audio In: 5 (1 Front / 4 Rear)
- Analog Audio Out: 1 (1 Rear)
- PC Input (1 Rear) • PC Mini Audio
- Digital Input(s): i.LINK 3 (3 Rear)
- HDMI™ Connection 3
- Memory Stick® Media Slot: (1 Rear)
- Control-S Input & Output: 1 ea.

**KDS R70 XBR5 High Definition Projection TV**

Estimated Release October

40% slimmer, Advanced Iris, Bravia Engine PRO, 5ms Response

**FEATURES**

- 70" Grand WEGA™ SXRD™ Rear Projection HDTV; SXRD™ Technology
- Native Resolution: 1920 x 1080 • Contrast 10,000:1 • ATSC Tuner
- Removable speakers • 2 Tuner PIP • WEGA GATE™: Easy User Interface
- Freeze Memo™ Screen Freeze: Picture and Picture (PAP) • Caption Vision: Closed Caption (Analog / Digital) • Favorite Channel • Channel Label
- Channel Skip/Add • Speed Surf™ Channel Selection • Channel Jump
- Info Banner • Parental Control (V-Chip) • Clock: with ON/OFF Timer • Sleep Timer: • Viewing Angle: Vertical = 60 degrees / Horizontal = 130 degrees
- BBE Sound enhancement • Energy Star • XL-5300 180 Watt lamp (extra lamp included)

**Specifications**

- Power Requirements: AC 100 to 240V, 0.8 to 1.95A, 50/60Hz
- Weight: TBA
- Dimensions: TBA

**Supplied Accessories:**

RM-Y009 Remote Control,  
 Batteries (AAA x2),  
 Quick Start Guide, Spare lamp

**Option:**

SU-RS51U (AV Stand)



**KDS R60 XBR5 High Definition Projection TV**

Estimated Release October

**FEATURES**

- 60" Grand WEGA™ SXRD™ Rear Projection HDTV; SXRD™ Technology
- Native Resolution: 1920 x 1080 • Contrast 10,000:1 • ATSC Tuner
- 2 Tuner PIP • WEGA GATE™: Easy User Interface -> Freeze Memo™ Screen Freeze: Picture and Picture (PAP) • Caption Vision: Closed Caption (Analog / Digital) • Favorite Channel • Channel Label
- Channel Skip/Add • Speed Surf™ Channel Selection • Channel Jump
- Info Banner • Parental Control (V-Chip) • Clock: with ON/OFF Timer • Sleep Timer: • Viewing Angle: Vertical = 60 degrees / Horizontal = 130 degrees
- BBE Sound • Energy Star • XL-5300 180 Watt lamp (extra lamp included)

**Specifications**

- Power Requirements: AC 100 to 240V,  
 0.8 to 1.95A, 50/60Hz
- Weight: TBA
- Dimensions: TBA"

**Supplied Accessories:**

RM-Y009 Remote, Batteries (AAA x2),  
 Quick Start Guide, Spare lamp

**Option:**

SU-RS51U (AV Stand)

**SONY™**
**Picture**
**Model/Description**

**KDS 60 A 3000 High Definition Projection TV**
**FEATURES:**

- 60" Full HD 1080p Picture Resolution • SXRD™ Panels(R/G/B), > 2M Pixels Each, 0.61" chip • BRAVIA Engine™ EX • MotionFlow technology (120hz/black insertion) • 1080p Input, HDMI™ x3 (1080/60p, 24p,CEC, xvYCC) • DMeX compatible - BRAVIA® Internet Video Link Ready • BRAVIA®Theatre Sync™ • XMB™ Xross Media Bar™ interface Advanced Iris function
- ATSC Integrated Tuner • CineMotion® Reverse 3:2 Pulldown • DRC-MFv1 (Digital Reality Creation Multi-Function v1) technology • 120W Lamp
- Contrast Ratio up to 10000:1

**Specifications**

Power Consumption: 240W

Weight: 90lb 7oz

Dimensions: 53 15/16 x 38 13/16 x 16 3/4"

- Analog Audio Inputs: 5 (4 Rear/1 Side)
- Audio Out (Variable/Fixed) : 1 (Rear)
- Component (Y/Pb/Pr ) Inputs: 2 (Rear)
- Composite Input(s): 3 (2 Rear/1 Side)
- Digital Audio Output: 1 (Rear)
- RF Connection Input: 1 (Rear)
- S-Video Input: 2 (1 Rear/1 Side)
- Headphone Output: 1 (Side)
- PC Audio Input: 1 (Rear)
- PC Video Input: 1 (Rear) D-sub 15 L/R stereo mini plug
- HDMI™ Connections: 2 (Rear)

Supplied Accessories: Remote Control (RM-YD016), Operating Instructions, Quick Start Guide, Batteries (AA x2), Warranty, Product Registration Card, Linux License

**KDS55 A3000 High Definition Projection TV**
**FEATURES:**

- 55" SRDX TV • Same feature set as above model

**Specifications**

Power Consumption: 240W

Weight: 90lb 7oz

Dimensions: 49 5/8 x 36 1/4 x 15 5/8"

**KDS50 A3000 High Definition Projection TV**
**FEATURES:**

- 50" SRDX TV • Same feature set as above model

**Specifications**

Power Consumption: 240W

Weight: 75 lbs

Dimensions: 45 3/8 x 33 1/2 x 14 3/8"

**SONY™ 1080 VIDEO PROJECTION**

Picture	Model/Description
---------	-------------------



**VPL-VW100 High Definition Projector**

**FEATURES**

• SXRDT™ 1080P Home Theater Front Projector • Supports HD with three SXRDT™ 1920 x 1080 Panels • Up to 15,000:1 Contrast Ratio (Advanced Iris On) • Low fan noise level of 22 dB • Pure Xenon Lamp (400W) • Advanced Iris Function (Auto, On, Off) • Lens Shift • Gamma Correction (Gamma 1, 2, 3 and Off) • Color Temperature (High, Medium, Low and Custom 1, 2, 3) • Auto Input Search • Image Flip • Vertical Keystone Lens: f1 8.7 to 33.7 mm/ F2.54 to 3.53 mm

- 12V Trigger: 1 (1 Side) Mini Jack
- HDMI™ Connection(s): 1 (1 Side)
- Digital RGB/Y/Cb(Pb)Cr(Pr)
- Component Video (Y/Pb/Pr ) In (1 Side) Y/Cb/Pb/Cr/Pr
- Input A - HD D-sub 15-pins, Analog RGB/component
- Composite Video Input (1 Side)
- Component Video (Y/Pb/Pr )
- S-Video Input 1
- Remote Network Connection(1 Side)
- RJ-45 10 BASE-T/100BASE-TX (
- RS-232C: D-sub 9-pin (female)
- DVI Connection Input DVI-D (TMDS)
- Digital RGB

**Specifications**

- Power Requirements: AC 100 to 240V, 0.8 to 1.95A, 50/60Hz
- Weight: 41 lbs 13 oz (19 kg)
- Dimensions: 19 1/2" x 6 7/8" x 22 5/8" (496 mm x 175 mm x 574 mm)

**Supplied Accessories:**

Remote Control (RM-PJVW100, Instruction Manual

**Optional Accessories:**

Xenon Replacement Lamp (LMP-H400), Omnimount PM-2 ceiling mount



**VPL-VW50**

LCOS High Def Projector

**VPL-VW60**

Release estimate: October

- Component Video (Y/Pb/Pr ) Input: 1
- Composite Video Input: 1,
- S-Video Input: 1
- HDMI™ Connections: 2
- PC Input: 1
- Network Connection: 1
- RS-232C: D-sub 9-pin (female)
- RJ-45 10 BASE-T/100BASE-TX
- Remote Connector
- 12V Trigger Input : 1 Mini Jack -
- Power On: DC 12V

- Display Resolution : 1920 x 1080
- Contrast Ratio : Up to 15000:1 (with Advanced Iris Auto ON)
- 900 lumens
- Ultra High Pressure Lamp (200W) for natural color
- Quiet operation with low fan noise of 22 dB
- Component/Progressive : DTV (480/60i, 575/50i, 480/60p, 575/50p, 720/60p, 720/50p, 1080/60i, 1080/50i), 1080/60p (DVI and HDMI channel only), Composite video, Y/X video
- Lens: f1 8.7 to 33.7 mm/F2.54 to 3.53 mm

**Specifications**

- Power Requirements: AC 100 to 240V, 1.3 - 3A, 50/60Hz
- Dimensions- Width: 15.55", Height : 6.83", Depth : 18.56"
- Weight: 24.25 lbs

**Supplied Accessories**

Remote Control (RM-PJVW100), Instruction Manual, AC Cord  
 CD ROM Image Director, Lens Cap, Size AA (R6) batteries x2

**SONY™ SYSTEM REMOTE**

Picture

Model/Description



**RM-AX4000A SYSTEM REMOTE CONTROL**

Remote control signals for Sony and other brands are preset allowing you to control all AV system components

The remote features an XPRESS Function for executing a series of commands enabling you to operate several AV component functions just by pressing a single key. The RM-AX4000A controls up to 16 components and with the Sync-up Key, synchronizing operational status on remote and alternate components is done with ease. Also features Tivo™/DVR functionality and an illuminated LCD touch screen allows you to highlight and view your choices. Easy-to-setup PC software included.

Easy to operate touch-screen LCD with blue back light.

**SONY™ LOCATION FREE TV**



The LFB-10 & 20 can stream live video content, with excellent picture quality, through a building network or across the internet to remote devices. The LFB-20 features integrated 802.11 a/b/g wireless LAN capability. The LocationFree® Base Station, streams to PlayStation Portable System (PSP), Windows® PC, Mac (running OS X or later), a Windows® Mobile - powered cellular phone or a Location Free Box receiver. Location Free uses the AVC (advanced video coding) codec – also called the h.264 codec – for higher picture quality even at lower bit rates. Switchable Dual Transmission Mode: MPEG2 and MPEG4 AVC. Requires 256 kbps download/uplink speed.

- LFB-20 Wireless Version
- LFB-10 Wired LAN version
- LF12MT1 Location free 12" monitor - availability TBD

**SONY™ BRAVIA INTERNET TV**



**DMX-NV1**

**DMX-NV1 BRAVIA® Internet Video Link. This easy-to-attach module lets you stream internet video to compatible BRAVIA HDTVs over your broadband internet connection**

- Supports up to HD resolution• Power- AC 120V 60Hz External Adapter • DC-In x1 (for supplied AC adapter only) • Ethernet Port x1 • Accessory Terminal DMe<sup>x</sup> (for compatible TV) x1 (base) • HDMI™ Connection Input x1 (side, HDMI™ 1.3 pass-thru) • HDMI™ Connection Output x1 • Dimensions: 6 1/2 x 1 1/4 x 4 1/8; 8 1/2 x 1 1/4 x 4 1/8 x 4 1/8 (with stand) • Weight lbs 8 oz • Limited Warranty: 1 Year Parts / 1 Year Labor

## SONY™ DVD RECORDERS

### Picture

### Model/Description



#### RDR-GX355 Single Tray DVD Recorder

- Coaxial Audio Digital Output : 1 (Rear)
- RCA Audio Inputs: 2 (1Rear/1 Front)
- RCA Audio Outputs : 2 (Rear)
- S-Video Input : 1 (1 Front)
- S-Video Output : 1 (Rear)
- Composite Video Inputs : 2 (1R/1F)
- Composite Video Output : 1 (Rear)
- Component Video Output: 1 (Rear)
- Optical Audio Digital Output: 1 (Rear)
- HDMI™ Connection Output: 1 (Rear)
- LINK® Input : 1 (Front)

#### FEATURES

- Line Input Recording (No Tuner) • HDMI™ Output with 720p/1080i Upscaling • Set Top Box Pass Through • 1 Touch Dubbing from DV/D8 amcoder through i.LINK® Port • Multi-Format DVD Disc Compatible<sup>3</sup>
- Audio- Digital-to-Analog Converter: 16 Bit 96kHz • Digital-to-Analog Converter : 10 Bit, 54MHz

#### Specifications

- Power Requirements: AC120V, 60 Hz
- Weight 6 lbs. 13 oz. (3.1 kg)
- Dimensions Width: 17" Height: 2 3/4" Depth: 11 3/16"

#### Supplied Accessories:

Audio/Video Cord (1); Power Cord; 75 ohm Coaxial Cable; Remote Commander® Remote Control; AA Batteries (2); Instruction Manual



#### RDR-GXD455 DVD Recorder with HD Tuner

– *Estimated Release September*

#### FEATURES

- Same as above model with built-in HDTV Tuner (ATSC/NTSC/QAM)



#### RDR-VX555 DVD Recorder and VHS Combo Player

#### FEATURES:

- Line Input Recording (No Tuner) • HDMI™ Output with 720p/1080i Upscaling from DVD/VCR 4 • Set Top Box Pass Through w/Control • 2-way One Touch Dubbing from VCR to DVD or reverse • Multi-Format DVD Disc Compatible

#### Specifications

- Power Requirements : AC 120V, 60Hz
- Weight: 12lbs 6oz
- Dimensions: 16 15/16" x 3 1/4" x 13 1/16"

Supplied Accessories: Audio/Video Cord (1), Set Top Box Controller (IR Blaster), Remote Commander® Remote Control, AA Batteries (2), Instruction Manual

- Coaxial Audio Digital Output: 1 (Rear)
- RCA Audio Inputs: 2 (1Rear/1 Front)
- RCA Audio Outputs: 2 (Rear)
- S-Video Input: 1 (1 Front)
- S-Video Output: 1 (Rear)
- Composite Inputs 2 (1Rear/1 Front)
- Composite Video Outputs: 1 (Rear)
- Component (Y/Pb/Pr) Output: 1 (Rear)
- Optical Audio Digital Output: 1 (Rear)
- HDMI™ Connection Output: 1 (Rear)
- i.LINK® Video Input: 1 (Front)<sup>5</sup>



#### RDR-VXD655 DVD Recorder and VHS Combo Player with tuner

#### FEATURES

- Same as above model with built-in HDTV Tuner (ATSC/NTSC/QAM)

Supplied Accessories: Audio/Video Cord (1), Set Top Box Controller (IR Blaster), Remote Commander® Remote Control<sup>2</sup>, AA Batteries (2), Instruction Manual

**SONY™ DVD PLAYERS**

Picture	Model/Description
 <ul style="list-style-type: none"> <li>• Coaxial Audio Digital Output 1 (Rear)</li> <li>• RCA Audio Output 1 (Rear)</li> <li>• Composite Video Output 1 (Rear)</li> <li>• Component (Y/Pb/Pr) Out 1 (Rear)</li> </ul> <p><b>Supplied Accessories:</b>            Remote Control; Batteries; Owners Manual; AV Cable</p>	<p><b>DVP NS57P-B (Black) Single DVD Player</b>  <b>DVP NS57P-S (Silver)</b></p> <p><b>FEATURES</b></p> <ul style="list-style-type: none"> <li>• DVD+RW/+R playback • Precision Drive™ 3 System For Flaws in Discs</li> <li>• Precision Cinema Progressive™ Technology</li> <li>• 12 Bit Video DAC with 108Mhz • MP3 (CD-R/RW, DVD+RW/+R/-R/-RW)</li> <li>• JPEG (CD-R/RW, DVD+RW/+R/-R/-RW, Kodak) Playback</li> <li>• Remote Control: Limited TV Control for most models</li> </ul> <p><b>Specifications</b></p> <ul style="list-style-type: none"> <li>• Audio- Digital-to-Analog Converter: 24 Bit 192 kHz</li> <li>• Power Requirements: AC120V, 60 Hz Power Consumption: 10 Watts</li> <li>• Dimensions 17" x 1- 9/13" x 8- 3/16"</li> <li>• Weight 3 lbs, 13 oz (1.72 Kg)</li> </ul>
 <ul style="list-style-type: none"> <li>• HDMI™ Connection Output x1 (Rear)</li> <li>• Component (Y/Pb/Pr) Out x1 (Rear)</li> <li>• S-Video Output x1 (Rear)</li> <li>• Composite Video Output x1 (Rear)</li> <li>• Coaxial Audio Digital Out x1 (Rear)</li> <li>• Optical Audio Output x1 (Rear)</li> <li>• RCA Audio Output x1 (Rear)</li> </ul> <p><b>Supplied Accessories:</b> Instruction Manual; Remote Control; AV Cable; AA Battery x 2</p>	<p><b>DVP NS77H-B (Black) Single DVD Playerwith HDMI</b>  <b>DVP NS77H-S (Silver) Single DVD Playerwith HDMI</b></p> <p><b>FEATURES</b></p> <ul style="list-style-type: none"> <li>• 720p/1080i Upscaling Video Output through HDMI™ • DVD+RW/+R</li> <li>• Audio- D-to-A Converter: 24 Bit 192 kHz • 12 Bit Video DAC 108Mhz</li> <li>• AV Sync • Precision Drive™ 3 System For Flaws in Discs • Precision Cinema Progressive™ Technology • MP3 (CD-R/RW, DVD+RW/+R/-R/-RW)</li> <li>• JPEG (CD-R/RW, DVD+RW/+R/-R/-RW, Kodak)</li> </ul> <p><b>Specifications</b></p> <ul style="list-style-type: none"> <li>• Power Requirements: AC120V, 60 Hz</li> <li>• Weight 3.75 lbs. 4 oz. (2Kg)</li> <li>• Dimensions 17" x 1-9/16" x 8- 3/16"</li> </ul>
 <ul style="list-style-type: none"> <li>• HDMI Output</li> <li>• Analog Audio Outputs 5.1 Channels</li> <li>• Analog Video Outputs            Component x1            S-Video x1            Composite x1</li> <li>• Digital Audio Outputs            Optical x 1            Coaxial x 1</li> <li>• Analog Audio Output(s) - (R+L) x1</li> </ul> <p><b>Supplied Accessories:</b>            Instruction Manual; Remote Control; AV Cable; AA Battery x 2</p>	<p><b>DVP NC85H/B (Black) DVD Changer</b>  <b>DVP NC85H/S (Silver)</b></p> <p><b>FEATURES</b></p> <ul style="list-style-type: none"> <li>• 5-Disc DVD/SA-CD/CD Progressive Scan Changer • DVD/CD/SA-CD Text</li> <li>• HDMI 720/1080i Upscaling 5-disc Changer • Title and Chapter Viewer</li> <li>• DVD-RW (Video &amp; VR Mode)/DVD-R/DVD+RW/DVD+R Playback</li> <li>• Precision Drive™ 3 System For Flaws in Discs • Video Equalizer</li> <li>• Precision Cinema Progressive™ Technology • Multi Channel Surround</li> <li>• 12 Bit Video DAC with 108Mhz • MP3 (CD-R/RW, DVD+RW/+R/-R/-RW)</li> <li>• JPEG (CD-R/RW, DVD+RW/+R/-R/-RW, Kodak) Playback</li> <li>• Remote Control: Limited TV Control for most models</li> <li>• Dolby® Digital and dts® Coaxial Output • Multi-Disc Resume- 40 Discs</li> <li>• Instant Replay and Instant Search • Full 3-2 Reverse Conversion</li> <li>• Advanced SmoothScan™; and SmoothSlow modes</li> <li>• Fast Play with Audio • Slow Play with Audio • Dolby® Digital and dts®</li> <li>• Super Audio CD Playback (2 Channel/Multi Channel)</li> </ul> <p><b>Specifications</b></p> <ul style="list-style-type: none"> <li>• Power Requirements: AC120V, 60 Hz</li> <li>• Dimensions 17" x 3 14/15" x 16 1/7"</li> <li>• Weight • 9 lbs. 11 oz.</li> </ul>

## SONY™ DVD PLAYERS

### Picture

### Model/Description



#### DVP-CX995V DVD Changer



#### FEATURES

•400 Disc DVD/SA-CD/CD Mega Changer • 720p/1080i Upscaling • Audio- 96 kHz 24 Bit D-to-A Converter • 12 Bit Video D-to-A Converter 108Mhz • SACD • Finish: black • Timer Clock: Easy timer recording On-screen TV Program Guide

- HDMI™ Connection Outs: x1 (Rear)
- i.LINK® Interface for Camcorders
- Coaxial Audio Digital Outs: x1 (Rear)
- Optical Audio Out x1 (Rear)
- RCA Audio Ins x3 (2 Rear, 1 Front)
- RCA Audio Outs x2 (Rear)
- S-VIDEO Ins x3 (1 Rear, 2 Front)
- S-Video outputs: x2 (Rear)
- Composite Ins x3 (2 Rear, 1 Front)
- Composite Video Outputs x2 (Rear)
- Component(Y/Pb/Pr ) Ins x1 (Rear)
- Component (Y/Pb/Pr) Outs x1 (Rear)
- RF Connection Input x1 (Rear)
- RF Connection Output x1 (rear)
- IR Blaster x1 (Rear)

#### Specifications

- Power Requirements: AC120V, 60 Hz
- Weight 11 lbs 11 oz. (5.3 Kg)
- Dimensions 17" x 3" x 13 " (430 x 75 x 328mm)

#### Supplied Accessories:

Audio/Video Cord (1); Power Cord (1); 75 ohm Coaxial Cable; Set Top Box Controller; Remote Commander® Remote Control (RMT-D217A) AA Batteries (2); Instruction Manual; IR Blaster

## SONY™ DVD PLAYER / VCR



#### SLV D380P DVD / VCR COMBO



#### FEATURES

- 4 Micron Heads Hi-Fi VHS • Auto Head CleanerQuickset™ Timer Dial
- Progressive Output (480p)
- DVD-RW (Video/VR mode w/ CPRM) DVD-R/+RW/+R Playback
- MP3 Playback (CD-R/RW, DCD-R/-RW/+R/+RW)
- JPEG (CD-R/RW, DVD+RW/+R/-R/-RW, Kodak) Playback
- CD-R/CD-RW)/VCD/SVCD Playback
- 4-Head Hi-Fi Stereo
- Flash Rewind: Rewind a T-120 Tape in around 60 seconds
- VCR Plus+ Timer Recording
- Cinema Illumination Multi-Brand TV Remote Control
- Virtual Surround Sound • SQPB (S-VHS Quasi Playback)
- 1 month/8 event Recording Timer • Auto Tracking for VHS Playback
- Fast/Slow Playback with Sound • Frame Advance (Forward)
- Slow Advance (Forward) • Instant Replay/Advance

#### Specifications

- Weight: 7 lbs, 15 oz
- Dimensions: 16-13/14 x 3-5/14 x 11-3/10"

- Composite Video Inputs (1 Set Back & 1 Front)
- Composite Video Output for DVD and VHS
- S-Video Output(s): for DVD only
- Component Video (Y/Pb/Pr) Output for DVD only
- RCA Audio Input(s) 1 Set Back and 1 Set Front
- RCA Audio Output(s)1 Set RCA Stereo
- RF for VCR
- Output(s): RF for VCR and DVD
- Power Requirements : AC120V, 60Hz

#### Supplied Accessories:

Instruction Manual; Multi-brand Remote Control, Size AA (R6) Batteries (2); 75-Ohm Coaxial Video Cable w/F Type Connector (1)



**SONY™ CD PLAYERS**

**Picture Model/Description**



**CDP-CE375 CD PLAYER**

**FEATURES**

- 5 disc CD changer • 20 track music calendar • CD-R/RW playback capability
- Hybrid Pulse D/A Converter • Jog Dial™ Control with Direct Access™ Track Selection
- Analog Variable Line Output • 32 Step Programming
- Frequency Response 2Hz-20kHz ±0.5 dB • Dynamic Range More than 93 dB • Harmonic Distortion 0.0045%

- Analog Output (RCA Type) x 1
- Analog Out (Fixed/Variable) Variable
- Digital Output (Optical Type) x 1
- Headphone Jack 1/4"

**Supplied Accessories:**

Audio Cord (1); Power Cord;  
 AA Batteries (2); Instruction Manual

**Specifications**

- Power Requirements: AC120V, 60 Hz
- Weight 11 lbs. 1 oz. (5 kg)
- Dimensions 17" x 4 3/8" x 15 3/4" (430 x 110 x 400 mm)



**CDP-CX455 CD PLAYER**

**FEATURES**

- 400 disc CD changer with Advanced Mega Control Allows X-Fade Play/No-Delay Play Between Changers • Custom File™ Disc Memo™ Display 20 Characters • Headphone Jack

- Analog Output (RCA Type) x 1
- Analog Out (Fixed/Variable) Variable
- 2nd CD Input (RCA Type) x 1
- Digital Output (Optical Type) x 1
- Control A-1 II x 2
- Headphone Jack 1/4"

**Supplied Accessories:**

Audio Cord (1); Power Cord;  
 AA Batteries (2); Instruction Manual

**Specifications**

- Frequency Response 20Hz-20kHz ±0.5dB • Signal to Noise Ratio More than 108 dB • Dynamic Range More than 87 dB • Harmonic Distortion 0.009%
- Power Requirements: AC120V, 60 Hz • Power Consumption 16W
- Weight 19 lbs. 7 oz. (8.8 kg)
- Dimensions 17"x 7 1/2"x 21 1/4" (430 x 189 x 537 mm)

**SONY™ CD RECORDER**



**RCDW 500C CD RECORDER**

**FEATURES**

- 5 CD/Dual Deck with 4x high speed dubbing • Records CD-Recordable and CD-ReWritable discs • CD-R/RW with MP3 playback capability
- Super Bit Mapping® Recording

- Digital Input (Optical) x 1
- Digital Output (Optical) x 1
- Analog Input (RCA type) x 1
- Analog Output (RCA type) x 1

**Specifications**

- Frequency Response — 20Hz-20kHz ±0.5dB • Signal to Noise Ratio Playback >100 dB • Dynamic Range Playback >95 dB
- Power Requirements: AC120V, 60 Hz • Power Consumption 20W

**Supplied Accessories:**

Instruction Manual • Remote Commander® Remote Control • RCA Audio Cables x 2 • AA Batteries x 2

## SONY™ MINI DISCS

### Picture

### Model/Description



#### MDS-JE480 MD Player/Recorder

- Optical Inputs x 1
- Line Input Jacks (RCA Type) L/R
- Line Output Jacks (RCA Type) L/R

#### Supplied Accessories:

Audio Cord (1); Power Cord;  
 AA Batteries (2); Instruction Manual

#### FEATURES

- ATRAC® DSP Type S/MDLP/MP3 • MD Long Play (MDLP) modes • Time Machine Recording with 6-second buffer memory; • Jog Dial™ Control
- Remote Commander® Remote Control • 6-Second Buffer Memory • MP3

#### Specifications

- Power Requirements: AC120V, 60 Hz
- Weight: 6.5 lbs 6 oz (3 kg)
- Dimensions: 17" x 3 3/4" 11 1/4" (430 x 95 x 285mm)



#### MZ-M200 HI-MD Portable Player/Recorder

- Input USB (2.0)
- Line in (Mic/Optical/Analog);
- DC in 3V
- Output Headphones/Remote (stereo mini)

#### Supplied Accessories:

ECM-DS70P Stereo Microphone, Nickel-Metal Hydride Rechargeable Battery; Remote control; Dry Battery Case • AC Power Adaptor; Earbuds; SonicStage® Software CD-ROM • USB Cable • 1GB Hi-MD™ Disc

#### FEATURES

- 1GB / 675 Song Capacity with 1 Hi-MD MiniDisc • Organic Electroluminescence) display bright and easy to see • 11 segment meter
- Remote Control Supplied Records from Multiple Sources (USB, Line in, Mic in) • Record times- PCM Linear Mode (44.1kHz/16-bit) : 1 hour 34 minutes; Hi-SP Mode(ATRAC3plus 256kbs): 7 hours 55 minutes; Hi-LP Mode (ATRAC3plus 64kpbs): 34 hours • internal rechargeable battery (NH-14WM) has a higher storage capacity • dynamic normalizer • audio spectrum display in PB • Pitch control • Skip free protection

#### Specifications

- Power: Nickel metal hydride rechargeable battery NH-14WM, LR6 (Size AA) alkaline battery, AC power adapter DC 3V
- Weight: 3.4.oz without battery 5.2.oz with
- Dimensions: 3 3/8" x 3 3/8" x 19/32

## SONY™ CASSETTE

### Picture

### Model/Description



#### TC-WE475 Cassette Player/Recorder

##### FEATURES

- Dual auto reverse • Multi-AMS track search • High-speed dubbing • Dolby HX Pro circuitry • Black finish • Wide-range pitch control • Full-logic feather-touch transport controls • Super-density Permalloy heads

##### Specifications

- Power Requirements: AC120V, 60 Hz
- Weight: 8 lbs., 13 oz. (4.0 kg)
- Dimensions: 17" x 4-3/4" x 11-1/2" (430 x 120 x 290 mm)

- Line Input Jacks (RCA Type) L/R
- Line Output Jacks (RCA Type) L/R

##### Supplied Accessories:

- Audio Cord (1); Power Cord;
- AA Batteries (2); Instruction Manual

## SONY RECEIVERS



#### STR DE197 Stereo Receiver

##### FEATURES

- 100 Watts Per Channel x 2 • Frequency Synthesis AM/FM Tuning with 30 Presets • 5 Function Input Selector • A or B Switch/A and B Switch • Black finish

##### Specifications

- Power Requirements: AC120V, 60 Hz
- Power Consumption (in Operation): 190W
- Power Consumption (Standby): 0.5W (When A.PWR is set to "No" in Menu)
- Weight: 8 lbs., 13 oz. (4.0 kg)
- Dimensions: 17" x 4-3/4" x 11-1/2" (430 x 120 x 290 mm)

- Video audio In & Out
- Video audio (2nd) In
- MD-Tape-CDR audio In & Out
- CD/DVD audio (2nd) In
- AM antenna
- FM antenna

##### Supplied Accessories:

- Instruction Manual; FM Wire Antenna; RM-US185 Remote Commander® Remote Control; AM Loop Antenna; Size AA Batteries (2)



#### STR-DG710 Surround Receiver

##### FEATURES

- 6.1 Channel Audio/Video Receiver • 105 Watts X 6 Amplifier Power (8 ohms, 1Khz, 1.0% THD) • BRAVIA® Theatre Sync™ technology • Digital MEDIA Port • Accepts 1080/60p signal through • HDMI Active Intelligence: 2 Inputs / 1 output (Video and Audio) • XM® Connect-and-Play™ Ready • Portable Audio Enhancer with Front A/V Inputs • Digital Cinema Auto Calibration with setup microphone • Digital Cinema Sound™ Signal Processing



- Component (Y/Pb/Pr) Inputs x2
- Component (Y/Pb/Pr) Outs: x1
- S-Video Inputs x3 • S-Video Output x1
- Composite Video Output x1
- Composite Video Ins x4 (3 Rr, 1 Frnt)
- Optical Audio Inputs: x2
- Optical Audio Output x1
- Coaxial Audio Digital Inputs x2
- Subwoofer Output(s): x1
- Antenna x1 AM x1FM
- Headphone Jack: 1/4"
- Digital Media Port

##### Supplied Accessories:

- Instruction Manual; FM Wire Antenna; AM Loop Antenna; Size AA Batteries: 2 Remote Commander® Remote Control

**SONY™ HIGH DEFINITION CAMCORDERS**

Picture	Model/Description
 <ul style="list-style-type: none"> <li>• Component Out</li> <li>• Audio Input/Output (Stereo, Mini)</li> <li>• i.LINK®<sup>2</sup> DV Interface (IEEE1394)</li> <li>• USB (1.1)</li> <li>• Headphone (Stereo, Mini)</li> <li>• Mic. Input (Stereo, Mini)</li> <li>• S-Video out (via accessory)</li> <li>• HDMI</li> <li>• LANC terminal</li> </ul> <p><b>Supplied Accessories:</b>            Power Adaptor/ In Camera Charger (AC-L15), InfoLithium Rechargeable Battery (NP-F570), Remote Control (RMT-831), Component Video Cable, Stereo A/V Cable, Lens Hood, USB Cable, Large Size Eye Cup</p>	<p><b>HDR-FX7 Handycam® Camcorder</b> <span style="float: right;"><b>HDV</b></span></p> <p><b>FEATURES</b></p> <ul style="list-style-type: none"> <li>• Record and playback HDV 1080i video • 3 1/4" CMOS sensors • Also record Standard Definition • ClearVid™ CMOS Sensor—stunning detail &amp; clarity • 20x Optical Zoom retains clarity from far away • Wide 3.5" Hybrid Touch Panel • Clear Photo™ LCD<sup>1</sup> plus • 1.2 Megapixel Still Capture to Memory Stick Duo™ • Professional 62mm Carl Zeiss® Vario-Sonnar® T* Lens • Super SteadyShot®</li> </ul> <p><b>Specifications</b></p> <ul style="list-style-type: none"> <li>• Recording and Playback Times: HQ: 440 min., SP: 650 min., LP 1250 min</li> <li>Dimensions: 5 3/4" x 6 1/4" x 12 3/4"</li> <li>• Weight: 3 lbs 10 oz.</li> </ul> <p><b>OPTIONAL ACCESSORIES</b>            Rechargeable Battery Pack (NP-F770/970), Hard Carrying Case (LCS-FXA), Soft Carrying Case (LCS-VCB), Remote Control Tripod (VCT-1170RM), Shoulder Brace (VCT-FXA), Video Light (HVL-20DW2), High Grade Wide Angle Lens (VCL-HG0762), High Grade Telephoto Lens (VCL-HG1762), AC Battery Charger (AC-VQ1050D)</p>
 <ul style="list-style-type: none"> <li>• Composite (Mini)</li> <li>• S-Video</li> <li>• Audio Input/Output (Stereo, Mini)</li> <li>• i.LINK®<sup>2</sup> DV Interface (IEEE1394):</li> <li>• Headphone Jack (Stereo, Mini)</li> <li>• Mic. Input (Stereo, Mini)</li> </ul> <p><b>Supplied Accessories:</b>            AC-L15 Power Adaptor/ In-Camera Charger, NP-F570 InfoLithium® Rechargeable Battery, RMT-831 Wireless Remote Commander® Remote Control, AA Battery, Lens Hood, Lens Cap, Multi A/V Cable, Component Video Cable, Cleaning Cassette, Shoe Adapter, Large Eye Cup, Shoulder Strap</p>	<p><b>HDR-FX1 HDV Handycam® Camcorder</b> <span style="float: right;"><b>HDV</b></span></p> <p><b>FEATURES</b></p> <ul style="list-style-type: none"> <li>• 1080i high definition video recording and playback • 3 - 1/3" wide aspect ratio Advanced HAD™ CCD imagers for enhanced color quality • Professional-level MPEG2 video compression with the Real-time HD Codec Engine • Carl Zeiss® Vario-Sonnar® T* lens with 12x optical zoom • 3.5" wide precision hybrid SwivelScreen™ LCD display</li> </ul> <p><b>Specifications</b></p> <ul style="list-style-type: none"> <li>• Power Consumption (VF/LCD/VF+LCD): 7.4W / 8.0W / 8.4W</li> <li>• Recording and Playback Times: HQ: 440 min., SP: 650 min., LP 1250 min</li> <li>• Dimensions (WHD): 6" x 7 1/8" x 14 3/8"</li> <li>• Weight: 4 lbs 4 oz</li> </ul>
 <ul style="list-style-type: none"> <li>• LANC Terminal: (Stereo Mini)</li> <li>• Analog Audio/Video Out (Multi A/V)</li> <li>• Digital Audio/Video In/Out: (i.LINK®)</li> <li>• USB Port (1.1 compliant)</li> </ul> <p><b>Supplied Accessories:</b>            Power Adaptor/ In Camera Charger (AC-L15), InfoLithium® Rechargeable Battery (NP-FM50), Wireless Remote Commander® Remote Control (RMT-831), Lens Hood; Lens Cap, A/V Cable, Component Video Cable, Shoulder Strap</p>	<p><b>HDR-HC5 HDV 1080i Handycam® Camcorder</b> <span style="float: right;"><b>HDV</b></span></p> <p><b>FEATURES</b></p> <ul style="list-style-type: none"> <li>• 1080i high definition video recording and playback • Single 1/3" 2.1 Megapixel (Gross) ClearVid CMOS Sensor™ • Record in High Definition or Standard Definition • 10X Optical / 80X Digital Zoom • Carl Zeiss® Vario-Sonnar® T* Lens • NightShot® Plus • Memory Stick Duo™</li> </ul> <p><b>Specifications</b></p> <ul style="list-style-type: none"> <li>• Dimensions 3 1/4" x 3 1/8" x 5 1/2"</li> <li>• Weight: 1 lbs 5 oz</li> </ul>

## SONY™ HIGH DEFINITION CAMCORDERS

### Picture

### Model/Description



- Analog Audio/Video Output (Multi A/V)
- Digital Audio/Video In/Out (via USB 2.0)
- Component Video (Y/Pb/Pr) Output
- Headphone
- Microphone -Stereo Mini
- Remote Stereo Mini
- S-Video Output: (optional accessory)
- HDMI™ Out

SUPPLIED ACCESSORIES Power Adapter/In-Camera Charger, InfoLithium® Rechargeable Battery (NP-FM50), Remote Control (RMT-835), Component Video Cable A/V Cable (Stereo), USB Cable



#### HDR-SR7 AVCHD™ Hard-drive Camcorder

##### FEATURES

- Record HD video on a HDD with AVCHD™ technology
- Record in High or Standard Definition
- 3 Megapixel ClearVid™ CMOS Sensor
- 60GB Drive
- Record to HDD in MPEG2 or AVCHD formats
- Records 5.1ch Surround Sound w/ built-in microphone
- Wide 3.5" Hybrid Touch Panel
- Clear Photo™ LCD plus
- 6.1 Megapixel Still Capture to HDD or Memory Stick Duo™
- Composite, component, USB 2.0 and HDMI™ connectivity
- Professional 30mm Carl Zeiss Vario-Sonnar® T\* Lens
- 10x optical 20x digital zoom
- Nightshot
- Memory Stick Duo

##### Specifications

- Power Consumption (VF/LCD/VF+LCD): 7.4W / 8.0W / 8.4W
- Dimensions 3 1/14" x 3 4/13" x 6 1/2"
- Weight: 1 lbs 6 oz

OPTIONAL ACCESSORIES Rechargeable InfoLithium® Batteries (NP-QM71/QM91D) Travel Charger (BCT-TRM) Carrying Case (LCS-HCF) High Grade Component Cables (VMC-30VC) Remote Control Tripod (VCT-D680RM) High Grade Wide Angle Lens (VCL-0730X) High Grade Telephoto Lens (VCL-HG2030) Polarized Filter Kit (VF-30CPKXS) Filter Kit (VF-R30NKX) Video Light (HVL-HL1) Wireless Bluetooth™ Microphone (ECM-HW1) Rapid A/C Charger (AC-SQ950D)

# AVCHD

#### HDR-SR5 AVCHD™ Hard-drive Camcorder

##### FEATURES

- Similar to above with 40GB Drive and 4 Megapixel imager



- Analog Audio/Video Output (Multi A/V)
- USB 2.0
- Component Video (Y/Pb/Pr) Output
- Headphone
- Microphone -Stereo Mini
- Remote Stereo Mini
- S-Video Output: (optional accessory)
- HDMI™ Out

SUPPLIED ACCESSORIES Power Adapter/In-Camera Charger (AC-L15), InfoLithium® Rechargeable Battery (NP-FM50), Remote Control (RMT-835), Component Video Cable A/V Cable (Stereo), Application CD-ROM w/ Driver USB Cable



#### HDR-UX7 AVCHD™ DVD Camcorder

##### FEATURES

- Record HD video on a DVD with AVCHD™ technology
- Record in High or Standard Definition
- 3 Megapixel
- ClearVid™ CMOS Sensor
- 3.5" LCD screen
- Record to DVD in MPEG2 or AVCHD formats
- Records 5.1ch Surround Sound w/ built-in microphone
- Wide 3.5" Hybrid Touch Panel
- Clear Photo™ LCD plus
- 6.1 Megapixel Still Capture to Memory Stick Duo™
- Composite, component, USB 2.0 and HDMI™ connectivity
- Professional 30mm Carl Zeiss Vario-Sonnar® T\* Lens

##### Specifications

- Power Consumption (VF/LCD/VF+LCD): 7.4W / 8.0W / 8.4W
- Dimensions 3 5/8" x 3" x 6 1/2"
- Weight: 1 lbs 10 oz

OPTIONAL ACCESSORIES Rechargeable InfoLithium® Batteries (NP-QM71/QM91D) Travel Charger (BCT-TRM) Carrying Case (LCS-HCF) Carrying Case (LCS-VA30) High Grade Component Cables (VMC-30VC) Remote Control Tripod (VCT-D680RM) High Grade Wide Angle Lens (VCL-0730X) High Grade Telephoto Lens (VCL-HG2030) Polarized Filter Kit (VF-30CPKXS) Filter Kit (VF-R30NKX) Video Light (HVL-HL1) Wireless Bluetooth™ Microphone with Center Channel Capability (ECM-HW1) Rapid A/C Charger (AC-SQ950D)

# AVCHD

#### HDR-UX5 AVCHD™ DVD Camcorder

##### FEATURES

- Similar to above with 2/7" LCD and 2 Megapixel imager for video; 2MP still

## SONY™ DIGITAL CAMCORDERS

### Picture

### Model/Description



- USB Port (2.0 compliant)
- Mic In thru Active Interface Shoe)
- Analog Audio/Video Out (Multi A/V)
- Digital Audio/Video In/Out: (i.LINK®)

#### Supplied Accessories:

- Supplied Accessories: Power Adapter/In-Camera Charger (AC-L200), InfoLithium® Rechargeable Battery (NP-FH40), Stereo AV Cable, Handycam DVD

#### DCR-DVD108 DVD Handycam Camcorder

##### FEATURES

- 1/6" Advanced HAD™ • CCD imagers 680k Pixles • DVD-R, DVD-RW and DVD+RW compatibility • 2.7" wide touch panel SwivelScreen™ hybrid LCD display • Dolby Digital 5.1ch Recording • 2.5" LCD screen • Memory Stick • Nightshot Plus • Super Steady Shot • Carl Zeiss® Vario-Tessar® Lens

##### Specifications

- Power: InfoLITHIUM® with AccuPower™ Meter System (NP-FH40)
- Recording and Playback Times: HQ: 20 min., SP: 30 min., LP 60 min
- Dimensions: 2 1/4" x 3 5/8" x 5 1/4"
- Weight: 16 oz



- USB Port (2.0 compliant)
- Mic In thru Active Interface Shoe)
- Analog Audio/Video Out (Multi A/V)
- Digital Audio/Video In/Out: (i.LINK®)

#### Supplied Accessories:

- Supplied Accessories: Power Adapter/In-Camera Charger (AC-L200), InfoLithium® Rechargeable Battery (NP-FH40), Stereo AV Cable, Handycam DVD

#### DCR-DVD408 DVD Handycam Camcorder

##### FEATURES

- 2 Megapixel 1/3" ClearVid CMOS sensors • DVD-R, DVD-RW and DVD+RW compatibility • 2.7" wide touch panel SwivelScreen™ hybrid LCD display • Dolby Digital 5.1ch Recording • 2.5" LCD screen • Memory Stick • Nightshot Plus • Super Steady Shot • 10x Optical 80x Digital Zoom • Smooth Slow Recording

##### Specifications

- Power: InfoLITHIUM® with AccuPower™ Meter System (NP-FH40)
- Recording and Playback Times: HQ: 20 min., SP: 30 min., LP 60 min
- Dimensions: 2 7/8" x 3 1/2" x 5 5/8"
- Weight: 1.4 lbs.



- USB Port (2.0)
- Mic In (thru Active Interface Shoe)
- Analog Audio/Video Out (Multi A/V)
- S-Video I/O (optional accessory)

#### Supplied Accessories:

- Supplied Accessories: Power Adapter/In-Camera Charger (AC-L200), InfoLithium® Rechargeable Battery (NP-FH60), Stereo AV Cable, Handycam DVD

#### DCR-SR200 30GB Hard Drive Handycam®

##### FEATURES

- 2 Megapixel (video) 1/3" Advanced HAD™ CCD • 3.3 Megapixel (still) • Carl Zeiss® Vario-Sonnar® T\* lens • Dolby Digital 5.1ch Recording • Super SteadyShot® Picture Stabilization System • Switch between 4:3 and 16:9 aspect • Digital Still Memory Mode • 40 GB Drive • 4MP Still • Memory Stick

##### Specifications

- Power Consumption (VF/LCD/VF+LCD): 7.4W / 8.0W / 8.4W
- Dimensions: 3" x 3 3/8" x 5 7/8"
- Weight: 1 lb. 2 oz with Battery

**SONY™ DIGITAL CAMCORDERS**
**Picture**
**Model/Description**

**DCR-VX2100 Digital Handycam® Mini-DV Tape Camcorder**
**FEATURES**

- 1/3" Advanced HAD™ 3 CCD imagers with 380k gross pixels each
- 12X optical zoom lens with 48X digital zoom • Aspherical ground glass 58mm lens • Manual zoom and focus rings • Super SteadyShot® optical stabilization system

**Specifications**

- Dimensions 4 3/4" x 6 3/8" x 15 1/2" (120 x 159 x 393mm)
- Weight: 3 lbs 6 oz

- Video I/O- (Phone Jack and S-Video)
- Audio Input/Output: Stereo, Special
- i.LINK® DV Interface (IEEE1394)
- Mic In
- Headphone out

**Supplied Accessories:**

AC-L15 Power Adaptor/ In Camera Charger, NP-F330 InfoLithium® Rechargeable Battery, RMT-811 Wireless Remote Commander® Remote Control, 8MB Memory Stick® Media- 2AA Batteries, A/V Cable, Lens Hood, Shoulder Strap


**DCR-HC28 Digital Handycam® Mini-DV Tape Camcorder**
**FEATURES**

- 1/6" Advanced HAD™ CCD imager with 680K effective pixels • 20X optical zoom lens with 800X digital zoom • Carl Zeiss® Vario-Tessar® T\* lens • 2.5" touch panel SwivelScreen™ LCD • Super SteadyShot® Picture Stabilization System

**Specifications**

- InfoLithium® with AccuPower™ Meter System (NP-FP30)
- Dimensions: 3/8" x 2 3/4 "x 5 7/8" (82 x 69 x 149mm)
- Weight: 1 lb. 6 oz (615g) with Battery

- USB Port (1.1 compliant)
- Analog Audio/Video Out (Multi A/V)
- Digital Audio/Video In/Out: (i.LINK®)
- S-Video I/O (optional accessory)


**GV-D1000 MiniDV Video Walkman® VCR**
**FEATURES**

- 4" LCD display for viewing you MiniDV video on the go • Built-in Memory Stick® terminal for still image capture • USB streaming for sharing your video over the internet • MPEG Movie Mode allows you to capture MPEG1 video directly to Memory Stick® media • Analog to Digital conversion with pass through.

**Supplied Accessories:**

AC-L10 Power Adapter, AV Cables, RMT-811 Remote Commander®, 2 AA batteries, CD-ROM Drivers (PIXELA ImageMixer 1.0)

- Video I/O: Mini Jack x 1 (Input), RCA Composite (Output)
- S-Video Input/Output:
  - Audio Input/Output: Mini Jack x 1
- i.LINK® DV Interface (IEEE 1394):
  - USB: In/Out
  - Headphone Jack: Stereo (Mini)
  - Control L (LANC) Stereo (Mini)

**SONY™ DV-DIRECT RECORDERS**

**Picture Model/Description**



Camcorder, camera, and memory cards not included

- Composite Video input
- S- Video input
- Stereo Audio input
- USB Port
- Memory card slot

**VRD-MC3 DV TO DVD Recorder**

**FEATURES**

- Transfer Digital Video And Digital Photos To DVD - No PC Required • Present As A Slideshow • Transfer Video From HDD Handycam to DVD at up to 6X • Consolidate Multiple Mini-DVDs to a Single 5" DVD • Connect To Virtually Any Camcorder, VCR, or DVR • Records From USB, DV, Composite Video, S-Video Inputs • Supports Memory Stick, SD, xD, CF Camera Memory Cards • Record Up To 12 Hours Video Per Disc • Full Support For Dolby Digital 5.1 Surround Sound • 4:3 Full Screen and 16:9 Wide Screen Support • Windows 2000/XP compatible only • Nero image software included • 2.5" LCD viewer

**Supplied Accessories:** AC Adapter and AC Power Cord, USB Cable, Software CD, operating instructions, Quick Start Guide, software quick start guide, warranty card.



- Composite Video input
- S- Video input
- Stereo Audio input
- USB Port

**VRD-VC30 DV TO DVD Recorder**

**FEATURES**

- Transfer Digital Video (no photos) To DVD • Transfer Video From HDD Handycam • Other features same as above model

**Supplied Accessories:** AC Adapter and AC Power Cord, USB Cable, Software CD, operating instructions, Quick Start Guide, software quick start guide, warranty card.

**SONY™ STILL POCKET CAMERA**



**DSC-T200 CyberShot Digital Camera**

**FEATURES**

- 8.1 MP Super HAD™ CCD • 20X optical zoom lens with 800X digital zoom • Carl Zeiss® 5X Optical Zoom Lens Design • Face Detection-2 reveals faces in shadow, makes skin tones look more natural and eliminates harsh facial glare • Super SteadyShot® Picture Stabilization System • 3.0" Clear Photo LCD Plus™ Screen • HD Output • In-Camera Retouching • 31 MB Internal Memory • Memory Stick Duo™





**Specifications**

- Battery Life: 340 shots
- Dimensions: 3 1/2" x 2 1/4" x 7/8"
- Weight: 6 oz


NP-BG1 rechargeable battery  
 BC-CSG battery charger  
 A/V and USB multi-connector cables  
 Wrist strap  
 Software CD-ROM  
 No Memory Stick® media included.



**SONY™ STUDIO HEADPHONES**

Picture	Model/Description
	<p><b>MDR-7502</b>            Small diaphragm headphones. Headphone features include 30mm driver unit, closed ear design. Frequency response: 60Hz to 16kHz, Sensitivity: 98 db/mW</p>
	<p><b>MDR-7505</b>            Small diaphragm foldable headphones. Headphone features include folding construction, 40mm driver unit, closed ear design. Frequency response: 10Hz to 25kHz, Sensitivity: 105 dB/mW  <b>Supplied Accessories:</b> Carrying case</p>
	<p><b>MDR-7506</b>  <u>Large diaphragm</u> foldable headphones. Headphone features include rugged design, folding construction, 40mm driver unit, closed ear design. Response: <u>5Hz to 30kHz</u>, Sensitivity: 106 dB/mW  <b>Supplied Accessories:</b> Carrying case</p>
	<p><b>MDR-7509HD</b>            Auranomic (driver units have been designed in accordance with the angle of the ear) large diaphragm studio-reference full-cup headphones. Features rugged design, folding construction, 360kJ/m3 high power neodymium magnets, 80kHz reproduction using 50mm HD driver units, high power handling capacity 3,000mW &amp; Gold connectors.  <b>Supplied Accessories:</b> Carrying case</p>

**SONY Fontopia® HEADPHONES**

	<p><b>MDREX71SL</b>            Super-Light In-The-Ear Design New, Super-Small 9 mm Drivers Soft, Silicon Earbuds            . Response: : 6 - 23,000 Hz            Weight: 0.1 oz. (4g), without cord  <b>Supplied Accessories:</b> Carrying case Second set of earpads</p>
---	---

**SONY™ HEADPHONES - DJ - Street - Wireless - Noise Cancelling**

Picture	Model/Description
	<p><b>MDR-V700DJ</b>  <b>Disc Jockey Headphones</b></p> <ul style="list-style-type: none"> <li>• Large diaphragm DJ headphones. • Neodymium Magnet • Impedance 24 ohms</li> <li>• Sensitivity 107 dB/mW • Power Handling Capacity 3000 mW • Frequency Response 5 — 30,000 Hz • Headbandwide, adjustable single headband with folding earcups • Earcups swivel and reversible for single-sided monitoring • auto-return mechanism • 50mm drivers</li> <li>• Supplied Accessories: Carrying case</li> </ul>
	<p><b>MDR-G57G</b>  <b>Street Style® Headphones;</b>  <b>Behind-the-neck headband</b></p> <ul style="list-style-type: none"> <li>• Drive Unit: 30 mm • Diaphragm: PET • Impedance: 24 ohms • Frequency Response: 16 - 20,000 Hz • Headband: Behind-the-neck, Single • Cord: Oxygen-free copper; Single-sided, 5 feet (1.5 m) • Plug: L-Shaped, stereo mini plug • Audio sensitivity: 104 dB/mW • Magnet: Ferrite • Power Handling Capacity: 1000 mW</li> </ul>
	<p><b>DR-BT30Q/S</b>  <b>Blue tooth headset- microphone</b></p> <ul style="list-style-type: none"> <li>• Driver Unit 30mm, dome type • Frequency Range 20Hz - 20,000Hz • Magnet: Neodymium</li> <li>• Built in Microphone • Battery Life (Approx.) 11 hours • Bluetooth® Ver.2.0</li> </ul>
	<p><b>MDR-RF970RK</b>  <b>Wireless Headphones</b></p> <ul style="list-style-type: none"> <li>• 150 foot range. 900 MHz Radio Frequency (RF) Transmission. • Rechargeable NiMH batteries.</li> <li>• 40mm diameter, dome type • Automatic tuning • RF Carrier Frequencies: Ch.1: 915.5 MHz Ch. 2: 916.0 MHz Ch. 3: 916.5 MHz • Frequency Response: 10-22,000Hz • Sensitivity: 105 dB/mW</li> <li>• Power AC 120Vm 60Hz • Induction charging: not direct pin contact for ease</li> </ul>
	<p><b>MDR-NC6</b>  <b>Noise Cancelling Headphones</b></p> <ul style="list-style-type: none"> <li>• Reduces outside noise by 70% (10db) • Slim Swivel Folding Style • Impedance: Power On: 20 ohms at 1kHz; Power Off: 65 ohms at 1kHz • Frequency Range: 10 dB at 300 Hz • Noise Reduction: 40 - 1,500 Hz • Single AA battery required. )</li> </ul>
<p><b>SONY Microphone</b></p>	
	<p><b>ECM 719</b>  <b>Miniature Stereo Microphone</b></p> <ul style="list-style-type: none"> <li>• For Table-Top or Clip-On Us • Back Electret Condenser Pickup Capsules • Frequency Response: 100 Hz - 15 kHz • Mode Switch (music/speech) • Effective Output Level: -47dB, ±4dB (0dB = 1V/Pa, 1 kHz) • Output Impedance: 1.5k ohms ±30%, unbalanced • Maximum Sound Pressure Input Level: &gt;110dB SPL • Dynamic Range: 80dB</li> </ul>

# NEW SOLUTIONS FROM STARIN



**EMBLAZE VCON**  
VIDEO CONFERENCING



**POWER PROTECTION**



## POLICIES

### ALL REPRESENTATIONS

Any specification or product information herein is subject to change without notice and Starin is held harmless for errors or omissions.

### ALL SALES

All accounts are COD Certified/CIA/MasterCard/Visa until credit is approved. If credit is approved, terms will be COD (Company Check) or NET 30 as determined by credit department.

### PAYMENT TERMS

30-day terms are allowed on credit approved accounts. Payments paid within the terms are defined as those payments received and posted to your account no later than 30 days from the invoice date.

### SHIPPING

FOB Starin Distributing 136 Venturi Drive Chesterton, IN 46304.

### MINIMUM ORDER

There is no minimum order.

### PAST DUE ACCOUNTS

All invoices are due according to the terms stated on the invoice. A finance charge of 1.5% per month will be assessed on the unpaid balance of all invoices past due. In the event a finance charge is not assessed on a monthly basis that shall not be deemed a waiver of our right to assess such charges at a later date. Accounts extending 45 days beyond the invoice date may be placed on COD Certified, CIA or Credit Card status. Accounts extending 65 days may be referred to an agency for collection.

### RETURNED CHECKS

A \$30 charge is applied to all checks returned for insufficient funds and discount privileges are forfeited on applicable invoices.

### DEFAULT

In the event collection is required for past due invoices and accounts, you agree to pay reasonable costs and attorney fees incurred.

### SHORTAGES OR DAMAGED SHIPMENTS

All shortages or damaged shipments must be noted on carrier's bill of lading or similar document. A claim against the carrier must be filed per ICC regulations and we must be notified in writing within 10 days of the invoice date.

### RETURN POLICY

A return authorization (RA) number must accompany all merchandise returned for credit. A 25% restocking charge may be assessed on all returned goods. Special Orders may not be returned.

### REPAIR/RETURN POLICY

Repairs of defective merchandise under warranty should be arranged between the end user and the manufacturer. Merchandise should not be returned to Starin Distributing for repair unless instructed to do so. A return authorization (RA) number must accompany all merchandise returned for repair along with information that will assist in the diagnosing of the problem.

### PRICING POLICY

Prices are subject to change without notice.

### DEALER AGREEMENTS

Select brands require a signed dealer agreement before any product can be shipped

### MAP POLICY

Minimum Advertised Price ("MAP") unilaterally sets the MAP on all products (where it is listed) by all means of solicitation, including electronic or print means, including facsimile, Internet Web Site, On-Line Service, Newspaper, Magazine, Newsletter, Direct Mailing, or similar means. Dealers who advertise products below MAP pricing will be terminated immediately.



## SINGLE REFLEX PROFESSIONAL CAMERA

DSLR-A100H Camera (18-200mm lens kit)  
 DSLR-A100K Camera (18-70mm lenskit)  
 DSLR-A100 Camera (body only no lens)

**Sony combines technologies with Minolta in the DSLR-A100 camera** including 10 MP performance, high-Sensitivity shooting, Super SteadyShot® in-camera image stabilization, Dynamic Range Optimizer to recapture detail and Eye-Start® Autofocus for faster response — plus precision Sony® and Carl Zeiss® lens systems and Minolta A-mount lens compatibility.

### FEATURES:

10.2 MP Resolution, APS-size CCD High Sensitivity (ISO 1600) for shooting without flash Super SteadyShot® stabilization to reduce blur Kit include DT 18-200mm f3.5-6.3 Standard Zoom Lens. Advanced Sony and Carl Zeiss® lens systems and accessories Accepts millions of Minolta A-mount lenses Dynamic Range Optimizer, Bionz™ Image Processor Anti-Dust Technology to keep CCD imager clean Eye-Start® Autofocus System to speed focusing response 2.5" Clear Photo LCD Plus™ screen for easy setup Lithium Ion battery with Stamina® power — up to 750 shots



Weight: 1 lb., 3 oz (545 g) body, not including battery, lens and media  
 Dimensions: (WHD) 5 1/4" x 3 3/4" x 2 7/8"

## SNAP LAB

UP-CR10L Digital Photo Finish Printer

**This is not your average color laser printer. This is professional quality, photo lab rendering.**

A Dye-sublimation roll technique produces loaded and stored images in 17 seconds or less. Snap Lab accepts 5 memory card types from an array of cameras. Although you do not need a PC to operate it, you can also connect and print from a PC in 3 Print sizes: 3.5 x 5, 4 x 6 and 5 x 7 8" .



Weight: 24lbs 4oz  
 Dimensions: 10 7/8" x 11 7/8" x 14 15/16




- Ideal for event hand-out photos
- Create durable ID's
- Templates allow border ideas and titling
- Processing crops, reduces red eye, adds cecia or other tones

**Educational customers are getting into SNAP LAB!**

SEE THE DEMO AT: <http://bssc.sel.sony.com/BroadcastandBusiness/markets/10003/snaplabFlash.shtml>

## THE READER PRS-500



The Sony® Reader holds about 80 electronic books or hundreds more with a removable memory card. It's as easy to carry as a slim paperback and thanks to electronic paper, easy to read. And, using the included CONNECT™ Reader PC Software, you can also enjoy reading more than just electronic books. Easily transfer Adobe® PDF documents, BBeb Book, and other text file formats to the Reader. Browse and select from thousands of electronic book titles and other Web content for purchase and download.



- Paper-like, no glare Display
- 6" diagonal screen size
- 64MB of Internal Memory
- 20MB hard drive
- Exceptional Battery life - 7,500 continues page turns
- Windows® XP
- 20MB hard drive
- Media supported : Unsecured Audio -MP3 and AAC
- Image - JPEG, GIF, PNG, and BMP