

# Optiquest® Q22wb

**22" WIDESCREEN LCD**  
**WITH FAST 5MS VIDEO RESPONSE**

## Enhance your productivity.

The Optiquest Q22wb 22" widescreen LCD is the big screen choice for users on a budget. You won't sacrifice performance for price with this display. The Q22wb combines high brightness and 900:1 contrast ratio (typ) with SUPER-FAST 5MS VIDEO RESPONSE for crystal-clear, blur free video, text and graphics. Work in two applications or documents side-by-side, enhancing your productivity. INTEGRATED SPEAKERS and power supply and VESA® wall-mount compliance reduce clutter and free up valuable desktop real estate. Lock in your screen settings with the OSD lock and prevent theft with the Kensington® security port. Furnish your workplace in style with the budget-friendly, feature-rich Q22wb.



### AFFORDABLE HIGH PERFORMANCE

- > **Fast 5ms video response** delivers superior picture clarity
- > **High brightness and contrast ratio**  
300-nit brightness (typ) and 900:1 contrast ratio (typ) for rich, detailed images.
- > **1680x1050 optimum resolution**  
Incredible image detail for sharp text and graphics.
- > **Stylish slim-bezel design**  
An ultra-thin bezel lets you see more without taking up valuable desktop real estate.
- > **OnView® controls for superior screen adjustability**  
Screen adjustments are precisely made via an easy-to-use on-screen menu.
- > **Full 22" viewable widescreen**  
Displays a full, flat 22" viewable area with crisp detail and fully saturated color.
- > **Integrated power supply**
- > **VESA® 100mm wall-mount compliant**
- > **24/7 free technical and customer support\***
- > **PC and Mac® compatible**



**VIEWSONIC**  
PRODUCTS, PROGRAMS,  
AND SERVICES

**ViewSonic®** See the difference® 

# Optquest® Q22wb

22" WIDESCREEN LCD WITH FAST 5MS VIDEO RESPONSE



<b>LCD</b>	Type	22" color TFT active matrix WSXGA LCD
	Display Area	18.7" horizontal x 11.7" vertical; 22.0" diagonal
	Optimum Resolution	1680x1050
	Contrast Ratio	900:1 (typ)
	Viewing Angles	170° horizontal, 160° vertical @ contrast ratio > 10:1
	Response Time	5ms (typ)
	Light Source	Long life, 50,000 hrs. (typ)
	Brightness	300 cd/m2 (typ)
	Panel Surface	Anti-glare
<b>VIDEO INPUT</b>	Analog/Digital	RGB analog (75 ohms, 0.7 Vp-p)/DVI-D
	Sync	H/V separated (TTL)
	Frequency	F <sub>H</sub> : 31~82kHz, F <sub>V</sub> : 55~76Hz
<b>COMPATIBILITY</b>	PC	VGA up to 1680x1050 non-interlaced
	Mac***	Power Mac™ G3/G4/G5 up to 1680x1050
<b>CONNECTOR</b>	Analog/Digital	15-pin mini D-sub/DVI-D
	Power	3-pin AC plug (CEE22)
<b>POWER</b>	Voltage	AC 100–240V (universal), 50/60Hz (auto switch)
	Consumption	45W (typ)
<b>CONTROLS</b>	Basic	Power, 2, up, down, 1
	OnView®	Auto image adjust, brightness, contrast, ViewMatch® color adjust (sRGB, 9300K, 6500K, 5400K user color), H. position, V. position, H. size, resolution notice, OSD position, OSD timeout, OSD background, fine tune, sharpness, language, input select, recall
<b>OPERATING CONDITIONS</b>	Temperature	32–104°F (0–40°C)
	Humidity	10–90% (non-condensing)
<b>DIMENSIONS (W x H x D)</b>	Physical with stand	20.4" x 17.5" x 6.8" (517mm x 444mm x 173mm)
	Physical without stand	20.4" x 14.2" x 2.7" (517mm x 361mm x 68mm)
<b>WEIGHT</b>	Net with stand	13.3 lb. (6.0 kg)
	Net without stand	11.4 lb. (5.2 kg)
	Gross with stand	19.0 lb. (8.6 kg)
<b>REGULATIONS</b>	UL, cUL, FCC-B, ENERGY STAR®, TCO'03, ICES-003B, RoHS, CB, CE, WEEE, ISO13406-2, TUV-S, NOM, GOST-R	
<b>RECYCLE/DISPOSAL</b>	The lamp in this product contains mercury. Please dispose of in accordance with local, state and federal laws.	
<b>POWER MANAGEMENT</b>	Meets TCO'03 and ENERGY STAR® standards	
<b>PACKAGE CONTENTS</b>	LCD display, power cable, video cable, Quick Start Guide, Wizard CD-ROM (DVI cables not included)	
<b>WARRANTY</b>	One-year limited warranty on parts and backlight.	



ViewSonic Corporation's QMS & EMS have been registered to ISO 9001 & ISO 14001, respectively, by the British Standards Institution.

ViewSonic Corporation • 381 Brea Canyon Road, Walnut, CA 91789

Customer Service and Technical Support: (800) 688-6688 • Sales: (888) 881-8781 • SalesInfo@ViewSonic.com • ViewSonic.com

\*Excluding major U.S. holidays. \*\*Adapter may be required. Analog adapter available from ViewSonic. Specifications subject to change without notice. Selection, offers and programs may vary by country; see your ViewSonic representative for complete details. Corporate names, trademarks stated herein are the property of their respective companies. Copyright © 2007 ViewSonic Corporation. All rights reserved. [13299-00B-01/07] Q22wb-1

**ViewSonic®**  
See the difference® 

For more product information, visit us on the web at ViewSonic.com