

Covering the TI99/4A, the Myarc 9640 and compatibles

MICROpendium

Volume 5 Number 5

June 1988

\$2.00

CROAKER

A new game
program from
David Mennoneh
See Page 21

PLUS:

A first look at
TI-BASE

Lutz Winkler on
Forth

Regena on BASIC

More on exploring
your printer

Geneve • c99 • Mini-
Memory • user notes •
news • and much more



1988 PRICES SLASHED

NEW LOW PRICES ON
PERIPHERALS AND
SOFTWARE... OUR
LOWEST PRICES
EVER!!!!!!

Tex-Comp
P.O. Box 33084, Granada Hills, CA 91344



ORDER BY
PHONE

Charge-It On Your
Visa or MasterCard

(818) 366-6631

24 HOURS a day-

Send for 1988 Tex-Comp catalog &
buyer's guide only \$2.00 (comes with \$5
savings certificate)

TI-99/4A Home Computer The System. The Software.

Better to start with. Better to stay with. Better to grow with.
Software

HOME ENTERTAINMENT

MODULES

PHM 3023	Hunt the Wumpus.....	4.95
PHM 3030	Amazing.....	4.95
PHM 3052	Tomestone City.....	4.95
PHM 3053	TI Invaders.....	4.95
PHM 3054	Car Wars.....	4.95
PHM 3057	Munch Man.....	4.95
PHM 3056	Alpiner.....	4.95
PHM 3112	Parsec.....	4.95
PHM 3031	The Attack.....	4.95
PHM 3032	Blasto.....	4.95
PHM 3194	Jawbreaker II.....	5.95
PHM 3110	Chlgholm Trail.....	5.95
PHM 3034	Hustle.....	6.95
PHM 3037	Hangman.....	6.95
PHM 3025	Mind Challengers.....	8.95
PHM 3036	Zero Zap.....	8.95
PHM 3038	Connect Four.....	8.95
PHM 3042D	Tunnels of Doom (with disk).....	9.95
PHM 3042T	Tunnels of Doom (with tape).....	9.95
PHM 3067	Othello.....	9.95
PHM 3220	Micro Surgeon.....	9.95
PHM 3219	Super Demon Attack.....	9.95
PHM 3224	Moonsweeper.....	9.95
PHM 3222	Fathom.....	9.95
PHM 3233	Burgertime.....	9.95
PHM 3131	Koomline.....	9.95
PHM 3146	Munchmobile.....	11.95
PHM 3197	Slymonds.....	15.99
PHM 3225	Star Trek.....	15.95
PHM 3226	Rock Rogers.....	15.95
PHM 3227	Conco Bongo.....	15.95

ADVENTURES

PHM 3041D	Adventure Module & Pirate Adv.(disk).....	6.95
PHM 3041T	Adventure Module & Pirate Adv.(tape).....	6.95
ADVENTURE SERIES (must be used with PHM 3041 module) specify disk or tape with order		
	Adventureland.....	4.95
	Mission Impossible.....	4.95
	Yoodoo Castle.....	4.95
	The Count.....	4.95
	Strange Odyssey.....	4.95
	Mystery Fun House.....	4.95
	Pyramid of Doom.....	4.95
	Ghost Town.....	4.95
	Savage Island I&II (two adventures).....	4.95
	Golden Voyage.....	4.95
	Knight Ironheart Adventure.....	4.95
***SPECIAL-ALL ABOVE ADVENTURES ON DISK OR TAPE.....		17.95
	Soldierman Adventure.....	7.95
	Incredible Hulk Adventure.....	7.95
	Buckaroo Banzai Adventure (based on the movie).....	7.95
	Sorcerer of Claymorgue Castle.....	7.95
***SPECIAL-ALL OF THE ABOVE FOUR + HINT BOOK + TWO NEW BONUS ADVENTURES.....		17.95
***SUPER ADVENTURE SPECIAL-BOTH OF THE ABOVE SPECIALS +COMPLETE HINT BOOK+ADVENTURE MODULE.....		29.95
PHM 3189	Return to Pirate's Island I self contained adventure on module with graphics).....	11.95

NBX Programs (NBX Unit Required)

PHM 3154	Terry Turtle's Adventure.....	2.95
PHM 3155	I'm Hiding.....	2.95

COMPUTER PROGRAMMING AIDS

MODULES

PHM 3999	Super Extended Basic.....	59.95
PHM 3026	Extended Basic.....	49.95
PHM 3058	Editor Assembler.....	19.95
PHM 3058	Nini Memory (with Writer I).....	38.95

DISKETTE PROGRAMS

PHD 5007	Teach Yourself 99/4A Basic.....	4.95
PHD 5019	Teach Yourself Extended Basic.....	4.95
PHD 5004	Programming Aids I.....	4.95
PHD 5005	Programming Aids II.....	4.95
PHD 5012	Programming Aids III.....	4.95
PHD 5077	Programming Aids I, II, III.....	9.95
PHD 5067	Beginning Basic Tutor.....	4.95
PHD 5076	Text to Speech (Ex Basic Speech).....	4.95
PHD 5098	TI Forth & manual (Ed/Assem req.).....	19.95
PHD 5078	TI Forth Demo Disk (Ed/Assem).....	4.95
PHD 5079	TI Forth Source Code (2 disks).....	7.95

CASSETTE PROGRAMS

PNT 6006	Programming Aids I.....	4.95
PNT 6007	Teach Yourself 99/4A Basic.....	4.95
PNT 6019	Teach Yourself Extended Basic.....	4.95
PNT 6067	Beginning Basic Tutor.....	4.95

EDUCATION

MODULES

PHM 3002	Early Learning Fun.....	4.95
PHM 3003	Beginning Grammar.....	4.95
PHM 3010	Physical Fitness.....	4.95
PHM 3010	Music Maker.....	9.95
PHM 3021	Weight Control & Nutrition.....	10.95
PHM 3109	TI LOGO II (32K req.).....	19.95
PHM 3015	Early Reading (speech syn. req).....	9.95
PHM 3043	Reading Fun.....	9.95
PHM 3046	Reading On.....	9.95
PHM 3047	Reading Roundup.....	9.95
PHM 3048	Reading Rally.....	9.95
PHM 3082	Reading Flight.....	9.95
PHM 3027	Addition & Subtraction I.....	9.95
PHM 3028	Addition & Subtraction II.....	9.95
PHM 3029	Multiplication.....	9.95
PHM 3049	Division I.....	9.95
PHM 3050	Numeration I.....	9.95
PHM 3051	Numeration II.....	9.95
PHM 3060	Scholastic Spelling 4 (speech).....	9.95
PHM 3061	Scholastic Spelling 5 (speech).....	9.95
PHM 3062	Scholastic Spelling 6 (speech).....	9.95
PHM 3091	Milliken Subtraction.....	9.95
PHM 3092	Milliken Multiplication.....	9.95
PHM 3093	Milliken Division.....	9.95
PHM 3094	Milliken Integers.....	9.95
PHM 3098	Milliken Number Readiness.....	4.95
PHM 3099	Milliken Laws of Arithmetic.....	4.95
PHM 3100	Milliken Equations.....	4.95
PHM 3101	Milliken Measurement of Formulas.....	4.95
PHM 3114	Alligator Mix.....	6.95
PHM 3115	Alien Addition.....	6.95
PHM 3119	Meteor Multiplication.....	6.95
PHM 3118	Minus Mission.....	6.95
PHM 3177	Face Maker.....	9.95
PHM 3178	Story Machine.....	9.95

DISKETTE PROGRAMS

PHD 5009	Music Skills Trainer.....	4.95
PHD 5011	Computer Music Box.....	4.95
PHD 5018	Market Simulation.....	4.95
PHD 5030	Speak & Spell II (Ex Basic req.).....	9.95
PHD 5031	Speak & Math (TE-II req.).....	4.95
PHD 5042	Spell Writer (TE-II req.).....	4.95

DISKETTE PROGRAMS NEW LOW PRICES!

PHD 5002	TI-TREK/ITE-II req. for speech).....	4.95
PHD 5010	Mystery Melody.....	4.95
PHD 5015	Oldies But Goodies I.....	4.95
PHD 5017	Oldies But Goodies II.....	4.95
***SPECIAL Oldies But Goodies I & II.....		7.95
PHD 5025	Sat. Night Bingo (Ex-Basic & Speech).....	4.95
PHD 5037	Draw Poker (Ex-Basic).....	4.95

CASSETTE PROGRAMS

PNT 6002	Ti-Trek ITE-II req. for speech).....	4.95
PNT 6010	Mystery Melody.....	4.95
PNT 6015	Oldies But Goodies I.....	4.95
PNT 6017	Oldies But Goodies II.....	4.95
***SPECIAL Oldies But Goodies I & II.....		7.95
PNT 6026	Sat. Night Bingo (Ex-Basic & Speech).....	4.95
PNT 6037	Draw Poker (Ex-Basic).....	4.95

TEX-COMP

Visa & Mastercard Holders Call Direct 24-Hour Order Line

(818) 366-6631

The BIGGEST TI-99/4A SOFTWARE OFFER EVER



TEXAS INSTRUMENTS
&
TEX-COMP
Announce

**DRASTIC PRICE REDUCTIONS
ON TEXAS INSTRUMENTS
COMPUTER
SOFTWARE**



DISKETTE PROGRAMS NEW LOW PRICES!

- PHD 5026 Bridge Bidding I.....4.95
- PHD 5039 Bridge Bidding II.....4.95
- PHD 5041 Bridge Bidding III.....4.95
- PHD 5020 Music Maker Demo (use with module).....4.95

CASSETTE PROGRAMS

- see disk versions for req. i.e. TE-II
- PHT 6009 Music Skills Trainer.....4.95
 - PHT 6011 Computer Music Box.....4.95
 - PHT 6018 Market Simulation.....4.95
 - PHT 6031 Speak & Math.....4.95
 - PHT 6042 Spell Writer.....4.95
 - PHT 6026 Bridge Bidding I.....4.95
 - PHT 6039 Bridge Bidding II.....4.95
 - PHT 6041 Bridge Bidding III.....4.95
 - PHT 6020 Music Maker Demo (use with module).....4.95

TI-COUNT SMALL BUSINESS SOFTWARE

- General Ledger
 - Accounts Receivable
 - Accounts Payable
 - Inventory
 - Payroll
 - Mail System
- SPECIAL 1988 OFFER--ALL SIX PROGRAMS PLUS
AUTO COUNT AUTO EXPENSE
RECORD PROGRAM.....\$99.95**
- A \$250.00 SAVINGS !!!!!**



MANAGEMENT AND SMALL BUSINESS

- MODULES**
- PHM 3006 Home Financial Decisions.....4.95
 - PHM 3007 Household Budget Management.....4.95
 - PHM 3022 Personal Real Estate.....4.95
 - PHM 3016 Tax/Investment Rec. Keeping disk req. I.....4.95
 - PHM 3035 Terminal Emulator II.....9.95
 - PHM 3044 Personal Report Generator (PRK req.).....10.95
 - PHM 3113 Multiplan.....24.95
 - PHM 3112 TI Writer.....29.95

DISKETTE PROGRAMS NEW LOW PRICE!

- PHD 5001 Mailing List (upgraded version).....4.95
- PHD 5003 Personal Financial Aids.....4.95
- PHD 5021 Checkbook Manager.....4.95
- PHD 5022 Finance Manager.....4.95
- PHD 5024 Inventory Management.....4.95
- PHD 5027 Invoice Management.....4.95
- PHD 5029 Cash Management.....4.95
- PHD 5030 Lease/Purchase Decisions.....4.95
- PHD 5075 TI/Multiplan upgrade disk.....4.95

CASSETTE PROGRAMS

- PHT 6003 Personal Financial Aids.....4.95
- PHT 6030 Lease/Purchase Decisions.....4.95

Send for **1988** Tex-Comp catalog & buyer's guide only \$2.00 (comes with \$5 savings certificate)

Send order and make checks payable to

TEX-COMP

P.O. BOX 33064 - GRANADA HILLS, CA 91344

TERMS: All prices F.O.B. Los Angeles. For fastest service use cashiers check or money order. Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 4 1/4%. Add 1% for Credit Card orders. Prices and availability subject to change without notice. We reserve the right to limit quantities.



Replacement Console Power Supply (external transformer) \$9.95

Original TI Joysticks \$7.95 (pair)

Replacement 99/4A Keyboards (plug in connection) \$7.95

Cassette Cable \$5.95
Console Dust Covers \$7.95

MATH AND ENGINEERING

- DISKETTE PROGRAMS NEW LOW PRICE!**
- PHD 5006 Math Routine Library.....4.95
 - PHD 5008 Electrical Engineering Library.....4.95
 - PHD 5013 Graphing Package.....4.95
 - PHD 5016 Structural Engineering Library.....4.95
 - PHD 5044 AC Circuit Analysis.....4.95

CASSETTE PROGRAMS

- PHT 6006 Math Routine Library.....4.95
 - PHT 6008 Electrical Engineering Library.....4.95
 - PHT 6013 Graphing Package.....4.95
 - PHT 6016 Structural Engineering Library.....4.95
 - PHT 6044 AC Circuit Analysis.....4.95
- ****SPECIAL--ALL 5 OF THE ABOVE ON DISK OR TAPE---17.95**

PROTECT YOUR INVESTMENT WITH A BACK-UP TI99/4A

At only \$79.95 the Texas Instruments 99/4A home computer is still the wisest choice for any individual or family just starting out in computing. But for those of you who already own a 99/4A and have purchased hundreds or even thousands of dollars in peripherals and software, buying a back-up computer for under eighty dollars is the smartest and least expensive way to protect the investment in your system. **\$79.95***



TI-99/4A

Are you using your 99/4A in the office and wish you had another to use at home? Is your family squabbling over who gets the computer first? You can put your back-up computer to use at once to solve these problems, and rest assured that your primary system is protected too.

Time is running out. The Texas Instruments home computer will not be available for sale much longer. Buy your back-up TI-99/4A now and protect your home computer system investment for the years to come.

*Shipping, handling & insurance on this special offer is \$10.00 (Continental U.S.) to any UPS deliverable address. HI, AK, Canada and APO slightly higher.



VISA and MASTERCARD HOLDERS CALL DIRECT **(818) 366-6631** 24 Hour Order Line

NOTE: Payment in full must accompany all orders. Credit card. Company check or Money order for immediate shipment. Personal Checks require up to 4 weeks to clear. California orders add 6 1/4% sales tax.

Contents

MICROpendium

MICROpendium is published 12 times annually for \$20 per year by Burns-Koloen Communications Inc., 16606 Terrace Dr., Austin, TX 78728. Application to Mail at Second-Class Postage Rates is Pending at Round Rock, Texas. POSTMASTER: Send address changes to MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

No information published in the pages of MICROpendium may be used without permission of the publisher. Only computer user groups that have exchange agreements with MICROpendium may excerpt articles appearing in MICROpendium without prior approval.

While all efforts are directed at providing factual and true information in published articles, the publisher cannot accept responsibility for errors that appear in advertising or text appearing in MICROpendium. The inclusion of brand names in text does not constitute an endorsement of any product by the publisher. Statements published by MICROpendium which reflect erroneously on individuals, products or companies will be corrected upon contacting the publisher.

Unless the author specifies, letters will be treated as unconditionally assigned for publication, copyright purposes and use in any other publication or brochure and are subject to MICROpendium's unrestricted right to edit and comment.

Display advertising deadlines and rates are available upon request.

All correspondence should be mailed to MICROpendium at P.O. Box 1343, Round Rock, TX 78680. We cannot take responsibility for unsolicited manuscripts but will give consideration to anything sent to the above address. Manuscripts will be returned only if a self-addressed stamped envelope is included.

Foreign subscriptions are \$25.25 (Canada and Mexico); \$23.50, surface mail to other countries; \$37 airmail to other countries.

All editions of MICROpendium are mailed from the Round Rock (Texas) Post Office.

Mailing address: P.O. Box 1343, Round Rock TX 78680

Telephone: (512) 255-1512

Source: T14596

CompuServe: 75156,3270

Delphi TI NET: MICROPENDIUM

John Koloen.....Publisher
 Laura Burns.....Editor

Regena on BASIC

Concentration on the computer.....Page 12

c99

The calendar program.....Page 17

Croaker

The latest submission from master games programmer David Mennoneh.....Page 21

A full-screen Forth editor

Lutz Winkler tells how to make use of the Diji Systems Advanced Video Processor Card.....Page 25

Exploring your printer

Second in a series.....Page 26

Mini-Memory

A BASIC view.....Page 28

Geneve

Mike Dodd with an automatic file coder program that works from GPL.....Page 30

TI-BASE

A preliminary look.....Page 33

Reviews

Captain's Wheel 32K Expansion.....Page 38

Desk Top Publisher v1.0.....Page 39

TEXLINK BBS.....Page 40

Newsbytes

A program to speed up XBASIC, a plug-in upgrade for Triton's Super Extended BASIC and some fall fairs.....Page 42

User Notes

A source for the Mini-Memory battery, a program to teach children letters, and right justify with Writerease.....Page 45

Classified

Page 47

Programming conventions

Here are some tips to help you when entering programs from MICROpendium:

1. All BASIC and Extended BASIC programs are run through Checksum, the numbers that follow exclamation at the end of each program line. Do not enter these numbers or exclamation points. Checksum was published in the November 1987 edition.
2. Long XBASIC lines are entered by inputting until the screen stops accepting characters, pressing Enter, pressing FCTN REDO, cursoring to the end of the line and continuing input.

Best Buys From TENEX

No Gimmicks, No Hidden Charges, No Nonsense, Just Low Prices and Great Service!



Dust Cover & Everything Book

Discover the savings and easy shopping available from TENEX Computer Express PLUS receive a FREE dust cover for your TI! Cover is anti-static, 8-gauge vinyl sewn to our exacting standards with reinforced seams. Custom tailored with exclusive rear corner slit accommodating cables and speech synthesizer. Show your computer you care. Get to know our great products, extensive selection and fast service with a FREE copy of our Everything Book for TI. (\$2.95 Shipping Charge)

10017 TI Console Cover & Catalog (M6A)

From **micro fat**

The 39¢ Diskette

Are you paying too much for diskettes? Try our first quality, prima, 5-1/4" diskettes (no rejects, no seconds) at these fantastic sale prices and save, save, SAVE! Disks are packaged in boxes of 50; including diskettes in sleeves, labels, and write-protect tabs.

Each diskette is certified to be 100% error free and comes with a lifetime warranty (if you have a problem, we'll replace the diskette). All diskettes include hub reinforcement rings and write-protect notch.

All diskettes are double-density and work in either single or double-density drives.

SS, DD Diskettes, Box of 50
 32391 \$19.50 - 39¢ ea.
 DS, DD Diskettes, Box of 50
 32403 \$24.50 - 49¢ ea.



Diskette Storage

- 100 disk (5-1/4") capacity.
- Lock and keys for extra security and easy carrying.
- Includes 8 index dividers with labels for organization of filing and retrieval.
- Made of durable anti-static, high impact plastic.
- Attractive smoke color lid. Sug. Retail \$19.95

66826

NOW ONLY \$9⁹⁵

Hardware

TI 99/4A Software

Printers		P-Box Cards		Accessories	
Okidata 180 Printer	\$224.95	CorComp RS-232	\$89.95	Rave 105 Keyboard	\$189.95
Okidata Microline 183	\$189.95	CorComp 32K	\$119.95	Universal Printer Stand+	\$14.95
Star NX-1000	\$279.95	CorComp 9900 Disk Cont.	\$149.95	Data Transfer Switch	\$24.95
Star NX-1000 Rainbow	\$CALL	CorComp 512K	\$253.00	RF Modulator (99/4A)	\$19.95
Star NX-15	\$CALL	Myarc RS-232	\$99.95	Power Transformer (99/4A)	\$19.95
Seikosha SP-180	\$189.95	Myarc 512K w/XB	\$109.95	1/2 Ht. 360K Floppy Drive	\$99.95
Seikosha SP 1200-AI	\$199.95	Rave Speech Card	\$49.95	Parallel Printer Cable 5 ft.	\$24.95
Seikosha SP 1800-AI	\$CALL			Parallel Printer Cable 10 ft.	\$34.95
Computers		Monitors		Joysticks/Controllers	
Geneve 9640	\$CALL	13" Color Composite	\$CALL	NEW! Wico Ergostick	\$19.95
Amiga 500	\$CALL	Magnavox CM8762, Color	\$269.95	Epyx 500XJ	\$15.95
Amiga 2000	\$CALL			Suncom Tac 5	\$14.95
TENEX Turbo (Loaded)	\$595.00			TI Adapter	\$5.95
		Ribbons			
		NX-1000 Black	\$5.95		
		Okidata 120/180/183	\$7.85		
		Axiom GP-550	\$10.95		
		Gemini 1DX, SG-10/15	\$2.99		
		NX-1000 Rainbow	9.95		

Free! 48 Page "Everything" Book With Any Order!

\$89⁹⁵

Get TI-Count Accounting For Less

Pike Creek Accounting Package

This is the only accounting system to be endorsed for the TI 99/4A by Texas Instruments. It includes all the features of systems costing up to thousands of dollars for only a fraction of the price. You get all these: *General Ledger* - monitors up to 650 accounts, *Accounts Receivable* - keeps up to 200 customer accounts, *Accounts Payable* - features the ability to hold 200 vendor ledger accounts, *Inventory* - stores up to 700 items in 4 departments, *Payroll* - provides you with payroll checks and stubs of your choice, *Mail System* - change, move, or merge files. Get all 6 systems plus a bonus, the *Auto - Count Tax Log*.

75893 Pike Creek Accounting Package \$89.95

Give \$24⁹⁵
 The "Foot"
 The Boot

You'll find our Peripheral Extension Cable to be a lifesaver. One end of this 30" cable plugs snugly into the expansion port on the right side of the 99/4A console; the other connects to the 44 contact slot of the PE Box cable, or any other stand-alone peripheral (such as the speech synthesizer, memory expansion, etc.). Customize your system set-up today!

22833 Peripheral Extension Cable \$24.95

THE BEST PRICES
 THE BEST SERVICE

WHY SHOP ANYWHERE ELSE?

Gives You More Control

PIO PRINTER INTERFACE PLUS. You'll be able to connect any parallel input printer directly to your computer. Just plug one end into the side of your console and the other into the printer. 120 day warranty. From CorComp. Sug. Retail \$59.95

42250 Parallel Printer Interface \$49.95

Only \$49⁹⁵

No Extra Fee For Charges!

ORDER TOLL FREE
 1-800-348-2778

WE VERIFY CHARGE CARD ADDRESSES

From Your Friends At



We gladly accept mail orders!
 P.O. Box 6578
 South Bend, IN 46660

Questions?
 Call 219/259-7051

Ad M6A

Shipping Charges	
Order Amount	Charge
less than \$19.99	\$3.75
\$20.00-\$39.99	4.75
\$40.00-\$74.99	5.75
\$75.00-\$149.99	6.75
\$150.00-\$299.99	7.75
\$300.00 & up	8.75

MasterCard



APC, FPO, AK, HI, CN, VI, GU, and foreign orders are subject to additional shipping charges. NOTE: Due to publishing lead times, product prices and specifications are subject to change without notice.

Comments

Plato, Q*Bert, Logo II are most wanted

Word reaches us of the development of a new word processor for the TI and Geneve. The program, which isn't expected to be ready for market until the fall, is said to be a departure from the TI-Writer format. It is described as being a combination of Word Perfect and Word Star, two of the most successful word processors in the PC world.

PATCHES, PATCHES, PATCHES

Here are the programs that readers would like to see running on the Geneve, in the order of preference. Several months ago, Myarc said it would write patches for the top dozen or so programs requested by readers, assuming no problems with copyright and other considerations. We appreciate the response from readers.

- Plato
- Q*Bert (runs, but screen is black)
- Logo II (the fix published in MICROpendium doesn't allow the program to scan a disk to load a file)
- Ms. Pacman (joystick doesn't work)
- Dragonslayer Spell Check (locks up prior to exiting to MY- Word)
- Moon Patrol (no control)
- Jungle Hunt (fire button doesn't work)
- Personal Record Keeping
- Disk Manager II (valued for its comprehensive disk test)
- Bigfoot
- Dig Dug
- Pole Position (fire button doesn't work)
- Frogger
- Donkey Kong
- War Games
- Submarine Commander
- River Rescue
- Fathom

Other programs that readers mentioned include: Data Base Manager by Navarone, Rapid Copy, Video Graphs, Meteor Multiplication, Early Reading, Moon Sweeper, Slymoids, Alpiner, Popeye, TEII (speech access), Statistics, Tax Investment Record Keeping, Certificate Maker 99, Moon Mine, Early Logo Learning Fun, Honey Hunt, Buck Rogers, Munchmobile, Music Maker, Jawbreaker, Super Demon Attack (no speech synthesizer in PEB — Rave 99 markets a board to mount the speech synthesizer in the PEB—Ed.), Congo Bongo (locks up on level 2), Microsurgeon (joystick doesn't function), Slymoids (no graphics or joystick), Henhouse (no joystick), Space Bandits (no control), Star Runner,

Editor/Assembler (wants 80-column support and assembler support for additional opcodes of the 9995 CPU, which are currently used through use of the DATA directive, Mini-Memory Line-by-Line Assembler (9640 doesn't recognize REF/DEF table, TI Forth (GRAPHICS2 mode (loaded with —GRAPH2) doesn't work. Nor do the —SPLIT modes which also use GRAPHICS2 mode)

A SERIAL MOUSE FOR \$29.95

Donny O'Neil called from California to let us know about a company that sells a serial mouse for \$29.95. The subject came up vis a vis an article published in May detailing how to connect a mouse to the TI for use with TI-Artist. Refer to the article for more information. Let it suffice that Computer Direct, 22292 N. Pepper Rd., Barrington, IL 60010 (312-383-5050) has an analog 2-button mouse and a 3-button mouse. Both sell for \$29.95.

ASSEMBLY COLUMN COMING

Starting in July, we'll be publishing an assembly language column again. We are thrilled to have John Birdwell, author of Disk Utilities and other programs, as the columnist.


John is assuming that those who are interested in learning assembly will have read Mack McCormick's assembly language columns that appeared in MICROpendium in 1986 and 1987. Not exactly a tutorial, his column will begin with a series whose goal is to create a word processor in assembly. He's asking for suggestions from readers about features the word processor should incorporate. Suggestions should be sent to MICROpendium, Assembly, P.O. Box 1343, Round Rock, TX 78680. We will forward letters to John.

AUSTRALIA TI FAIR

Garry J. Christensen reports that the Bi-Centennial TI Faire in Brisbane had visitors coming from the far corners of Australia. Demonstrations were held of products from Australia, Germany and the United States, including the latest version of Funnelweb (available from Tony McGovern, 215 Grinsell St., Kotara, New South Wales, Australia 2289), a mini-PE system and an AT expansion card. Programs were demonstrated from various user groups in Australia. Mechatronics and Rave 99 products were on view, and Christensen writes, "Inscebot sent disks of TI-Artist, Artist Extras, Display Master and TI-BASE. The latter certainly created a stir, with 15 copies being sold in a very short time."

More on TI-BASE can be found in Bill Gaskill's article in this issue.

THE MYARC Hard & Floppy Disk Controller with Streamer Tape Backup Support



AVAILABLE NOW

Features include:

- Hard drive transfer rate of 5Mbit per second, for speed comparable to an external RAM disk card
- Interfaces with standard, off the shelf, hard, floppy and streamer tape drives
- Built-in real time clock, for time and date stamping of files
- Supports up to four 5 1/4" and/or 3 1/2" floppy drives, mix or match
- All disk formats, SS/SD (90K), DS/DD (320/360K) and DS/QD (640/720K) supported
- MYARC Disk Manager V, the most intuitive and user friendly manager available
- One year limited warranty, 12 months parts, 6 months labor, is standard, an optional two, three or four year extended warranty is available

MYARC, Inc., P.O. Box 140, Basking Ridge, New Jersey 07920, Phone (205) 854-5843

Feedback

Another TI-runner screen editor

In reading the User Supported Software listing of your March 1988 issue, I read with interest that Michael Rittweger is offering an Extended BASIC program for editing TI-Runner screens for \$15.

This was especially interesting because my brother Bill has been offering a public domain program which does the same job, with the exception of the printer output. If users could do without printer output, I believe that they would be a lot better off with the free program.

Bill's program was first written quite a few years ago, and has appeared in the listings of many BBSs, as well as being listed on CompuServe. It was updated to version 6.0 some months ago, with a few assembly language routines of mine added to make the program run faster.

There is also now a "palette" of building blocks on both sides of the screen. If anyone would like a copy, it can be found on our BBS (201-679-0549), or a disk with return mailer can be sent to: Bill Reiss, 23 Cressida Dr., Old Bridge, NJ 08857.

Jim Reiss
Mount Vernon, Iowa

Two drives at the same time?

After reading the Charles E. Kirkwood's April Feedback letter, I was reminded of a little oddity revealed to me by John Clulow.

After installing my Horizon RAMdisk for the first time, I observed the same thing Charles did when my Horizon was emulating drive one, namely, the lack of use of my physical drive one except by disk name. What this meant was instead of using `DSK1.FILENAME,DSK.DISK-NAME.FILENAME` was required to find a file on my physical drive one. Well, a phone call to John Clulow was all it took. He explained to me how to have my Horizon emulate drive one and still be able to access my physical drive one, all without having to remember any disk names.

Here's how it's done. When installing drive one (DSK1) in your system, for example, you have to set a DIP switch on the

drive so your system knows what drive number it is. When installing drive two (DSK2), the same thing applies except the DIP switch is set to refer to drive two, instead of one. Usually this involves connecting or breaking a pair of contacts across the switch. Now, on drive one, let's suppose you connected the pair representing DSK1, and also the pair representing DSK3. That's right. Both drive one and drive three! Access to DSK1 and DSK3 will both activate your physical drive one! So, on a two drive system, with your Horizon set for DSK1, your physical drive one would respond to DSK3, with access to DSK2 unaffected. When your Horizon is DSK3, you have your physical drive one as DSK1 as normal. This way there is no need to remember disk names, although access by diskname is always available.

My system has been in this state of operation since October 1986 without incident of any kind.

Steve Mehr
Thousand Oaks, California

Fairware Exchange

Regarding Mr. Trapp's (Feedback May '88) comments concerning software for the 99/4A and the timeliness in obtaining programs ordered from user groups, I would like to inform him and other users of my services, the Fairware Exchange. The Fairware Exchange has been around now for more than one year and I have tried to keep on track with getting responses and orders out on a timely basis, usually within the same week the order is received.

The Fairware Exchange offers more than 130 (and growing) different freeware programs, either at \$2.50 per disk which includes the disk, mailer, etc., or on a one-for-one exchange basis from users submitting programs not in the Fairware Exchange library. Checks are not cashed until the order is sent, just my way of operating the service.

A current catalog listing may be obtained by sending \$2 which is refundable with the first order. Inquiries may be sent to: Fairware Exchange, c/o Robert Neal, 317 Hickory, Romeoville, IL 60441.

Robert Neal
Romeoville, Illinois

Praise for Horizon

I have just installed the new HRD+ 1 megabyte Horizon RAMdisk, and I feel like I've got a new machine.

I wish to express to your readers the ease of building and using this card as well as the excellent follow-up support service from Bud Mills. I had no experience other than minor soldering but had no trouble following the directions in putting the kit together. When I did run into glitch, I called Bud, and though he did not know for sure the cause, he sent me a whole set of replacement support chips the next day.

This mod has made as much of a difference in my system as did upgrading to the Geneve. In fact, the idea of waiting for the system to boot, especially after lockups, was an aggravating regression from the 99/4A. Now the two parts of the system complement each other superbly: the fast speed of the 9640 with the quick access of the HRD+ makes computing a real joy again with no hassles. I've got the disk manager, MyWord, spelling checker, Multiplan, PRBASE and XB all in RAM and, with a little minor sector editing, now almost instantly accessible at the touch of a key. There is still room in the 800K module for all my data and doc files. The 256K Phoenix boot drive contains system/sys along with MDOS loadable programs. I'm in hog heaven.

One more note on Bud: I ordered the kit before the hefty price increase that I saw in the next MICROpendium and wondered whether he would hold to the price that I ordered at. He did. In addition, he patiently answered three calls I made with questions and was very helpful. The TI world (the rest of it too for that matter) needs vendors that offer support like Bud. By the way, the kit is still a bargain, and don't look for chip prices to drop; the only way is up in the foreseeable future.

Curt Purdy
Jasper, Texas

Program difficulties


Since my retirement about a year ago, I have finally had the time to sit down and work with my TI and the large amount of programs that I had purchased through the

(See Page 10)

UPGRADE YOUR TI-99/4A Computer System's Floppy Disk Drives TRADE UP TO HIGHER PERFORMANCE



AS LOW AS \$44.95
WITH TRADE!!!



- Super Sale Price
- Easy to Install
- Ready For Hook Up

we'll give you an allowance on your old ones

ATTENTION TI-99/4A DISK DRIVE OWNERS!

Tex-Comp has just purchased all the remaining inventory of brand new Shugart double sided and single sided floppy disk drives. The Shugart single sided drive was the exact model TI used as their P-Box drive (PHP1250) and in their stand alone drive (PHP 1850). (model 400L) The Shugart double sided/double density model (450) was the model TI had specified for the 99/8 and was actually used on the prototypes that TI built.

Now you can replace your old and worn original P-Box and stand alone drives with exact replacements or with a double sided upgrade for far less than what it cost to repair or rebuild your existing drive(s).

All drives are brand new and factory sealed and will be set up by Tex-Comp at time of shipment to be the identical configuration used by TI so all you have to do is take your old one out and put the new one in. Your TI disk controller card will support a double sided drive but not double density. A double sided/double density drive will of course also run your existing single sided/single density floppys in the exact manner you are currently familiar with. To use the double density feature of the ds/dd drives, you must replace your TI controller card with a double sided/double density card such as the CorComp 9900 which also runs up to four drives and also works with your current single sided disks. You can also transfer your single sided disks to double sided and reduce your disks and storage by at least 1/2.

NOW YOU CAN TRADE UP AND SAVE \$\$\$\$\$

To make upgrading even better, TEX-Comp will allow \$20 trade in allowance on any old TI-1250 drive including those from stand alone (PHP 1850) units towards a brand new ds/dd drive (reg. \$79.95) and \$15 towards a brand new ss/sd drive (reg. \$59.95). Even better, you don't even have to send us your old drive until you receive and set up your brand new one. Just send the old drive back to the return address on your shipping label within 45 days after receiving your new drive and include an order for anything in the Tex-Comp catalog or current ads for the amount of your trade in allowance. Its that easy to get a brand new drive with a 90 day warranty. If you order a CorComp 9900 controller with one or more ds/dd drive, we will also allow you \$25 in trade for your TI card and controller module (reg. \$149.95).

Send order and make checks payable to

TEX-COMP

PO Box 33084, Granada Hills, CA 91344

TERMS: All prices FOB Los Angeles. For fastest service use cashiers check or money order. Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 4 1/4%. Add 3% for credit card orders. Prices and availability subject to change without notice. We reserve the right to limit quantities.



AUTHORIZED DEALER



VISA and MASTERCARD
HOLDERS CALL DIRECT
(818) 366-6631

24 Hour Order Line

NOTE: Payment in full must accompany all orders—credit card, company check or money order for immediate shipment. Personal checks require up to 4 weeks to clear. California orders add 8 1/4% sales tax.

Feedback

(Continued from Page 8)

years. Just to put things into perspective, I had been a supervisor of computer programming for a large corporation on a very large IBM mainframe. I was also a member of the Data Processing Management Association and hold the Certificate for Systems Professionals. What I am trying to point out is the fact that I do know a few things about how things should be done.

It therefore came as a very rude shock to me when I found out that a lot of the programs would not run. Those that did would not do a complete job. Just to be fair, some of the programs worked nicely for a particular phase but I found out that one had to be a systems expert to make them really do a job. Since I figured I had put in my years doing systems work, I did not relish this approach. Documentation, when it existed, was in most cases a laugh. I never would have let a large majority of these so-called programs out of my shop!

Two cases in point: Some time ago I decided to fool around with a program called "PILOT" which, according to the write-ups, was a simplified way to write programs. No such luck! Again, I cannot understand the so-called documentation or anything connected with it. All I got was a garbaged up core dump! In desperation I wrote to DataBioTics but have had no answer in about three months.

Then I became excited with Desktop Publishing, having done this on several other machines before retirement. After waiting about four months for my order from Tenex, I finally got this package from DataBioTics. These people must have gotten their training from former IBM people! The person who wrote the program did not talk to the person who wrote the so-called manual and none of them talked to the person who did the advertising. The advertising shows what great things can be done but no mention in the manual of how to accomplish any of this. Again, writing to DataBioTics yielded negative results.

Maybe I am being unrealistic but I believe when I purchase something it should work. Some of the programs I have purchased from Quality 99 do very good jobs although some of the documentation is a little deep to follow. And to add insult to injury, the addendum that came from DataBioTics was so small that my bifocals

would hardly handle it!

I believe some of these outfits could use a lot of help in compiling their so-called documentation. One of the best approaches I have found is to let somebody totally unfamiliar with the program do the write-ups because the programmer knows what should happen and therefore ignores the majority of the problems.

Lloyd M. Schmidt
Littleton, Colorado

(Our review of Desktop Publisher, this issue, may be of some help, as the reviewer lists some undocumented features for the program.—Ed.)

Back to the old drawing board

I have built, and use, a number of the "super cartridges" per the plans from the magazine. Generally no problems, except that I clobber the contents occasionally, as I am always trying to bend the 99/4A out of shape.

Operating on the technique of "never program yourself anything that you can siphon from somewhere," I set up the code to use the routines that are loaded into RAM bank >2000 by the "CALL INIT" in BASIC. It extracts code for "VMBW", "VMBR", "KSCAN", etc. from the E/A GROM and places the routines into RAM bank >2000, a nice, lazy way to go.

Then I got a Horizon RAMdisk, and all falls apart. After you run "CALL INIT" in BASIC, and then exit BASIC, you are returned to the Horizon menu. Someplace along RAM bank >2000 seems to get changed. Then all my nice stuff in the Super Cart, which depended on RAM bank >2000, is dead, dead, dead.

Everything which was built on "stand alone" code still works fine, so I guess it is back to the drawing board and rebuild a bunch of routines. Live and learn...

Merle Vogt
Von Ormy, Texas

Praise for PC-Transfer

I bought PC-Transfer at TI-Fest-West in Las Vegas in February. After hearing J. Peter (Hoddie) talk about it, I dashed to Genial's booth to ask, "Does it really do that?" A dumb question, but it did sound

unbelievable to me! It has been a big help to me with the Pascal class I'm taking this semester. I just don't have enough time to spend with the IBM-PCs at school, so it's great that I can do my typing at home, transfer the file, then take my disk to school to load into Pascal for compiling and running. To get to the point I want to make — your review (April 1988) said that it works with the Geneve with a Myarc controller. It also works with the Geneve with a CorComp controller — that's what I've got.

I find it difficult to learn a computer language on my own, so I've taken BASIC and Advanced BASIC programming at the Clovis campus of Eastern New Mexico University. Having studied Pascal makes the excellent series on c99 by Charles Kirkwood Jr. clearer; now that the semester is over, I'm concentrating on applying what I've learned to learning c99. Matter of fact, our teacher says the only reason he sees for studying Pascal is as a stepping stone to learning C. Thanks very much to MICROpendium and Charles for such excellent tutorials.

Claire Roberts
Clovis, New Mexico

Wants disks

I have been a 99er since July 1983. I have matured in the 99 to the point that I avoid entering code if I can help it.

I would suggest that whenever you present a program listing, that you have the author offer the file(s) on a disk (or cassette?) at a nominal price.

Sure beats pounding the keyboard and then the usual debug of typos.

Rather than hundreds of users sweating it out, how about a mail order disk?

Jack Topham
Prospect Heights, Illinois

(You are not the first to make the suggestion. Some of our authors do offer their programs and we are always glad to include that information, but don't want to eliminate possible contributors who do not want to do this. We are not able to duplicate and distribute all our programs ourselves, in addition to publishing this magazine. — Ed.)


The Feedback column is for readers. It is a forum to communicate with other readers. The editor will condense excessively lengthy submissions where necessary. Mail Feedback items to MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

Monitor Sale

EMERSON 10" COLOR TV/MONITOR **\$219.95**
 + \$10.00 shipping charge

This stylish TV/monitor from Emerson is ready to perform double-duty

IF YOU HAVE BEEN LOOKING FOR A GREAT BUY IN A MONITOR NOW IS THE TIME! THIS HIGH RESOLUTION TV/MONITOR FROM EMERSON HAS EVERY FEATURE YOU COULD WANT AT A SUPER LOW PRICE. FIRST IT IS A HIGH RESOLUTION COMPOSITE MONITOR (560HX240V). THIS 10" VIDEO MONITOR WAS DESIGNED TO HANDLE THE WIDE RANGE OF COLOR GRAPHICS AND AUDIO MUSIC AND TONES THAT YOUR TI-99/4A CAN DELIVER. SECOND, IT IS ALSO A QUALITY TV WITH ELECTRONIC TUNING. IT ALSO WORKS ON 12V-DC AND EVEN COMES WITH A AUTO CORD. IT ALSO COMES WITH A TI-99/4A MONITOR CABLE. IT EVEN HAS AN EARPHONE JACK AND A BUILT-IN TILT UP STAND. WE BOUGHT OUT THE REMAINING STOCK ON THIS MODEL AS THE MONITOR FEATURE HAS BEEN LEFT OUT OF THE NEWEST MODEL TO BRING THE PRICE DOWN. THIS UNIT IS EVEN SUPERIOR TO THE 10" MONITOR TI OFFERED WHICH WAS BUILT FOR THEM BY PANASONIC. VERY COMPACT ONLY 11" W x 11" H x 14" D. IT ALSO HAS LED CHANNEL DISPLAY AND AUTO FINE TUNING. COMES WITH A 90 DAY FACTORY WARRANTY FROM EMERSON, A LEADER IN HOME ELECTRONICS. FOR YOU VIDEO TYPES, IT ALSO HAS AUDIO AND VIDEO OUTPUT JACKS SO IT CAN BE USED AS A TUNER FOR OTHER MONITORS OR VCRS. WITH THIS GREAT PRICE AND FANTASTIC PERFORMANCE AND FEATURES COMES ONE PIECE OF "BAD NEWS". THE COLOR OF THE CABINET IS SOMEWHERE BETWEEN DUSTY ROSE AND MAUVE. SO IF YOU CAN THINK PINK, YOU CAN THROW YOUR RF MODULATOR OUT AND HAVE A GREAT COLOR DISPLAY WITH A PREMIUM AC/DC TV THROWN IN FOR FREE!.....ONLY **\$219.95**



monitor or TV

+ \$10.00 shipping charge

Printer Sale



comes with free printer care kit & demo disk!!!

The **NEW** and **INNOVATIVE**

NX-1000 Multi-Font is a versatile and reliable printer for home, school or office.



NEW!
Star NX-1000 Multi-Font Printer

- 4 built-in fonts
- 144 cps draft/36 cps NLQ
- High resolution text and graphics
- Standard friction and tractor feeds
- Paper parking mechanism
- Full one-year warranty

PRICE 189.95+s&h

STAR NX1000 RAINBOW COLOR. \$259.95

Send order and make checks payable to:

TEX+COMP

P.O. BOX 33064 - GRANADA HILLS, CA 91344



AUTHORIZED DEALER



VISA and MASTERCARD
 HOLDERS CALL DIRECT
(818) 366-6631
 24 Hour Order Line

TERMS: All prices F.O.B. Los Angeles. For fastest service use cashiers check or money order. Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 4 1/2%. Add 3% for Credit Card-orders. Prices and availability subject to change without notice. We reserve the right to limit quantities.

NOTE: Payment in full must accompany all orders. Credit card, Company check or Money order for immediate shipment. Personal Checks require up to 4 weeks to clear. California orders add 8 1/2% sales tax.

BASIC

Concentration on the computer

By REGENA

I recently was watching my children play a card game that I had taught them from my childhood. I realized their game could easily be played on the computer. The computer could deal the cards and keep track of the score.

"Concentration" may also be called "Memory" and is played with a standard deck of cards including the two jokers. The deck is shuffled, and all cards are dealt out in rows and columns, face down. The player chooses two cards, one at a time, and turns them face up. If the numbers match, the player keeps the cards and they are removed from the playing surface. If the numbers do not match, the cards are replaced face down and play continues.

In the computer version, there may be one player or two players. In the one-player version, the computer keeps track of how many turns the player takes. Try to match all the pairs in the minimum number of attempts. The number of attempts is printed in the upper right corner of the screen. In the two-player version, the players change turns whenever a match is not made. The computer keeps a running score (number of cards matched) at the side of the screen for players A and B. The computer indicates whose turn it is by the letter A or B at the top right corner of the screen.

Use the arrow keys to move the asterisk, then press the ENTER key when it is over the desired card. After two cards are chosen, press the space bar to continue the game.


Several of the variables are dimensioned in Line 130. A(13,4) is the array used to hold the 13 cards in four suits of a deck of cards. As cards are randomly chosen, the array element becomes "1" so the card cannot be chosen again. B(6,9,2) is the card in its position on the screen. There are six rows and nine columns. B(row,column,1) holds the card number, and B(row,column,2) holds the suit number. SC(2) are the two scores for the two-player game. SUIT(5) are the character numbers for the four suits plus the jokers. AR(2) and AC(2) are the row and column coordinates for the two cards chosen. PICK(2) are the card numbers for the two cards chosen.

Lines 160-200 redefine characters to be cards 10, Jack, Queen, King and Ace. Lines 250-330 define other graphic characters. Lines 290-310 contain the data to define the red numbers and the heart and diamond. Line 320 has data to define the characters for the card outline. Line 330 has data to define the club and spade. Lines 340-350 define characters used in drawing the joker cards. Lines 360-370 set the color for the red cards.

Line 390 initializes CH, which is a factor used in determining whose turn it is in the two-player game. Lines 400-450 set the character numbers for the four suits and the joker.

Lines 510-590 are a subroutine to draw the card outline as the cards are dealt. Line 600 clears the screen, and Line 610 changes the screen color. You may wish to adapt Line 610 for your preference. Line 620 is RANDOMIZE so the RND function will be random.

In Lines 630-1000, the variable J is the row number and K is the column number used in drawing the cards. These numbers are used to determine the row and column number in the B(row,column,2) array. Line 630-730 randomly choose cards from the A array, making sure a card has not previously chosen. These cards are the first four rows of cards. Since this method of "choosing" cards can slow



down near the end of the deck, the last two rows of cards are dealt with a different method in Lines 740-900. After the first four rows of cards are chosen, the computer systematically goes through the remaining A array to choose cards for the last two rows of cards.

After 52 cards have been dealt, the jokers are placed. Lines 910-1000 randomly pick any other card in the top five rows and replace it with a joker and place the original card in the bottom row. The joker number is 15, and the suit is 5.

Lines 1010-1040 initialize variables for the game. CR and CC are the row and column numbers, F is the factor used in scorekeeping and G is the character under the asterisk.

Lines 1050-1150 print the right section of the screen for the one-player or two-player game. T is the number of attempts. CH and F are used in the two-player game to print A and B and to keep track of the two scores.

Lines 1160-1740 are the main loop for picking a card, and the loop is performed twice. Lines 1170-1470 determine which arrow key (or the ENTER key) is pressed and act accordingly. Lines 1480-1490 determine the ROW and COLUMN the card is in. Lines 1500-1540 make sure you do not select a blank space. Lines 1550-1680 print the suit and number of the card. Lines 1690-1700 keep track of the coordinates of the card chosen and Lines 1710-1730 move the asterisk over for the next card to be chosen.

Lines 1750-1790 play an "uh-oh" sound if a match is not made and change the CH for the next player. Lines 1800-1900 play an arpeggio if a match is made. The score is incremented, and the number of matches MATCH is incremented.


Lines 1900-2020 wait until the space bar is pressed, then turns the cards back over if a match is not made or removes the cards if a match is made. Line 2030 determines if the game is over or not and branches accordingly. Lines 2040-2070 print the final message when the game is over, and Line 2080 ends the program.

If you prefer to save typing effort, you may have a copy of this program by sending \$3 plus a blank cassette or diskette and a stamped, self-addressed mailer to REGENA, P.O. BOX 1602, Cedar City, UT 84720. Be sure to specify the title "Concentration" and that you need the TI version.

TEX+COMP
proudly presents

a great deal
ON A
COMPLETE COMPUTER
SYSTEM

AUTHORIZED
DEALER



PLUS 5
BOOK LIBRARY
TO START CHILDREN OF ANY AGE



THE PERFECT
FAMILY
GIFT

TEX+COMP™

AMERICA'S NUMBER ONE
TI COMPUTER RETAILER



Charge-it On Your
Visa or MasterCard
ORDER BY PHONE
24 HOURS A DAY
7 Days a Week!



(818) 366-6631

P.O. Box 33084, Granada Hills, CA 91344

TERMS: All prices F.O.B. Los Angeles. For fastest service send cashiers check or money order. Personal checks require up to 15 days to clear. Prices reflect a 3% discount for cash or approved check. Add 3% for Credit Card orders. Prices and availability are subject to change without notice. We reserve the right to limit quantities. California orders add 6.5% sales tax.

Tex-Comp, the world's largest retailer of Texas Instruments home computer products invites you and your family to join the millions of families who are already using the TI-99/4A, the most powerful and versatile home computer ever produced. There are over 1000 programs now available for the TI-99/4A including education, family financing, arcade games, word processing, data base management, and the list goes on and on. New software & accessories are being continuously introduced. Tex-Comp and Texas Instruments have put together this offer to provide your family with the opportunity to get started with a **real quality computer** instead of an underpowered game playing toy.

YOU RECEIVE
THE FOLLOWING

1. TI-99/4A Deluxe Black & Silver Computer complete with TV adaptor, power supply, users manual, programming manual and 1 year TI warranty.
2. One pair of TI Joysticks
3. 4-Volume set of Datamost books for the TI-99/4A: Kids & TI, Computer Playground TI, Elementary TI & Games TI's Play
4. Best selling book "Programs for the TI Home Computer" by Davis
5. 10 Most Popular TI Software Modules: Early Learning Fun, Physical Fitness, Amazing, Hangman, TI Invaders, Blasto, Munchman, The Attack, Tombstone City, and Home Financial Decisions
6. Cassette recorder Interface cable
7. Tex-Comp TI-99/4A Catalog & Order Kit
8. \$50 Savings Certificate on future orders Purchase up to \$100 from a large selection of TI Software, Accessories and Books at 1/2 the regular price.

ALL FOR ONLY

Your Cost

\$99.95

*Shipping, handling & insurance on this special offer is \$10.00 (Continental U.S.) to any UPS deliverable address. HI, AK, Canada and APO slightly higher.

Complete with a \$50 Savings Certificate for use on future purchases.

Whether you're a beginner or a "pro", the TI Home Computer will give you more for your money.

Everything about the TI Home Computer is designed to make it easy to use. So it's the easiest to start with, and stay with. For the whole family.

BASIC—

```

100 REM CONCENTRATION !177
110 REM BY REGINA !071
120 OPTION BASE 1 !137
130 DIM A(13,4),B(6,9,2),SC(
2),SUIT(5),AR(2),AC(2),PICK(
2)!125
140 CALL CLEAR !200
150 PRINT TAB(7);"CONCENTRAT
ION" !100
160 CALL CHAR(58,"00BE919191
91918E")!033
170 CALL CHAR(59,"0004040404
044438")!221
180 CALL CHAR(60,"0038444444
544834")!237
190 CALL CHAR(61,"0044485060
504844")!231
200 CALL CHAR(62,"003844447C
444444")!253
210 PRINT : "PICK TWO CARDS
BY USING THE ARROW KEYS THE
N PRESSING THE ENTER KEY. TR
Y TO REMEMBER" !088
220 PRINT "WHERE MATCHING NU
MBERS ARE." !198
230 PRINT : "USE THE SPACE BA
R TO": "CONTINUE THE GAME." !
186
240 PRINT : "FIND ALL PAIRS O
F CARDS.": : : !045
250 FOR C=96 TO 119 !221
260 READ C$ !254
270 CALL CHAR(C,C$)!081
280 NEXT C !217
290 DATA 003844040810207C,00
38440418044438,0008182848700
808,007C407804044438,0018204
078444438 !220
300 DATA 007C04081020202,003
8444438444438,003844443C0408
3,00BE91919191918E,000404040
4044438 !118
310 DATA 0038444444544834,00
44485060504844,003844447C444
44,36777F7F7E3E1C08,081C3E7
F3E1008,"" !154
320 DATA 000000030408101,000
000FF,0000000304020101,101010
101010101,10080403,1020408 !
058
330 DATA 1C3E3E083E7F3708,08
081C3E7F7F6B08 !031
340 CALL CHAR(120,"804028383
81B9A7C")!079
350 CALL CHAR(121,"181828284
4448202")!031
360 CALL COLOR(9,7,1)!184
370 CALL COLOR(10,7,1)!225
380 PRINT "CHOOSE" !042
390 CH=-1 !005
400 SUIT(1)=109 !207
410 SUIT(2)=110 !200
420 PRINT : " 1 ONE PLAYER"
!134
430 SUIT(3)=118 !200
440 SUIT(4)=119 !211
450 SUIT(5)=121 !205
460 PRINT " 2 TWO PLAYERS"
!062
470 CALL KEY(0,K,S)!187
480 IF (K<49)+(K>50)THEN 470
!234
490 PL=K-48 !157
500 GOTO 600 !169
510 CALL HCHAR(J,K,112)!151
520 CALL HCHAR(J,K+1,113)!08
3
530 CALL HCHAR(J,K+2,114)!08
5
540 CALL VCHAR(J+1,K,115,2)!
017
550 CALL VCHAR(J+1,K+2,115,2
)!205
560 CALL HCHAR(J+3,K,116)!08
8
570 CALL HCHAR(J+3,K+1,113)!
016
580 CALL HCHAR(J+3,K+2,117)!
021
590 RETURN !136
600 CALL CLEAR !200
610 CALL SCREEN(16)!201
620 RANDOMIZE !149
630 FOR J=1 TO 13 STEP 4 !02
8
640 FOR K=3 TO 27 STRP 3 !03
5
650 N=INT(13*RND+1)!203
660 SU=INT(4*RND+1)!244
670 IF A(N,SU)=1 THEN 650 !1
52
680 A(N,SU)=1 !015
690 B((J+3)/4,(K/3),1)=N !20
0
700 B((J+3)/4,(K/3),2)=SU !0
35
710 GOSUB 510 !079
720 NEXT K !225
730 NEXT J !224
740 YY=1 !106
750 FOR J=17 TO 21 STEP 4 !0
83
760 FOR K=3 TO 27 STEP 3 !03
5
770 IF (J=21)+(K>23)=-2 THEN
910 !019
780 FOR F=YY TO 4 !240
790 FOR G=1 TO 13 !106
800 IF A(G,F)<1 THEN 840 !23
9
810 NEXT G !221
820 NEXT F !220
830 GOTO 910 !224
840 A(G,F)=1 !166
850 B((J+3)/4,K/3,1)=G !084
860 B((J+3)/4,K/3,2)=F !084
870 YY=F !182
880 GOSUB 510 !079
890 NEXT K !225
900 NEXT J !224
910 FOR K=24 TO 27 STEP 3 !0
87
920 X=INT(5*RND+1)!165
930 Y=INT(9*RND+1)!170
940 IF B(X,Y,1)=15 THEN 920
!070
950 B(6,K/3,1)=B(X,Y,1)!151
960 B(6,K/3,2)=B(X,Y,2)!153
970 B(X,Y,1)=15 !174
980 B(X,Y,2)=5 !125
990 GOSUB 510 !079
1000 NEXT K !225
1010 CR=2 !078
1020 CC=4 !065
1030 F=1 !254
1040 G=32 !062
1050 ON PL GOTO 1060,1120 !1
42
1060 T=T+1 !033
1070 T$=STR$(T)!210
1080 FOR FC=1 TO LEN(T$)!066
1090 CALL HCHAR(5,29+FC,ASC(
SEG$(T$,FC,1))!035
1100 NEXT FC !041
1110 GOTO 1160 !219
1120 CALL HCHAR(9,30,65)!007
1130 CALL HCHAR(17,30,66)!05
6
1140 F=1.5+.5*CH !159
1150 CALL HCHAR(2,30,64+F)!0
06
1160 FOR CARD=1 TO 2 !010
1170 CALL KEY(0,K,S)!187
1180 CALL HCHAR(CR,CC,42)!23
8
1190 CALL HCHAR(CR,CC,G)!005
1200 IF K=13 THEN 1480 !001
(See Page 17)

```

AUTHORIZED DEALER



TEXAS INSTRUMENTS



**EXCITING NEW WAYS
TO USE YOUR TI-99/4A COMPUTER**

TEX+COMP™ Proudly Introduces

FREEWARE™

•• Public Domain and Shareware for the
Texas Instruments TI-99/4A Computer.



TEX-COMP IS THE LARGEST INDEPENDENT TI-99/4A RETAILER IN THE WORLD. TEX-COMP HAS BEEN SERVING 99/4A USERS IN THE UNITED STATES, CANADA AND IN OVER 30 FOREIGN COUNTRIES SINCE THE INTRODUCTION OF THIS POWERFUL MICRO-COMPUTER IN LATE 1978. TEX-COMP HAS CONTINUED TO SEARCH OUT THE FINEST PRODUCTS AVAILABLE FOR THE TI-99/4A AND OFFER THEM TO YOU AT THE LOWEST POSSIBLE PRICE.

GAMES

UTILITIES

GRAPHICS

ACCOUNTING
AND FINANCE

SECURITY/HACKING

SERIES I

#1. "THE SINGING TI-99/4A"

SPEECH & MUSIC DEMO DISK
This is the disk everyone is talking about. The computer voice actually sings to animated graphics. Includes routines by master programmer Ken Gilliland. Bert & Earnie. Nat'lida & much much more. 2 disk sides—speech & 32K req.

#2. WHEEL OF FORTUNE, BLACKJACK, & JOKER POKER

Three fantastic freeware programs on one disk. Professional quality and the best "wheel" game around at any price. You would love it!

#3. DUMPIET DEMO DISK

This disk helps you transfer many TI modules to disk. Recommended for users with some programming ability. Ed/Assem & "widget" recommended.

#4. PRINTART DEMO DISK

Two disk sides filled with files that print out great quality pictures on most printers. Many famous TV and comic characters on this disk. "Beam me up Scotty"

#5. ORIGINAL TI SALES DEMO DISK WITH TI-TREX GAME

This disk is packed full of assorted files of all types. Graphics, speech etc. Contains complete TI-TREX game for Serech Editor or TE-II module.

#5A. TI MUSIC/GRAPHICS DEMO DISK
A great collection of music and matching graphics. Great examples of music & sprite programming.

#6. EXBASIC MUSIC DEMO DISK

A two disk side collection of music & graphics that we consider some of the best.

#7. SPACE SHUTTLE MUSIC/GRAPHICS DEMO DISK

One of the real outstanding examples of programming. This disk has it all. Great graphics, music, and continuity. A real salute to the space program. It is almost like watching a movie!

#8. LOTTO DEMO DISK

This program randomly generates numbers for use in the various state lotto games and even runs a simulated lotto game. Easy to modify for pick 6 etc. games. A great learning and fun disk.

#9. MONA LISA PRINT OUT DEMO

This disk prints out a near-photo quality picture of that lady with the classic smile. We understand it was made by digitizing the original with a super powerful computer and converting the output to run on the TI-99/4A. Impresses everyone who sees it!

#10. GOTHIC PRINT DEMO DISK

This disk lets you type out a phrase on the screen and then print it out in gothic (old english) style. Looks like hand lettered calligraphy. Use for invitations, announcements and business cards.

#11. ANIMATED CHRISTMAS CARD

This disk was actually originally sent to TEX-COMP as a greeting from master programmer Ray Kazner. It was just too good not to share! One of the best examples of computer animation and graphics you will see on any computer!

#12. TI-99 CLOPPY DISK

This great piece of programming actually simulates and plays the famous board game. For legal reasons we cannot name the game but "do not pass Go but go directly to Jail!"

#13. STRIP POKER (PG RATED)

Play Poker against your TI-99/4A. When you win a hand she loses—a piece of her clothes that is. Don't worry about being a lousy poker player. Another file is included where you don't even have to know an ace from a king.

#14. FIGURE STUDY DEMO (PG RATED)

A collection of Playday type centerfolds that can be printed out at your command. Use with any printer.

#15. STAR/EPSON PRINTER DEMO

This 2 sided disk contains a large collection of demo programs to put your Star/Epson compatible printer through its paces. Learn what control codes can do! Lots of text and graphics examples. Second side has a great tutorial on printer graphics with examples!

#16. SIDWAYS PRINTOUT DEMO DISK

This program allows you to print out the material from your printer sideways. Great for spreadsheets, banners and large graphics. Second side contains some fun enhancements for Multilan not available on the TI upgrade.

#17. TI FORTH DEMO DISK

This demo disk was released by TI to show the power of forth. Fantastic music and graphics. Ed/Assem & 32K required!

#18. TI DIAGNOSTIC DISK

This program loads into the Mini-Rammy module and checks out your entire system. Much better than disk based diagnostics that cannot be used if a problem in the disk system is at fault. Complete documentation on second side.

#19. TI WRITER/MULTIPLAN UPGRADE DISK

This disk released by TI adds real lower case to your TI Writer. speed to your Multiplan and other enhancements. Easy to use. just substitute new files for old! Instructions included.

#20. ACCOUNTS RECEIVABLE DEMO

This self contained prize winning program loads and runs in Exbasic and has all the features found in a professional accounting system. Complete with documentation and a second disk side with report generating programs.

SERIES II

#21. DATA BASE DEMO DISK

A professional data base program that was originally written to store magazine articles from computer magazines and then find them by name, subject, key word, or publication. Fast, easy to use and easy to adopt for other applications. Comes complete with sample data to make learning data base processing easy. Completely menu driven and unprotected.

#22. ASTROLOGY DEMO DISK

This one is as good as anything you will see in an arcade. Great color graphics and displays. Enter your birthdate and learn about your sign, your lucky days and famous events in history on your birthday. Even prints out a report. Can be used as a great moneymaker at a charity event. Help guide your spouse's career.

#23. WILL WRITER DEMO DISK

Enter your answers to a group of computer asked questions and this program then writes you a last will and testament. Now you can leave your TI-99/4A to your favorite nephew. Works with any printer. Appears legal in all states but better check that out!

#24. ENGINEERING CALCULATIONS

A two sided computer handbook of dozens of the most often used engineering and technical formulas. A real time saver. Does conversions, calculations and even designs electrical circuits. A must for anyone whose profession or hobby involves scientific calculations. Even has medical and communications application

#25. MEDICAL ALERT DEMO DISK

This disk contains many menu accessible files covering most everyday medical emergencies. A good "what to do until the doctor or paramedic comes" guide. Well written and organized. Could very easily save a life!

#26. R RATED GAME DEMO DISK

It was bound to happen. A talented (but somewhat) programmer in Germany wrote an invaders type game but with most unusual guns and targets. Definitely not what you would find at your neighborhood arcade. Not only a great party game but some great programming. You must be over 18 to order this one!!

#27. KIDS LEARNING DEMO DISK

An educator in Georgia put this two sided disk collection of educational programs together. Contains great material. Math, geography, reading improvement, and even IQ testing. All high quality programs for kids of all ages.

#28. LOADERS AND CATALOGERS

We put together a collection of the best programs that catalog and load a group of programs on a disk. Just try them, pick the one you like and transfer it to another disk with the file name LOAD and you are in business.

#29. LABEL MAKER DEMO DISK

Two great programs for making custom labels for disks, addresses, video tapes or any other application. Even contains a graphic display of the TI-99/4A console. Now you can create custom labels of any number by just typing in the lines as you want them. Uses standard tractor labels

(818) 366-6631

Visa & Mastercard Holders Call Direct 24-Hour Order Line



ONLY \$4.95 Per Disk

Programs and Utilities to meet all your Computing Needs.



SPREADSHEETS

BASIC

APPLICATIONS

DATABASE
PROGRAMS

SERIES III

#30. HOUSEHOLD BUDGET PRINTOUT

With this disk you print out the data you have stored with the TI MM Module. MM is a great module that can be used for many home and small business applications but TI forgot to include a printout function. This program comes with full instructions and we are sure that your MM Module will now start being used. Fantastic programming job.

#31. MORSE CODE TRAINER DISK

This disk has every thing you need to learn and practice Morse code for the various FCC license exams. It also is great for scout groups and school "ham" clubs for group training and merit badge qualification. Professional quality.

#32. EXBASIC XMAS MUSIC DEMO DISK

Two disk sides full of high quality xmas music that can be played throughout the holiday season and then used as a learning tool since it contains wonderful arrangements and graphics. Autoloading and menu driven.

#33. CHECKERS & BACKGAMMON

A collection of great checkers and backgammon games for the TI-99/4A. These are professional in quality and will keep you busy for hours.

#34. SOLITAIRE & SCRABBLE

Another collection of classic games for the TI-99/4A. Exbasic & 32K req.

#35. PROGRAMMING AIDS & UTILITIES

A collection of some unusual programs of interest to programmers. One program shows a group of opening title displays, another is a cross reference program as good as any of the commercial ones, plus a great disk management utility.

#36. STRICTLY BUSINESS DEMO DISK

A collection of various programs for evaluating loans, calculating interest, and other financial items such as return on investment and security performance. Two disk sides filled with financial programs.

#37. LAPD COOKBOOK DEMO DISK

This unofficial police cookbook was put together by one of our boys in blue who is also a gourmet chef. Yes it contains jailhouse chili! Over 50 great recipes from soup to nuts on two disk sides and each separate side can be called up on screen or printer in exbasic from a menu. As good as any of the new PC computer cookbooks we have seen.

#38. GREAT 99/4A GAMES VOL. I.

A collection of professional games in assembly and exbasic that all load from a menu in exbasic. Includes a great shi game where you dodge the trees in a fast downhill run. We have included only the best in this series.

#39. GREAT 99/4A GAMES VOL. II.

Still more of the great ones from all over the world. The quality, graphics and speed of many of these games will make you wonder why they were never released commercially.

#40. ARTIFICIAL INTELLIGENCE DEMO

This disk contains the famous game Eliza where you type in a question or a problem you are having and "Eliza" helps you find the solution. Also contains one of the better bio-rhythm programs so you can analyze all your emotional problems at one sitting.

#41. VIDEO GRAPHS MODULE BACKUP DISK

This disk is a backup of the discontinued Video Graphs Module from TI. For legal reasons, it can only be purchased for backup use by owners of the original module. Do not order UNLESS you have the original module and intend to use this disk only for backup purposes. Exbasic Autoload...

#42. FUNNELWEB FARM UTILITY

You heard about this one, now direct from Australia is the latest version of this fantastic utility that puts everything at your command. For one program you can access word processing, editor/ assembler, tele-communications, and just about everything else. A freeware program complete with documentation on a second disk side.

SERIES IV

#43. BEST OF BRITAIN, VOL. I.

Now for the first time, a collection of the best 99/4A games Britain has to offer including the famous "Billy Ball" series of arcade games. Great graphics, action and excitement with exbasic loading and an all new menu selection program by Ray Kazner.

#45. BEST OF BRITAIN, VOL. II.

This disk contains the best 3-D adventure game ever written for the TI-99/4A. The Legend of Carfax Abbey lets you actually move through a four story mansion complete with bats and vampires. You actually are placed in each room and go up and down stairs and through secret panels. Legend of Zelda...look out!

#46. SUPER TRIVIA 99

A great trivia game for 1 to 4 players with great questions and capability to add your own and print out the files. This one is a real challenge.

#47. INFOCOM RAPID LOADER

If you have Infocom games this is for you. Loads all TI Infocom games in only 28 seconds and permits new screen colors and improved text display. Comes with all documentation on disk.



TI PROGRAMS FROM AROUND THE WORLD

#48. GHOSTMAN (from England)

This Pacman/Munchman type game starts at a slow pace and slowly speeds up to a break-neck pace. A totally new experience.

#49. DEMON DESTROYER (from France)

This great assembly game starts where Invaders leaves off. Add features like descending aliens and closing walls. Hours of great arcade action.

#50. OH HUNNY (from Germany)

Move through the chambers of a Pyramid in search of hidden treasure. Fantastic graphics and great entertainment.

#51. BERLIN HALL (from Canada)

This game requires a nine field to be crossed before escaping from E. Berlin. Good graphics and a real challenge.

#52. ANIMATION 99 (from Germany)

THIS IS THE ONE! A demo disk filled with fantastic computer animation routines like you have never seen before.

See famous cartoon figures move with more realism than on Sat. morning tv. This disk received a standing ovation when previewed at a local users group. We have even included instructions how to do it yourself on the second disk side. This one is a show stopper!!!

#53. WACHER/CRACKER

A collection of disk copying programs that copy TI disks by tracks. If one of these can't copy a protected disk nothing will. We included a collection of the very best ones including both TI and CorCom compatible. These require 2 disk drives and 32K of memory.

#54. ASTRONOMY DEMO

This program from Australia plots the heavens and teaches you about the solar system. A great learning and reference tool. Exbasic and 32K required. Don't confuse this one with our Astrology Demo. They are not the same...ask Nancy!

#55. SCREEN DUMP

This program allows you to dump disk and even module programs to a Star/Epson compatible printer. Comes with plans to build a load interrupt switch which is needed to dump module programs. This demo program by Danny Michael is considered the best of the bunch. Complete with documentation.

#56. SPREAD SHEET DEMO

Oh its not Multiplan but it works great and handles many spread sheet applications. A great way to learn to use spread sheet software. Comes with full instructions and documentation.

SERIES V

- #57. TELCO: The ultimate data communications program with inst.
- #58. PR BASE: One of the highest rated data base programs with inst.
- #59. GRAPH MAKER: Produces great graphs and charts from your data.
- #60. FREDDY: Nitendo quality assem. game from F.R.G. Great Graphics, fast action.
- #61. THE MINE: Fast action assem. game from F.R.G. Similar to Legend of Zelda. Great graphics, many screens.

Send order and make checks payable to:


TEX+COMP

P.O. BOX 33084 - GRANADA HILLS, CA 91344



TERMS: All prices F.O.B. Los Angeles. For latest service use cashiers check or money order. Add 3% shipping and handling (\$3.00 minimum). East of Mississipi 4 1/2% Add 3% for Credit Card orders. Prices and availability subject to change without notice.

NOTE: Payment in full must accompany all orders. Credit card. Company check or Money order for immediate shipment. Personal Checks require up to 4 weeks to clear. California orders add 8 1/2% sales tax.



BONUS

FREE DELUXE DISK STORAGE CASE WITH EACH ORDER OF FOUR OR MORE DEMO DISKS!

TEX+COMP

VISA & Mastercard Holders Call Direct 24-Hour Order Line

(818) 366-6631

BASIC—

(Continued from Page 14)

```

1210 IF K<>68 THEN 1250 !229
1220 DC=3 !065
1230 DR=0 !077
1240 GOTO 1360 !164
1250 IF K<>88 THEN 1290 !016
1260 DC=0 !062
1270 DR=4 !081
1280 GOTO 1360 !164
1290 IF K<>83 THEN 1330 !051
1300 DC=-3 !023
1310 DR=0 !077
1320 GOTO 1360 !164
1330 IF K<>69 THEN 1170 !150
1340 DC=0 !062
1350 DR=-4 !019
1360 CR=CR+DR !063
1370 IF CR<23 THEN 1390 !243
1380 CR=2 !078
1390 IF CR>1 THEN 1410 !211
1400 CR=22 !129
1410 CC=CC+DC !018
1420 IF CC<29 THEN 1440 !028
1430 CC=4 !065
1440 IF CC>3 THEN 1460 !248
1450 CC=28 !120
1460 CALL GCHAR(CR,CC,G)!004
1470 GOTO 1170 !229
1480 ROW=(CR+2)/4 !053
1490 COL=(CC-1)/3 !011
1500 CALL GCHAR(CR-1,CC,G)!1
92
1510 IF G<>32 THEN 1550 !006
1520 CALL SOUND(100,330,2)!1
26
1530 CALL SOUND(100,262,2)!1
30
1540 GOTO 1170 !229
1550 NU=48 !151
1560 G=32 !052
1570 RED=B(ROW,COL,2)!127
1580 M=B(ROW,COL,1)!240
1590 IF M>1 THEN 1610 !084
1600 M=14 !058
1610 CALL HCHAR(CR+1,CC,SUIT
(RED))!006
1620 PICK(CARD)=M !185
1630 IF RED<>5 THEN 1660 !21
5
1640 CALL HCHAR(CR,CC,120)!0
28
1650 GOTO 1690 !239
1660 IF RED<3 THEN 1680 !041
1670 NU=94 !152
1680 CALL HCHAR(CR,CC,NU+M)!
111
1690 AR(CARD)=CR !100
1700 AC(CARD)=CC !079
1710 CC=CC+3 !135
1720 IF CC<29 THEN 1740 !073
1730 CC=4 !065
1740 NEXT CARD !176
1750 IF PICK(1)=PICK(2)THEN
1800 !231
1760 CALL SOUND(200,165,2)!1
33
1770 CALL SOUND(200,131,2)!1
26
1780 CH=-SGN(CH)!212
1790 GOTO 1910 !204
1800 CALL SOUND(150,262,2)!1
35
1810 CALL SOUND(150,330,2)!1
31
1820 CALL SOUND(150,392,2)!1
39
1830 CALL SOUND(300,524,2)!1
33
1840 SC(F)=SC(F)+2 !012
1850 MATCH=MATCH+1 !083
1860 IF PL=1 THEN 1910 !206
1870 SC$=STR$(SC(F))!000
1880 FOR FC=1 TO LEN(SC$)!13
2
1890 CALL HCHAR(2+F*8,29+FC,
ASC(SEG$(SC$,FC,1))!045
1900 NEXT FC !041
1910 CALL KEY(0,K,S)!187
1920 IF K<>32 THEN 1910 !115
1930 CALL VCHAR(AR(2),AC(2),
32,2)!117
1940 CALL VCHAR(AR(1),AC(1),
32,2)!115
1950 IF PICK(1)<>PICK(2)THEN
1050 !183
1960 FOR CARD=1 TO 2 !010
1970 CR=AR(CARD)!100
1980 CC=AC(CARD)!079
1990 CALL VCHAR(CR-1,CC-1,32
,4)!035
2000 CALL VCHAR(CR-1,CC,32,4
)!103
2010 CALL VCHAR(CR-1,CC+1,32
,4)!034
2020 NEXT CARD !176
2030 IF MATCH<27 THEN 1050 !
122
2040 M$="GAME OVER !" !184
2050 FOR FC=1 TO LEN(M$)!059
2060 CALL HCHAR(5,5+FC,ASC(S
EG$(M$,FC,1))!229
2070 NEXT FC !041
2080 END !139

```

Trials of a c99 beginner

The calendar program

By CHARLES E. KIRKWOOD JR.

Last month the calendar program was written in FORTRAN for a mainframe computer and also Extended BASIC. This month will be c99's turn. The calendar program will print out any year since the modern calendar has been used. Remember that only the century years divisible by 400 are leap years; i.e., 1200, 1600, 2000, etc. This program takes this into consideration and prints out all the years correctly. The program was tricky since some of the numbers in the calculations get rather large and the order of the arithmetic is important.

Just how will we take care of the large numbers? There are several choices that might work.

Clint Pulley (author of c99) is to be commended for taking the

time to develop the c99 compiler and to continue the updates. Not only can c99 be used for integer and character programs, it is also a base for developing additional routines.

A first method could use assembly language for the arithmetic. Assembly language segments can be inserted within a c99 program. An assembly language segment begins with #asm and ends with #endasm, as:

```

#asm
assembly language steps
#endasm

```

There is no semicolon following #asm or #endasm. The assembly code has access to all global symbols and functions by name.

(See Page 18)

(Continued from Page 17)

Second, a two-element array could be set up for each integer. This would require careful calculation to carry from the least significant to the most significant portion of the number.

And a third method could use Tom Bentley's Floating Point Library. He has written a library that can be used with Clint Pulley's c99. The floating point statements are functions to perform the various operations rather than the algebraic statements of c99 and other languages. This, of course, may appear to be rather awkward, but the functions will do the job just the same.

A statement to add two integers in c99 appears like this:

```
k=i+j;
```

whereas the function to add two real or floating point values is:

```
fexp(a,"+",b,c);
```

where a, b, and c are floating point arrays with 8 elements each; c is the result of the operation. The TI99/4A stores a floating point number in 8 bytes, so it is necessary to declare an 8-element array for each number. This will take a little getting used to, but it is not impossible.

The data type **float** is used to define a floating point number. The functions are stored in the FLOAT;C library, which must now be added to your compiler disk. The documentation says to use the file FLOATI with the FLOAT;C, but I found this to be unnecessary since the information in FLOATI was included in my FLOAT;C file.

The general form for arithmetic operations is:

```
fexp(f1,"op",f2,res);
```

where f1 is the first variable, "op" is the operation (+,-,*,/) within quotation marks, f2 is the second variable, and res is the result.

Examples and some of the floating point functions are:

```
float f[8]; /*or float f[FLOATLEN];*/
float f1[8],f2[8];
char *c, s[12]; /*c is the pointer to the float*/
/*array, may be omitted. The 12*/
/*is the "size" of the array,*/
/*refer to fgets(), fputc(), and*/
/*stof() below.*/
```

```
int i;
```

```
c=fgets(s,f); /*input a floating point string*/
/*and convert to a floating point*/
/*number, size is the input size*/
```

```
fputc(f,s); /*output to screen, size is the*/
/*output size*/
```

```
c=itof(i,f); /*converts an integer to a floating*/
/*point number*/
```

```
i=ftoi(f); /*converts a floating point number*/
/*to an integer*/
```

```
c=stof(s,f); /*converts a numeric string to a*/
/*floating point number, size is*/
/*the size of the string array.*/
```

```
c=fiat(f1,f2); /*returns greatest integer value*/
/*of f1 to f2*/
```

```
c=fcpy(f1,f2); /*copy one float array to another*/
/*float array*/
```

Other functions are listed in the documentation.

As a simple example using these functions, a short program is written to input two real numbers, multiply them, and print the answer on the screen.

```
#include DSK1.FLOAT;C
main()
{
    float x[8],y[8],z[8];
    char s[12];
    fgets(s,x);
    putchar(10);
    fgets(s,y);
    putchar(10);
    fexp(x,"*",y,z);
    fputc(s,s);
}
```

As stated last month the two FORTRAN functions from the ACM Journal about 20 years ago are used to calculate a calendar for any year. They are repeated here since they contain the algorithm necessary to determine the day of the week in which each month starts and the number of days in each month. The first function IZLR() calculates the starting day and the second one, JD(), the number of days in the month.

```
IZLR(I,J,K)=MOD((13*(J+10-(J+10)/13*(12))-1)/5+K+
77*5*(I+(J-14)/12-(I+(J-14)/12)/100*(100))/4+(I+
(J-14)/12)/400-(I+(J-14)/12)/100*2,7)
```

```
JD(I,J,K)=K-32075+1461*(I+4800+(J-14)/12)/4+367*
(J-2-(J-14)/12*(12))/12-3*((I+4900+(J-14)/12)/100)
/4
```

The integer arithmetic is for a mainframe computer with at least a 32-bit (4-byte) word. The c99 program will use these functions. The parameter K is equal to one, so it will be omitted in the c99 program and the one is added to -32075 in JD() and to 77 in IZLR(). There is no problem with IZLR() since all the integers in the function can be stored in two bytes. There is, however, a problem with JD(). Some of the arithmetic values have as many as seven digits.

I chose the third method — floating point or real arithmetic. The real numbers must be truncated properly and the order of operations is important.


Now for the calendar program:

```
#include DSK1.STDIO
#include DSK1.FLOAT
int a,b;
extern printf(),atoi(),fprintf();
main()
{
    int m[13],day[7];
    int q,qq,ss;
    char str[7],year[5];
```

(See Page 20)

1988 The Year Of The Upgrade Not The Up Trade

A COMPLETE EXPANSION SYSTEM
9900 + FOR THE TI99/4A
THE ULTIMATE
99/4A EXPANSION SYSTEM
AT A SPECIAL
PRICE FROM **TEX+COMP™**



CorComp
**COMPLETE
EXPANSION SYSTEM
NOTHING ELSE TO BUY!**

TEX-COMP, the undisputed leader in supplying the 99/4A User, has now put together the finest and most complete expansion system ever offered for the TI99/4A.

- **9900 Expansion Box & Regulated Power Supply (UL Approved)**
- **32K Memory Upgrade** Adds 32K bytes of Random Access Memory to your system.
- **Double Sided/Double Density Disk Controller** (operates up to 4 drives)
- **RS232 Interface** Lets you add a wide range of other accessories, such as printers or telephone modems, one parallel and 2 serial outputs.
- **1 SS/SD Disk Drive** Allows you to store and retrieve data on 5 1/4-inch single- or double-sided floppy diskettes.
- **1 Disk Drive Case & Regulated Power Supply**
Handles two 1/2-height drives easily (UL or LAC Approved)
- **New Disk Manager with Improved Disk Utilities**
- **All Cables & Instructions** Including a free TI RS232 Y-Cable.

**ALL FOR
\$379.95**
Plus S&H

For above system with full size or 1/2-height DS/DD Drive **SPECIFY** \$399.95
For above system with a pair of 1/2-height DS/DD Drives **NEW LOW PRICE** 499.95

CorComp RS232 Card (for TI P-Box)	79.95
CorComp 32K Card (for TI P-Box)	99.95
CorComp 256K P-Box Card	169.95
CorComp 512K P-Box Card	229.95
CorComp DS/DD Controller (for TI P-Box)	149.95
CorComp 9900 System with Free RS232 Y-Cable	299.95
CorComp Stand Alone RS232 with Free Y-Cable	99.95
CorComp Stand Alone 32K	89.95
Triple Tech P-Box Card (Clock/Buffer)	119.95
9900 Clock Stand Alone	69.95
"Grom Buster" (for 1983 Consoles)	24.95
Load Interrupt Switch (with FREE Screen Dump Program)	19.95
PDI Diagnostic Module	24.95
NEW "Writer-Ease" Word Processor & Spell Check New Lower Price	39.95
IBM Connection (39.95 with Controller Card)	49.95
1/2-Height DS/DD Disk Drive (2 will fit in P-Box) New Lower Price	89.95
Full Size SS/SD Disk Drive (exact replacement for TI 1250)	59.95
Full Size DS/DD Disk Drive	79.95
Drive Enclosure with Regulated Power Supply for 2 1/2-height or 1 full Drive	39.95
Cable Kit for 2 1/2-height Drives (for installation in P-Box)	29.95

Send order and make checks payable to:

TEX+COMP

P.O. BOX 33064 - GRANADA HILLS, CA 91344



VISA and MASTERCARD
HOLDERS CALL DIRECT
(818) 366-6631
24 Hour Order Line

TERMS: All prices F.O.B. Los Angeles. For fastest service use cashiers check or money order. Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 4 1/2%. Add 3% for Credit Card orders. Prices and availability subject to change without notice. We reserve the right to limit quantities.

NOTE: Payment in full must accompany all orders—credit card, company check or money order for immediate shipment. Personal checks require up to 4 weeks to clear. California orders add 6 1/2% sales tax.

c99—

(Continued from Page 20)

Don't forget to load C99PFI, your object file, CSUP, CFIO, PRINTF, FPRINTF, C99PFF, and SAVE to make your program file.

Nothing has been said about debugging programs in any of the c99 articles. Sometimes this can be the most exasperating and time consuming part of writing a program. One of the methods I use after getting a program to run is to insert and label print statements in the program and check the results of each operation. This is not foolproof, since there can be special situations.

I don't know how many of you have heard Commodore Grace Hopper's story about the origin of the term "debug." She worked with the first computers which were composed of vacuum tubes and relays. The light from the vacuum tubes attracted the moths and other insects, which would get caught in the relay contacts and necessitated cleaning these contacts periodically. Hence, the first "debugging" was really debugging!

The compiler error messages are pretty much self explanatory. The error might be in the previous statement to that one shown on the screen.

Now suppose we get past the compile stage and no errors are detected. That still does not mean there are no errors. The compiled file (assembly language) is now assembled and at the end we see something like this:

```
UNDEFINED SYMBOL -- 1100
```

With the Editor/Assembler, load your assembled file into the computer and look for line 1100. You do not need to know

MAY 1988

SUN	MON	TUE	WED	THU	FRI	SAT
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

JUN 1988

SUN	MON	TUE	WED	THU	FRI	SAT
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30		

assembly language to discover the error. Chances are that you will discover that a variable name had not been declared or some name after extern has been left off.

In the April 1988 issue of *Computer Language* magazine there are several articles on debugging which you might find interesting reading. Several of these articles are on the C (not c99) language. The hints, however, might prove to be useful.

As a closing statement to anyone who might also want to learn assembly language: The c99 language can also be used as a tutor. By typing y following the **Include c-text** in the compiler menu, the c99 statements are included as comments in the assembly language file. This makes it possible to see what assembly statements are necessary to produce the c99 statements.

Croaker needs help to get home

Here is another Extended BASIC game by David Mennenoh, author of Nut-z (February 1988, MICROpendium) and Rock Hopper (January 1987, MICROpendium).—Ed.

By DAVID MENNENOH

In this game, you play the part of Croaker, a small but brave frog desperately trying to get to his home, which is across a poison river. This feat may be accomplished by maneuvering the little frog through four lanes of speeding traffic, then onto a sidewalk plagued by a deadly snake. Then comes the hard part: You must safely hop across the river, lily pad by lily pad before finally jumping into one of Croaker's unoccupied homes on the other side of the river.

Movement is controlled via the keyboard with the following keys:

Up	P
Down	L
Right	D
Left	S

There are three levels of difficulty, which is determined at the start of the

game. The difference between the levels lies in the speed at which the on-screen hazards travel.

The game ends when five frogs have been killed.

Scoring is determined by the number of frogs you have left after finishing a screen. The following formula determines the number of points awarded for getting a frog home: $100 + (50 \times \text{the number of frogs remaining})$. When all of the homes have been filled with frogs, bonus points are scored. Bonus points are also calculated on the basis of the number of frogs remaining.

Each time you clear a screen, the speed of the hazards increases.

Croaker uses up virtually all of the TI's resident memory and thus makes major modifications difficult.

The high score thus far is 2,000.
Good luck!

PROGRAM EXPLANATION

Line No.	Explanation
10-100	Title screen

110	Define arrow characters
120-160	Display movement keys
170-230	Get level to start at
240-260	Clean screen, set variables
270-400	Define game characters
410	Screen color
420-440	Game song
450	Set colors
460	Set frog homes to empty
470-490	Build board
500	Set colors
510-520	Display men remaining
530-630	Put sprites on screen
640	Set frog start
650-760	Get keypress to move frog in traffic
770-790	Move frog in traffic
800-830	Die routine
840-850	Frog made it to sidewalk
860-930	Get keypress for sidewalk
940	Move frog on sidewalk
950-970	Frog in water
980	Check to see that frog

(See Page 22)

CROAKER—

(Continued from Page 21)

Line No.	Explanation
	missed the water
990-1040	Get keypress for water
1050	Move frog in water
1060-1100	Set frog's motion in water
1110	Check to see that frog missed water
1120-1140	Frog made it home
1150-1230	See if frog's home was empty or missed
1240-1280	Fill appropriate home
1290	Sound
1300	See if all homes are filled
1310-1320	Award points
1330-1380	All homes filled, award points
1390-1480	Game over, display scores, play again option

CROAKER

```

10 CALL CLEAR :: CALL SCREEN
(2):: FOR T=1 TO 14 :: CALL
COLOR(T,16,2):: NEXT T !010
20 CALL CHAR(34,"01804FFFF0
41800",35,"249249FFFF499224"
)!078
30 CALL COLOR(1,5,2,13,7,16)
!039
40 CALL CHAR(128,"00003C3C3C
300000")!030
50 CALL HCHAR(5,3,128,27)::
CALL HCHAR(19,3,128,27):: CA
LL VCHAR(5,3,128,14):: CALL
VCHAR(5,30,128,15)!166
60 DISPLAY AT(9,6)SIZE(19):"
C R O A K E R"!035
70 DISPLAY AT(15,3)SIZE(24):
"PRESS SPACE BAR TO BEGIN" !
030
80 CALL KEY(5,K,S):: IF K=32
THEN 110 !229
90 RANDOMIZE :: B=INT(16*RND
)+1 :: F=INT(16*RND)+1 :: CA
LL COLOR(13,F,B)!021
100 GOTO 80 !159
110 CALL CLEAR :: CALL CHAR(
33,"18307FFF18181818",34,"18
181818FFF7E3C18",35,"0B00FFF
FF00000",36,"103070FFFF7030
10")!138
120 DISPLAY AT(10,14):"P" ::
DISPLAY AT(12,12):"S" :: DI

```

```

SPLAY AT(12,16):"D" :: DISPL
AY AT(14,14):"L" !229
130 CALL HCHAR(8,16,33):: CA
LL HCHAR(12,12,36):: CALL HC
HAR(12,20,35):: CALL HCHAR(1
6,16,34)!031
140 DISPLAY AT(1,3):"KEYS TH
AT MAKE FROG MOVE": "AND WHAT
DIRECTION THEY MAKE": "
HIM MOVE IN." !110
150 DISPLAY AT(23,1):"PRESS
THE SPACE BAR TO START" !243
160 CALL KEY(5,K,S):: IF K>
32 THEN 160 !216
170 CALL CLEAR :: DISPLAY AT
(3,1):"PLEASE SELECT WHAT LE
VEL YOU WISH TO BEGIN AT" !12
6
180 DISPLAY AT(10,5):"1. NOV
ICE" :: DISPLAY AT(11,5):"2.
BEGINNER" :: DISPLAY AT(12,
5):"3. EXPERT" !143
190 CALL KEY(5,K,S):: IF S=0
THEN 190 !007
200 IF K=49 THEN M1=8 :: M2=
7 :: M3=9 :: M4=10 :: GOTO 2
40 !223
210 IF K=50 THEN M1=10 :: M2
=9 :: M3=11 :: M4=12 :: GOTO
240 !047
220 IF K=51 THEN M1=13 :: M2
=12 :: M3=14 :: M4=15 :: GOT
O 240 !100
230 GOTO 190 !013
240 CALL CLEAR :: CALL DELSP
RITE(ALL):: CALL CHARSET !19
0
250 CALL MAGNIFY(3)!224
260 SC=0 :: ME=5 !029
270 CALL CHAR(36,"000010170
277FCFC7F27700101000000000
00B0B0CFCFCFCFCFC00000000")
!223
280 CALL CHAR(64,"4023170009
000000070B13210000000002C4E8
B00000007000000C88400000000")
!063
280 CALL CHAR(64,"4023170009
000000070B13210000000002C4E8
B00000007000000C88400000000")
!063
290 CALL CHAR(40,"0000000000
27F7FFFFFF727000000000000000
0000FFFFFFF0000000000000")
!136
300 CALL CHAR(44,"FF83878686

```

```

838180B68F8F8F8F83818FFF9CFE
66F6FCF8F0F6FFFFFFF0C6807")
!007
310 CALL CHAR(60,"000F1F3F3F
7F7F7F7F7F3F3F1F0F0000000000
F0F0F8F8F8F8F8F0F2E0000000")
!128
320 CALL CHAR(92,"0000000011
207FF7F7F7F207100000000000000
0000B0B0B0B0B0B00000000000")
!245
330 CALL CHAR(58,"FF01010101
010101",59,"0101010101010101
")!101
340 CALL CHAR(96,"000004F5F
3F3FFFFFF3F3F5F4F200000000000
80000000000000000000000000")
!227
350 CALL CHAR(100,"0011120F0
707070005000000000000000000000
4F8F0F0F00000000000000000000")
!008
360 CALL CHAR(88,"001C100B3F
207F7F7F7F203F0B1C10000000038
3890F8FC8F8FFCF890383800000")
!250
370 CALL CHAR(104,"0001000F1
717070305040020101000000000000
0F8F4F4F00000102040400000000")
!255
380 CALL CHAR(108,"000000468
F99D9D9F87000000000000000000183
C0000000000000000000000000")
!042
390 CALL CHAR(120,"FFHFH00D
FDFF00",128,"0B5D8E1C1C3E49
41")!000
400 CALL CHAR(33,"FFFFFFFFF
FFFFFF",112,"FFFFFFFFFFFFFFF
F",136,"FFFFFFFFFFFFFFF")!0
12
410 CALL SCREEN(13)!198
420 CALL SOUND(200,392,1)::
CALL SOUND(200,392,1):: CALL
SOUND(200,440,1):: CALL SOU
ND(200,440,1)!146
430 CALL SOUND(200,494,1)::
CALL SOUND(200,587,1):: CALL
SOUND(200,494,1):: CALL SOU
ND(200,392,1):: CALL SOUND(2
00,392,1)!178
440 CALL SOUND(200,440,1)::
CALL SOUND(200,523,1):: CALL
SOUND(200,494,1):: CALL SOU
ND(200,440,1)!145

```

(See Page 23)


CROAKER—

(Continued from Page 22)

```

450 CALL COLOR(1,13,13,12,7,
16,13,16,13,11,2,13,14,5,13)
!017
460 SQ1=0 :: SQ2=0 :: SQ3=0
:: SQ4=0 !188
470 CALL HCHAR(22,1,33,96)::
CALL HCHAR(13,1,120,64):: C
ALL HCHAR(15,1,112,256):: CA
LL HCHAR(3,1,136,320)!213
480 CALL HCHAR(1,5,136,3)::
CALL HCHAR(2,5,136,3):: CALL
HCHAR(1,11,136,3):: CALL HC
HAR(2,11,136,3)!160
490 CALL HCHAR(1,17,136,3)::
CALL HCHAR(2,17,136,3):: CA
LL HCHAR(1,23,136,3):: CALL
HCHAR(2,23,136,3)!014
500 CALL COLOR(5,16,13,6,16,
13,7,16,13)!008
510 DISPLAY AT(24,12):"POINT
S ";SC !250
520 DISPLAY AT(24,3)SIZE(5):
RPT$(CHR$(128),MR)!037
530 CALL SPRITE(#1,36,7,160,
100,0,-M4,#2,92,5,160,190,0,
-M4,#3,40,16,160,40,0,-M4)!0
33
540 CALL SPRITE(#4,88,5,146,
110,0,M2,#5,92,16,146,190,0,
M2,#6,88,11,146,30,0,M2)!041
550 CALL SPRITE(#7,40,13,131
,100,0,-M3,#8,36,16,131,40,0
,-M3,#9,92,10,131,180,0,-M3)
!132
560 CALL SPRITE(#10,88,14,11
5,120,0,M1,#11,88,6,115,210,
0,M1,#12,88,16,115,50,0,M1)!
169
570 CALL SPRITE(#15,96,4,80,
100,0,-M4,#16,96,4,80,180,0,
-M4,#17,96,4,80,40,0,-M4)!01
5
580 CALL SPRITE(#18,60,13,65
,100,0,M2,#19,60,13,65,40,0,
M2,#20,60,13,65,190,0,M2)!06
9
590 CALL SPRITE(#21,96,4,49,
100,0,-M2,#22,96,4,49,20,0,-
M2)!241
600 CALL SPRITE(#23,60,13,34
,100,0,M3,#24,60,13,34,180,0
,M3,#25,60,13,34,40,0,M3)!05
6
610 CALL SPRITE(#26,60,13,19
,100,0,-M1,#27,60,13,19,50,0

```



```

,-M1)!070
620 CALL SPRITE(#13,100,16,1
75,100,0,0)!079
630 CALL SPRITE(#14,100,2,10
0,100,0,M2)!156
640 R=175 :: C=100 !087
650 CALL PATTERN(#13,100)!04
9
660 CALL COINC(ALL,A):: IF A
=-1 THEN 800 !128
670 CALL KEY(5,K,S):: IF S=0
THEN 660 !223
680 IF K>83 AND K<>115 THEN
700 ELSE C=C-10 :: IF C<30
THEN C=C+10 !104
690 GOTO 770 !084
700 IF K>68 AND K<>100 THEN
720 ELSE C=C+10 :: IF C>230
THEN C=C-10 !173
710 GOTO 770 !084
720 IF K>80 AND K<>112 THEN
740 ELSE R=R-14 !151
730 GOTO 770 !084
740 IF K>76 AND K<>108 THEN
760 ELSE R=R+14 :: IF R>175
THEN R=R-14 !055
750 GOTO 770 !084
760 GOTO 660 !229
770 CALL PATTERN(#13,104)::
CALL LOCATE(#13,R,C):: CALL
SOUND(50,400+R/C,4)!080
780 IF R<110 THEN 840 !182
790 GOTO 650 !219

```

```

800 CALL PATTERN(#13,64):: C
ALL COLOR(#13,7)!191
810 FOR T=400 TO 110 STEP -3
0 :: CALL SOUND(100,T,1):: N
EXT T :: MR=MR-1 :: IF MR<1
THEN 1390 !103
820 DISPLAY AT(24,3)SIZE(5):
RPT$(CHR$(128),MR)!037
830 GOTO 530 !039
840 R=97 :: CALL LOCATE(#13,
97,C):: FOR T=110 TO 400 STK
P 50 :: CALL SOUND(50,T,1)::
NEXT T !029
850 CALL PATTERN(#13,100)!04
9
860 CALL COINC(ALL,A):: IF A
=-1 THEN 800 !128
870 CALL KEY(5,K,S):: IF S=0
THEN 860 !168
880 IF K>83 AND K<>115 THEN
900 ELSE C=C-10 :: IF C<30
THEN C=C+10 !049
890 GOTO 940 !254
900 IF K>68 AND K<>100 THEN
920 ELSE C=C+10 :: IF C>230
THEN C=C-10 !118
910 GOTO 940 !254
920 IF K>80 AND K<>112 THEN
930 ELSE R=R-16 :: GOTO 950
!226
930 IF K>76 AND K<>108 THEN
850 ELSE R=R+14 :: R=119 ::

```

(See Page 24)

CROAKER—

(Continued from Page 23)

```

GOTO 770 !221
940 CALL PATTERN(#13,104)::
CALL LOCATE(#13,R,C):: CALL
SOUND(50,400+R/C,4):: GOTO 8
50 !128
950 CALL PATTERN(#13,104)::
CALL SOUND(50,400+R/C,4)!034
960 CALL LOCATE(#13,R,C)!182
970 CALL MOTION(#13,0,-M4)::
CALL PATTERN(#13,100)!046
980 CALL COINC(ALL,A):: IF A
=-1 THEN 990 ELSE CALL COINC
(ALL,A):: IF A=-1 THEN 990 E
LSE 800 !106
990 CALL KEY(5,K,S):: CALL P
OSITION(#13,R,C):: IF C<5 OR
C>260 THEN 800 ELSE IF S=0
THEN 990 !226
1000 IF K<>83 AND K<>115 THE
N 1010 ELSE 800 !059
1010 IF K<>68 AND K<>100 THE
N 1020 ELSE 800 !076
1020 IF K<>80 AND K<>112 THE
N 1040 ELSE R=R-16 :: IF R<1
0 THEN 1120 !230
1030 GOTO 1050 !109
1040 IF K<>76 AND K<>108 THE
N 990 ELSE R=R+16 :: IF R=97
THEN CALL MOTION(#13,0,0)::
GOTO 840 !234
1050 CALL PATTERN(#13,104)::
CALL LOCATE(#13,R,C):: CALL
SOUND(25,400+R/C,4)!092!050
IF R=81 THEN CALL MOTION(#1
3,0,-M4)!242
1070 IF R=65 THEN CALL MOTIO
N(#13,0,M2)!048
1080 IF R=49 THEN CALL MOTIO
N(#13,0,-M2)!244
1090 IF R=33 THEN CALL MOTIO
N(#13,0,M3)!044
1100 IF R=17 THEN CALL MOTIO
N(#13,0,-M1)!238
1110 CALL PATTERN(#13,100)::
CALL COINC(ALL,A):: IF A=-1
THEN 990 ELSE CALL COINC(AL
L,A):: IF A=-1 THEN 990 ELSE
800 !029
1120 CALL LOCATE(#13,1,C)::
CALL MOTION(#13,0,0):: CALL
POSITION(#13,R,C)!008
1130 CALL DELSPRITE(#13)!178
1140 R=1 :: C=INT((C+7)/8)!2
55
1150 IF C>4 AND C<8 AND SQ1=

```

```

1 THEN 800 !038
1160 IF C>10 AND C<14 AND SQ
2=1 THEN 800 !131
1170 IF C>16 AND C<20 AND SQ
3=1 THEN 800 !135
1180 IF C>22 AND C<26 AND SQ
4=1 THEN 800 !139
1190 IF C>4 AND C<8 THEN SQ1
=1 :: GOTO 1240 !044
1200 IF C>10 AND C<14 THEN S
Q2=1 :: GOTO 1240 !137
1210 IF C>16 AND C<20 THEN S
Q3=1 :: GOTO 1240 !141
1220 IF C>22 AND C<26 THEN S
Q4=1 :: GOTO 1240 !145
1230 GOTO 800 !114
1240 CALL COLOR(2,2,13,4,2,1
3)!031
1250 IF SQ1=1 THEN DISPLAY A
T(1,3)SIZE(3):",,:" :: DISPL
AY AT(2,3)SIZE(3):"-/;" !101
1260 IF SQ2=1 THEN DISPLAY A
T(1,9)SIZE(3):",,:" :: DISPL
AY AT(2,9)SIZE(3):"-/;" !114
1270 IF SQ3=1 THEN DISPLAY A
T(1,15)SIZE(3):",,:" :: DISP
LAY AT(2,15)SIZE(3):"-/;" !2
07
1280 IF SQ4=1 THEN DISPLAY A
T(1,21)SIZE(3):",,:" :: DISP
LAY AT(2,21)SIZE(3):"-/;" !2
02
1290 FOR T=110 TO 500 STRP 5
0 :: CALL SOUND(50,T,1):: NE
XT T :: FOR T=500 TO 110 STR
P -50 :: CALL SOUND(50,T,1):
: NEXT T !128
1300 IF SQ1=1 AND SQ2=1 AND
SQ3=1 AND SQ4=1 THEN 1330 !1
59
1310 SC=SC+100+(10*ME):: DIS
PLAY AT(24,12):"POINTS ";SC
!049
1320 GOTO 530 !099

```

```

1330 FOR T=110 TO 500 STEP 2
0 :: CALL SOUND(50,T,1):: NE
XT T :: FOR T=500 TO 110 STE
P -20 :: CALL SOUND(50,T,1):
: NEXT T !122
1340 SC=SC+100+(10*ME):: DIS
PLAY AT(24,12):"POINTS ";SC
!049
1350 SC=SC+(100*ME):: DISPLA
Y AT(24,12):"POINTS ";SC !0
69
1360 FOR B=1 TO 10 :: A=INT(
16*RND)+1 :: CALL SOUND(50,5
00+(A*10),1):: CALL COLOR(2,
A,A,4,A,A):: NEXT B !128
1370 CALL COLOR(2,2,13,4,2,1
3)!031
1380 M1=M1+2 :: M2=M2+2 :: M
3=M3+2 :: M4=M4+2 :: GOTO 46
0 !008
1390 CALL CLEAR :: CALL CHAR
SET :: CALL DELSPRITE(ALL)!1
90
1400 FOR T=1 TO 14 :: CALL C
OLOR(T,16,13):: NEXT T !213
1410 DISPLAY AT(8,7):"G A M
E O V E R" :: DISPLAY AT(
15,8):"SCORE ";SC !197
1420 IF SC>HS THEN HS=SC !02
0
1430 DISPLAY AT(17,6):"HIGH
SCORE ";HS !182
1440 DISPLAY AT(24,7):"PLAY
AGAIN (Y/N)" !140
1450 CALL KEY(5,K,S):: IF S=
0 THEN 1450 !248
1460 IF K=89 OR K=121 THEN 1
70 !013
1470 IF K=78 OR K=110 THEN C
ALL CLEAR :: CALL SOUND(500,
700,1,670,1,770,1):: CALL SO
UND(450,780,1,800,1,750,1)::
END !163
1480 GOTO 1450 !254

```

Reader to Reader

Bartley Busse, Box 36, Neidpath, Saskatchewan, Canada SON 1S0, wants to know about any non-lithium-cell batteries that will work with the CorComp Triple Tech Card.

Alain Machurot, 20 Rue Raymond Bordier, 33200 Bordeaux, France, says he has developed a superloader for Maximem with the Horizon RAMdisk compatible with the ROS and Menu 7.3. The program requires Maximem, RDH, 32K and a disk system. The program allows copying a module like Extended BASIC from RAMdisk to Maximem GRAM in two seconds, Machurot says. Users interested may send him two disks (SS/SD or DS/DD) with

any interesting programs in exchange. Assembly source and instruction are in French. He offers with it two other routines to optimize Maximem/RDH use, the first executing directly from menu Maximem option 2 and the second using Editor/Assembler.

Reader to Reader is a column designed to put readers in touch with each other. Anyone with a specific problem or question that may be answered by other readers is encouraged to submit an item. Be sure to address it to Reader to Reader, c/o MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

A full-screen Forth editor

By LUTZ WINKLER

As a Forth enthusiast I have always dreamed of a better editor than those provided by TI. While both editors are basically superior to many others, the limitations imposed by the 99/4A made neither one very desirable. It is either squint at a full 64-column display to decipher those squashed hieroglyphics, or opt for legibility and awkward windowing to read a whole screen.

As sometimes happens, my dream has finally become reality. An Advanced Video Processor Card (AVPC) from Dijit Systems of San Diego has joined the other cards in my PE box. I now edit Forth screens without squinting or windowing!

The AVPC — among its many graphics capabilities which are waiting to be explored yet — provides an 80-column by 24-line TEXT 2 mode. It was relatively easy to implement a word (TEXT2) to put my Forth system into this mode. Since a Screen Image Table for 80 columns needs twice as much room as one for 40 and the AVPC allots VDP memory in its own fashion, a few things had to be moved around. But that is no different than what GRAPHICS2 has to do when you go to big map mode. Add a few register settings as required by the AVPC and like magic I had an 80-column display. So TEXT2 took its place alongside TEXT, GRAPHICS, GRAPHICS2 (and the splits) as VDP mode 7. (See screens 31 and 32.)

Line 7 loads my character set as explained in my Forth Tip (MICROpendium, April 1987). If you have not installed a character set on your Forth system disk, change line 7 to:

```
1100 834A ! 18 GPLLNK 1300 834A ! 4A GPLLNK
```

This will boot the resident TI characters from console ROM.

Now it was time to write a new editor to take advantage of the 80-column display. Since I like the basic features of the TI editors, I decided to make mine a combination of the two, leaving the function keys as they are with two exceptions which reflect my own preferences. FCTN-4 and FCTN-6 (next and previous screen) are assigned to the CTRL-E and CTRL-X keys (up and down arrows). Function-5 homes the cursor (as it does in the 64-column editor). I left out the word tabs but CTRL-Z advances the cursor 16 positions, and between it and the arrow keys there is adequate movement around the screen.

The advantage I gained is that, without crowding, my editor fits nicely on the screens previously occupied by the 40-column editor. Thus, I can boot it with the same -EDITOR word. The old 64-column editor screens are used for the BSAVE. (Screens 22 through 29 easily hold -DUMP, -PRINT, -FILES, -EDITOR and -BSAVE plus a few miscellaneous words.)

If you compare the following screens with the original -EDITOR screens it will be quite evident that the new

(See Page 26)

```
Screen 31
0 ( CONVERT TO TEXT2 MODE - 1/2 @4APR88 LW )
1 BASE->R HEX
2 : TEXT2 0 780 20 VFILL \ initialize Screen Image Table
3 0 SCRN_START ! 50 SCRN_WIDTH ! 780 SCRN_END !
4 C80 B34E ! \ new location of VSPTR
5 C80 PABS ! \ new location of PABS
6 1800 DISK_BUF ! \ new location of disk buffers
7 1000 800 FF VFILL \ initialize PDT
8 13 BLOCK 100 + 1100 300 VMBW \ boot charset
9 7 VDPMODE ! \ current VPD mode
10 4 0 VWTR \ Register settings
11 F0 DUP 1 VWTR B3D4 C! \ for the 80-column
12 A 8 VWTR \ text mode of
13 0 9 VWTR \ the AVPC
14
15 -->

Screen 32
0 (CONVERT TO TEXT2 MODE - 2/2 )
1
2 03 2 VWTR \ Screen Image Table addr
3 2F 3 VWTR \ Color Table addr
4 00 A VWTR \ " " "
5 A00 10F 0 VFILL \ initialize Color Table
6 02 4 VWTR \ PDT address
7 E4 7 VWTR \ Screen color E=text, 4=backgrd
8 4F C VWTR \ Cursor color
9 21 D VWTR \ Cursor on/off time, 88 max.
10 1 C80 V8BW 16 C81 V8BW C80 B356 ! \ PABS
11 3 B34C ! \ No. of disk files
12 0A E SYSTEM \ DSRLINK for 3 disk buffers
13 0 0 GOTOXY ;
14
15 R->BASE

Screen 34
0 ( AVPC EDITOR - 1/5 CURSOR CONTROL @4APR88 LW )
1 BASE->R DECIMAL 5! CLOAD TEXT 3! CLOAD TEXT2
2 HEX
3
4 VOCABULARY EDITORA IMMEDIATE EDITORA DEFINITIONS
5
6 ! CUR 0 MAX B/SCR 400 * 1- MIN R# ! ;
7 ! +CUR R# 0 + !CUR !
8 ! PTR SCR 0 B/SCR * R# 0 400 /MOD ROT + BLOCK + ;
9 ! R/C R# 0 40 /MOD !
10 ! ,CUR R# 0 40 /MOD 3 + SWAP 6 + SWAP GOTOXY ;
11 ! +CUR +CUR ,CUR !
12 ! BLK PTR C! UPDATE 1 +.CUR !
13 ! +LIN R# 0 40 / + 40 * !CUR !
14 R->BASE

Screen 35
0 ( AVPC EDITOR - 2/5 SCREEN FORMATTING, NEXT/PREV. SCREEN )
1 BASE->R
2 HEX
3 ! ,SCR# CLS DUP SCR ! 3 0 GOTOXY , "SCREEN " . ;
4 ! RULER 7 1 GOTOXY 7 1 DO 8 SPACES ! , LOOP CR
5 6 2 GOTOXY 4 0 DD , "-----0" LOOP , "-----" ;
6 ! ,LINE# 0 3 GOTOXY 10 0 DD ! 3 ,R CR LOOP ;
7 ! ,LINE DO 1 SCR 0 (LINE) 1 50 * F6 + SWAP VMBW LOOP ;
8 ! ,MLINE 10 0 LINE. ;
9 ! ,SCRNF ,SCR# RULER LINE# MLINE ;
10
11 ! NEWSCR 0 SWAP SCRNF !CUR ,CUR ;
12 ! +SCR SCR 0 1+ DISK_HI 0 1- MIN NEWSCR ;
13 ! -SCR SCR 0 1- 0 MAX NEWSCR ;
14 R->BASE -->

Screen 36
0 ( AVPC EDITOR - 3/5 CHAR LINE INSERT/DELETE, NEW LINE )
1 BASE->R HEX
2 ! DEL/C PTR DUP 1+ SWAP R/C DROP 40 SWAP - CMOVE
3 20 PTR R/C DROP - 40 + 1- C! ;
4 ! INS/C 20 PTR DUP R/C DROP 40 SWAP - + SWAP
5 DO 1 C LOOP DROP PTR DUP R/C DROP 40 SWAP - + 1-
6 SWAP 1- SWAP DD 1 C! -1 +LOOP ;
7 ! DEL/L R/C SWAP MINUS +CUR PTR PAD 40 CMOVE DUP
8 L/SCR SWAP DO PTR 1 +LIN PTR SWAP 40 CMOVE LOOP
9 0 +LIN PTR 40 BL FILL 40 * !CUR ;
10 ! INS/L R/C SWAP MINUS +CUR 10 +LIN DUP 1+ 10
11 0 +LIN DO PTR -1 +LIN PTR SWAP 40 CMOVE -1 +LOOP
12 PAD PTR 40 CMOVE 40 * !CUR ;
13 ! NLINE R/C SWAP DROP DUP 13 EMIT LINE. UPDATE ,CUR ;
14 R->BASE -->
```

FORTH—

(Continued from Page 25)

editor did not require a whole lot of work. Most words are taken directly from TI's original. The AVPC provides the ability to make any screen position blink, so there was no need for a phony blink routine. BLINK (screen 37) simply tracks the cursor and tells the AVPC which character should blink. I chose to invert the display colors under the cursor but you may want to use a contrasting color (see screen 32, line 8).

If AT is defined on your disk, substitute it for GOTOXY in screen 35.

Note that EDIT checks the current VDPMD. If it is not 7 a warning is given (WRONG VDPMD!). This avoids having a screen displayed in a totally useless fashion. By the way, in order to make a reboot with COLD work properly in case you should use it while in TEXT2, define it as follows:

```
: COLD TEXT COLD ;
```

As screen 31 shows, my system loads a character set from my Forth disk. TI's TEXT word (40-column mode) normally boots the TI characters from the console's ROM. If you have followed my example and are booting a character set from disk, you can have TEXT boot it also. Modify SETVDP1 (screen 56) as follows:

```
: SETVDP1 0B0 1 VWTR ( blank the screen )
      800 800 OFF VFILL ( init 256 char patterns to FF )
      13 BLOCK 0F0 + 8F0 310 VMBW ; ( load character
set from disk)
```

And while you are doing this, you may as well take care of two small corrections on screen 54. On line 0, the last word should be SETVDP2, not VDPSET2, and line 11 should read 07F 3 VWTR 07 4 VWTR. These changes have nothing to do with this editor, but GRAPHICS2 and the AVPC do not see eye-to-eye if register 4 is set at >FF.

TEXT2 also provides the opportunity to VLIST and

```
Screen 37
0 ( AVPC EDITOR - 4/5      ERASE, BLINK, AUTOREPEAT DELAY, QUIT )
1 BABS->R
2 HEX
3 | .BL PTR R/C DROP 40 SWAP - BL FILL |
4 | D>END PAD 40 BLANKS PTR PAD 40 R/C DROP - CMOVE |
5 | UNBLINK ADD 10F 0 VFILL |
6 | BLINK CURFOS 0 1+ B /MOD ADD + SWAP DUP
7 | 0= IF DROP 1- 1 ELBE 100 SWAP SRL THEN SWAP VSBW |
8 | DELAY 600 B DO LOOP ; ( auto-repeat key rate )
9
10 | BOX 10F7 10F1 DO 00 | VSBW LOOP |
11 | REBOX 10F7 10F1 DO FF | VSBW LOOP |
12 | QEDIT REBOX UNBLINK 0 | 12 GOTOXY QUIT |
13 | CHECK DUP IF > OVER 7F < AND IF DUP EMIT DUP !BLK |
14 R->BABS -->
```

```
Screen 38
0 ( AVPC EDITOR - 5/5 ) BABS->R DECIMAL 32 CLOAD TEXT2 HEX
1 | ED SWAP CLR BOX SCRNF !CUR .CUR BLINK BEGIN ?KEY DUP IF CABE
2 | 05 OF +SCR          ENDOF 10 OF -SCR          ENDOF
3 | 0A OF C/L +.CUR     ENDOF 0B OF C/L MINUS +.CUR ENDOF
4 | 0B OF -1 +.CUR     ENDOF 09 OF 1 +.CUR       ENDOF
5 | 0F OF QEDIT        ENDOF 0D OF 1 +LIN .CUR   ENDOF
6 | 0E OF 0 !CUR .CUR  ENDOF 03 OF DEL/C NLINE   ENDOF
7 | 04 OF INS/C NLINE  ENDOF 07 OF DEL/L NLINE   ENDOF
8 | 06 OF INS/L NLINE  ENDOF 1A OF 10 +.CUR     ENDOF
9 | 1E OF INS/L .BL NLINE ENDOF 01 OF D>END .BL NLINE ENDOF
10 CHECK ENDCASE UNBLINK BLINK DELAY ELSE DROP THEN AGAIN |
11 FORTH DEFINITIONS
12 | EDIT VDPMD 7 = IF EDITOR 0 ED ELSE DROP
13 | ." WRONG VDPMD!" THEN | | ED 0 SCR 0 EDIT |
14 | WHERE EDITOR B/SCR /MOD SWAP 400 + ROT + 2- ED |
15 R->BABS ;B
```

DUMP in 80 columns. The modifications required to accomplish this will be included in another article. If you can't wait that long, and if you feel that entering the above from the keyboard is too much work, send a disk, mailer and return postage and I will furnish an auto-booting Forth disk (with the source code included). My address is 1540 Corsica St., San Diego, CA 92111. There is no copying fee nor are there any restrictions attached to the use and distribution of my work. If you feel that it warrants a contribution, you may send one, but you are not obligated to do so.

Finally, as the finishing touches were being applied to this article, I received word that TEXT2 and the editor were tested on a 9640. My tester reports that he found them to be 100 percent compatible. However, he did slow down the auto-repeat (increased loop limit of DELAY on screen 37) and changes text and screen colors to suit him.

Exploring your printer

The first 32 ASCII codes

By LOU BORRELLI

This is the second of a series of articles the author wrote for the CIM 99 monthly newsletter. CIM 99 is a Montreal-based TI users group and stands for Club Informatique Montreal.—Ed.

The object of this article will be to give you an understanding of the first 32 ASCII codes, what they do, and how to access them through TIW's Editor Mode. (See Table 1.)

TI-Writer in the Editor mode allows the entry of text in three ways:

Mode

- 1) Auto word wrap
 - 2) Fixed—no word wrap
 - 3) Special Printer Codes
- 1 and 2 are selected in a toggle manner by pressing CTRL 0 3 is selected and de-selected by pressing CTRL U.

Last month you were introduced to the basic simple fonts of: Compressed (also called Condensed) and Double Width (also called Enlarged).

Comparing Table 1 with the access commands given last month, you notice that:

- select Compressed is SI or ASC 15,

Cursor shape

- Solid cursor
- Hollow cursor
- Underline cursor

also referred to as CHR\$(15)

— cancel Compressed is DC2 or ASC

18, also referred to as CHR\$(18)

— select Double Width is SO or ASC 14

— cancel Double Width is DC4 or ASC

20

Are you starting to see the Pattern?

Table 2 is a listing of the most commonly used Control Codes with the Gemini 10X, and most all Epson and compatibles. (See Table 2.)

Get ready to see your printer in action.

(See Page 27)

PRINTERS—

(Continued from Page 26)

1. BS is used in words like:
fenêtre -> "window" in French
hôpital -> "hospital" in French
gâteau -> "cake" in French
español -> "Spanish" in Spanish
2. HTAB1 HTAB2 HTAB3
- 3.
4. Nothing was printed in above line because of LF
5. Carriage Return is like a Line Feed or LF and is automatically produced with the key <ENTER>
6. Enlarged and Condensed at the same time!

Did you realize that you could do so much with just the touch of a few keys? Take the time to try a few things on your own and next month we'll go into the details of printer codes.

Just for fun, add DC3 (Control U, Shift S, Control U) at the beginning of any D/V 80 file and try to print it out. Now that you see your printer not working, how do you turn it back into proper operation without resetting with the on/off switch?

COMING NEXT MONTH
Animation on the TI using the German-developed Animation 99 program

CTRL Code	ASCII Decimal	** TIW Edit Mode	CTRL Code	ASCII in: Decimal	** TIW Edit Mode
NUL	0	Shift 2 (0)	DLK	16	Shift P
SOH	1	Shift A	DC1	17	Shift Q
STX	2	Shift B	DC2	18	Shift R
ETX	3	Shift C	DC3	19	Shift S
EOF	4	Shift D	DC4	20	Shift T
ENQ	5	Shift E	NAK	21	Shift U
ACK	6	Shift F	SYN	22	Shift V
BEL	7	Shift G	ETB	23	Shift W
BS	8	Shift H	CAN	24	Shift X
HT	9	Shift I	EM	25	Shift Y
LF	10	Shift J	SUB	26	Shift Z
VT	11	Shift K	ESC	27	FCFN R (I)
FF	12	Shift L	FS	28	FCFN Z (N)
CR	13	Shift M	GS	29	FCFN T (O)
SO	14	Shift N	RS	30	Shift 6 (P)
SI	15	Shift O	US	31	FCFN U (Q)

** preceded and followed by CONTROL U

TABLE 1

CONTROL Code	ASCII Decimal	TIW ** Edit Mode	F U N C T I O N
BEL	7	Shift G	Bell or Buzzer on printer is heard
BS	8	Shift H	Back-space of one character
HT	9	Shift I	Moves to next Horizontal Tab setting
LF	10	Shift J	One Line Feed is done
VT	11	Shift K	Paper feeds to next Vertical Tab setting
FF	12	Shift L	Paper feeds to Top of next Form (sheet)
CR	13	Shift M	Carriage Return after print of line
SO	14	Shift N	Double Width character font
SI	15	Shift O	Compressed character font
DC1	17	Shift Q	Printer is selected
DC2	18	Shift R	Cancels "SI"
DC3	19	Shift S	Printer is de-selected
DC4	20	Shift T	Cancels "SO"

** preceded and followed by CONTROL U

TABLE 2

DataBioTics says long-delayed Grand RAM to ship in July

By LAURA BURNS

DataBioTics expects to have shipped more than 100 of its long-delayed Grand RAMs by early July, according to Mike Evanbar of DataBioTics.

"One saving grace of the delay is that we now have a much better product," Evanbar says. "The software is improved and it is a better piece of equipment." The RAMdisk was first announced late last summer.

The addition of the John Johnson menu program and "hot keys" are among the improvements, he says.

He says the company has a large back order to fill but hopes by fall to be able to respond immediately in filling orders.

Regarding those who ordered and paid for the card through Innovative Programming last year, Evanbar says DataBioTics has been in contact with California authorities to seek a remedy to the situation. However, he said, DataBioTics has no standing in a potential criminal investigation because the company was not itself a victim of any crime that might have been committed.

DataBioTics is pursuing a civil action against Innovative Programming.

Customers who ordered and paid for the product through Innovative Programming but did not receive it also have the option of filing complaints with their local postmaster.

DataBioTics is acting in a "support role" for persons who ordered through Innovative Programming and did not receive the merchandise, Evanbar said. "We are also in touch with the Post Office," Evanbar says.

He says anyone who ordered through Innovative Programming who has not been in touch with DataBioTics should write DataBioTics so the company can add that person to its list.

Evanbar says DataBioTics has begun procedures to file a civil suit, but that its lawyers have been unable to serve Galen Read, president of Innovative Programming, with papers. Persons who ordered

(See Page 28)

DATABIOTICS—

(Continued from Page 27)

through Innovative Programming also may file complaints through their local postmasters alleging mail fraud. An article in last month's MICROpendium outlined the procedures.

"We have been unable to find him," he says of Read, the owner of Innovative Programming. "We have completely lost touch with him."

He says letters and phone calls to Innovative Programming have been unanswered.

Evanbar says Read made a payment of \$1,500 in November to DataBioTics for

Grand RAMs, but with no accounting as to who his checks were from. He later gave a partial accounting, according to Evanbar, but when DataBioTics checked with customers a number of errors were found.

He says DataBioTics will refund Innovative Programming customers shares of the \$1,500 on a pro rata basis, or credit them with their share on a pro rata basis toward purchase of a Grand RAM, which he says will be sold to them at the lowest possible price.

He notes that the company's module sales have funded the development of the Grand RAM.

Currently, he says, the full board has a suggested retail price of \$314.95; 256K, \$217.95; 128K, \$174.95; and 64K, \$146.95; the clock retails for \$29.95.

Usually, he says, the company will give the clock to someone purchasing a full board.

MICROpendium was unable to reach Read despite repeated efforts over several months.

For further information, contact DataBioTics at P.O. Box 1194, Palos Verdes Estates, CA 90274 or call (213) 867-0481 or (213) 925-2120.

Mini-Memory: a BASIC view

By BOB CARMANY

Several months ago Merle Vogt did an excellent article (MICROpendium, August and September 1987) on TI's "forgotten module" — Mini-Memory. He even touched on one of the most obscure uses of the cartridge, which is using "Mini-Mem" BASIC. But lost among the "enhanced commands," PEEKs and POKEs was one of the most exciting uses of the Mini-Memory cartridge. What I am referring to is using Mini-Memory and a 32K memory expansion as a "poor man's RAM disk."

But let's start at the beginning. What better way to start but with a rhetorical question. How many programs can you have available at one time (sans disk, of course)? Think about it while we explore the many capabilities that Mini-Memory and the 32K give you.

With Mini-Memory, there are several "new" memory areas that can be accessed just the same as if they were a "mini" disk drive. As Vogt pointed out, there is MINIMEM which is the 4K battery backed RAM in the cartridge itself. Another is EXPMEM2 which is the 24K block of memory in the 32K memory expansion that starts at >A000 and extends to >FFFF.

Let's see, that's two areas that we can use, isn't it? Well, if there is an EXPMEM2, there must be an EXPMEM1. Sure enough, there is! EXPMEM1 is the lower 8K block of memory that extends from >2000 to >3FFF and is usually used for machine

language routines. That's three "new" file areas that we can play with, so let's get started!

We need a simple BASIC program to use for our testing purposes. Here's a short one that we can use:

```
100 CALL CLEAR
110 FOR X=1 TO 20
120 PRINT X
130 FOR DELAY=1 TO 500
140 NEXT DELAY
150 CALL CLEAR
160 NEXT X
170 END
```

Okay, now that the program is typed in we can start moving it around. First, in the command mode, type in "SAVE MINIMEM". Next "SAVE EXPMEM1", and finally, type in "SAVE EXPMEM2". What we have done is to "SAVE" a copy of this short program in each of the three memory locations. Now, to make sure that we have cleared VDP RAM, type in "NEW". That will clear the program from VDP memory.

Now we are ready to bring the program back from each location in turn. Again in the command mode, type in "OLD MINIMEM" and then "LIST". Voila! The program has been reloaded without disk (or cassette tape) access. Follow this with "NEW" to clear out VDP and follow the same procedure with EXPMEM1 and EXPMEM2. We have SAVED and reloaded the program from all three memory locations.

So, back to our question: how many programs can you access without using a disk drive? The answer is four! One each in MINIMEM, EXPMEM1 and EXPMEM2 — that's three. The fourth program is the one that resides in VDP RAM in the console.

If you can store programs, you can use these areas to store data for programs. The procedure is just the same as accessing a disk drive, printer or any other peripheral — almost!

Why would you want to use these areas for data storage? One of the toughest restrictions to overcome when you are programming in BASIC is the 16K program and data limitation. Some otherwise excellent programs are limited severely by this restriction. Besides, data management and manipulation are much faster when they are done in memory than when there are frequent disk accesses. Just think, a 12K program in VDP and space for 24K of data! The read and write time are lightning fast — those of you who have used a RAMdisk like the Horizon know what I mean.

For small amounts of data, you can easily use the 4K block in the Mini-Memory cartridge (besides, it's battery-backed for semi-permanent storage). For larger quantities of data, you can use the 24K block in high memory expansion. Let's look at accessing the 4K of battery-backed RAM first. A simple OPEN statement will suf-

(See Page 29)

MINIMEM—

(Continued from Page 28)

file here:

OPEN #5:"MINIMEM",SEQUENTIAL,
DISPLAY, VARIABLE, UPDATE

Accessing the 24K segment of memory gets just a bit more complicated. We'll take a brief look at file organization before we go any further. Here is a short chart of the file open attributes:

CHOICES	DEFAULT
Sequential Relative	Sequential
Update Output In-	
put Append	Update
Display Internal	Display
Fixed Variable	Fixed if Relative, Variable if Sequential

A file can be opened using any of these attributes but basically there are only four types of files: Display/Fixed, Display/Variable, Internal/Fixed and Internal/Variable. Any of the other attributes can be added.

To tell EXPMEM2 that we are opening a file, we have to use a CALL LOAD with the basic file attribute added *before* we actually open the file. The values we need

to be concerned with are:

Display/Fixed = 0
Display/Variable = 16
Internal/Fixed = 8
Internal/Variable = 24.

To actually open the file, the format looks like this (remember CALL LOAD is one of the added commands in Mini-Memory BASIC):

100 CALL LOAD(-24574,16)
110 OPEN #5:"EXPMEM2",DISPLAY,
VARIABLE 128

Once the file is OPENed, you can PRINT to it or INPUT from it just as you would any peripheral device.

Where does all of this leave us? Well, you could semi-permanently save your data file in the MINIMEM portion of the cartridge and manipulate the data at your leisure without the clattering drives and with RAMdisk speed. Or, you could load a 4K+ chunk of data from disk or tape into a temporary buffer and then rewrite it into EXPMEM2 for high-speed processing and finally rewrite it back out to disk for permanent storage before you leave the

program. In short, all of the conveniences of a RAM disk without the expense. All of this with a Mini-Memory cartridge and 32K of memory expansion.

Yes, Merle, I agree. The Mini-Memory cartridge is one of the most underrated cartridges that TI has produced — from your view the assembly language facility and from my point of view for Power BASIC.

New Mills board reduces soldering

Bud Mills of Bud Mills Services, manufacturer of the Horizon RAMdisk, announced that his new board, at the same price as the old board, no longer requires additional soldering on the control chips.

He says this will simplify construction because it means there is no stacking of any chips up to 384K.

For further information contact Bud Mills Services, 166 Dartmouth Dr., Toledo, OH 43614 or the TI-COMM BBS, (419) 385-7484 (300 baud, 7 bit, even parity; 1200 baud, 8 bit no parity).

SEND BUD MILLS SERVICES
ORDER 166 Dartmouth Drive
TO Toledo Ohio 43614

The HORIZON RAMDISK

Revised 5-3-88


PRICES Subject to CHANGE Due to present Economic Conditions and MEMORY SUPPLY
Please call (419) 385 5946 for a CURRENT Quote

Prices are only good to JULY 1, 1988

Type Kit	cost/ea
HRD+RAM ONE MEG	\$590.00
HRD+RAM 800k/GENEVE	\$500.00
HRD+RAM 512k	\$360.00
HRD+RAM 384k DSSD	\$300.00
HRD+RAM 192k DSSD	\$200.00
HRD+RAM 96k SSSD	\$150.00
Pre-Built READY TO RUN	ADD \$60.00
Deduct 5% IF you are purchasing	
5 or More of the above Kits.....	

Above Kits include the HORIZON Card, Instructions, MENU RDS and ALL parts.

Ohio Residents add 6% sales tax
Shipping and Handling included
within U.S. and Canada
Shipping OverSeas ADD \$12 Surface
or \$20 AirMail



Upgrade old 180k to
256k w/instructions \$60.00

Mike Ballmans version of
32/16 Console Mem Mod \$36.00
with John Guions switch Mod.

Bare HORIZON card
+ MANUAL + MENU7.3 \$40.00

PHOENIX MOD to add 90k \$80.00
a BOOT Drive to a 180k \$120.00
384 - 800k/GENEVE 256k \$145.00

Call TI-COMM BBS on 419 385 7484
for current prices or information
300 Baud, 7bit, even / 1200, 8bit, no
GET Current Software Downloads

Geneve

Filer coder works from GPL

By MIKE DODD

This month, I have another program for the Geneve. This program is an automatic file coder that works from GPL mode. It will code or decode any file that is accessed with standard I/O. It will not operate on program image files or files that are accessed with sector I/O.

To use the program, you load it with Editor/Assembler option 3. The program is then loaded and ready, but will not yet have any effect on files. If you press CTRL-F8, you will hear a beep. You can now type a key word and press Enter. Each keypress will generate a different tone and length. Nothing will be displayed on the screen, as the program would have no way of knowing what screen format was in use.

If you wish to disable coding, you can press CTRL-F8 followed immediately by Enter. If you enter a key word, any file access will be coded or decoded automatically. For example: you could load the coder program, then load MY-Word. Type a file, then press CTRL-F8 and type a keyword. Save the file to disk using the normal MY-Word SF command. The file is now encrypted. If you load the file without the coding program installed, with the coding disabled, or with the incorrect keyword, you will get gibberish. The program can be used with MY-Word, Multiplan, or any program that operates on files.

The program works by intercepting all DSR calls. Every time a program calls the DSR, be it to open, close, read, write,

save, or load, the coding program is invoked first. The coder then checks to see if it is a read or write opcode. If it is not either one, it allows the DSR routine to be continued normally. If it is a write opcode, it encrypts the string, then allows the DSR routine to write the record to disk. If it is a read opcode, it allows the DSR to read the record from disk, then return to the coder, which will decrypt the record before returning to the original caller.

The coding algorithm used is relatively simplistic, and does have some drawbacks. However, the coding algorithm is completely self-contained in one subroutine, and could be changed. It operates by using boolean arithmetic; specifically, the XOR operation. XOR is an eXclusive OR. Each bit in the byte being operated on is treated independently. If either input bit is a one, the output bit is a one. If both input bits are one, or both are zero, the output bit is a zero. The truth table for this is as follows:

A	B	Output
0	0	0
0	1	1
1	0	1
1	1	0

The XOR is particularly useful for simple coding because repeating the process will turn the changed value back into the original value. Suppose A is the bit to be encoded, and B is the coding key. What is the output? Suppose that the output bit is to be decoded, and B is still the coding key. The bit in column A is the original

value.

The biggest drawback to this is that if you code on a field of multiple spaces, the coding key will reveal itself. For example, coding six spaces with the key of "HELP" would be encoded as "helphe". Coding on the key of "help" would produce "HELPHE" as a result. This basic deficiency makes it somewhat impractical for many text files. However, there are still text files and other types of data files that can be encoded with a fair degree of security. Perhaps someday someone will rewrite the CODER subroutine. In the meantime, it does have its uses, and it will also serve as an example on writing "memory resident" programs for the Geneve's GPL mode.

The program has to overwrite part of the TI BASIC code in order to work, due to fact that it was the only place I could store that part of my code where it would be safe from overwriting. Therefore, using TI BASIC with this program loaded is an extremely risky operation. Using Extended BASIC is fine, however. The main section of code is loaded into the end of GROM 0. That GROM bank only uses the first 6K — the last 2K is free. Since, on the Geneve, you can load GROM pages into CPU memory, it made an excellent location.

Enter the program with MY-Word in the Program Edit mode. Assemble with the R and C options. Load with Editor/Assembler option 3.

File Coder

```

0001 * Automatic file coder
0002 * Copyright 1988 by Mike Dodd
0003 *
0004 * Encodes/decodes all file input/output based on an XOR keyword.
0005 * Works by intercepting all DSR calls on the Geneve 9640 DSR in GPL
0006 * mode.
0007 *
0008     TITL 'File coder. Copyright 1988 by Mike Dodd'
0009     IDT 'MIKEDODD'
0010
0011 GPLWS EQU >83E0           GPL workspace
0012 VWA  EQU >8C02           VDP write address port
0013 VND  EQU >8C00           VDP write data port
0014 VRD  EQU >8800           VDP read data port
0015
0016     AORG >AAAA           Load this into high memory
                                3017
0018     START STWP R0           Save workspace pointer
0019     MOV R0,OLDWS+2         This way, we can restore it later
0020     LWPI >F000             Load fast workspace
0021 * Find DSK1-4 hooks, and re-point
0022     BL @FIND              Find
0023     TEXT 'DSK1'           DSR text to find
0024     DATA DS1LNK         Where to store the link
0025     BL @FIND
0026     TEXT 'DSK2'
0027     DATA DS2LNK
0028     BL @FIND
0029     TEXT 'DSK3'
0030     DATA DS3LNK
0031     BL @FIND

```

(See Page 31)

GENEVE—

(Continued from Page 30)

```

0032 TEXT 'DSK4'
0033 DATA DS4LNK
0034 BL @FIND
0035 TEXT 'DSK5'
0036 DATA DS5LNK
0037 BL @FIND
0038 TEXT 'DSK6'
0039 DATA DS6LNK
0040 BL @FIND
0041 TEXT 'DSK7'
0042 DATA DS7LNK
0043 MOV @02B4,@SCANAD Save address for keyscan
0044 LI R0,SCANEN Our new keyscan entry
0045 MOV R0,@02B4 New scan entry point
0046 MOVB @0001,R5 Save memory page number at >2000
0047 MOVB @H38,@0001 Load copy of GHOK page 1
0048 LI R0,>B002 Start of our program
0049 LI R1,>3802 Where to put it
0050 MOVPCB MOV *R0+,*R1+ Move it out
0051 CI R0,PCBGRND Is that all?
0052 JNE MOVPCB No
0053 MOVB R5,@0001 Restore memory page
0054 OLDWS LWPI >0000 Load old workspace pointer
0055 RT Return
0056
0057 * Find a DSR link, and re-point to our program
0058 FIND MOV @4000,R2 Get pointer to DSR entries
0059 FIND1 MOV R2,R0 Get pointer to DSR entry
0060 MOV *R0+,*R2 Get next pointer, in case needed
0061 MOV R0,R5 Save address of this pointer
0062 MOV *R0+,*R1 Get pointer to this entry
0063 CB *R0+,@H04 Is the length 4?
0064 JNE FIND1 No - not this one
0065 LI R3,4 Four characters to compare
0066 MOV R11,R4 Return address - that's where the text i
0067 FIND2 CB *R0+,*R4+ Equal?
0068 JNE FIND1 No - try again
0069 DEC R3 Any more to check?
0070 JNE FIND2 Yes
0071 C *R11+,*R11+ Point past test by adding four
0072 MOV *R11+,*R0 Get address to put link address
0073 MOV R1,*R0 Save link
0074 LI R0,DSRRT DSR entry
0075 MOV R0,*R5 New entry point
0076 RT Return
0077
0078 AORG >1C9C Load this part of the program at >1C9C
0079 DSRRT CLR R1 Offset of 0 for dsr entry
0080 JMP GRAB
0081 SCANEN LI R1,2 Offset of 2 for scan entry
0082 JMP GRAB
0083 SCANRT LI R1,4 Offset of 4 for scan return
0084 JMP GRAB
0085 DSRRED NOP
0086 LI R1,6 Offset of 6 for dsr read
0087 GRAB MOVB @0005,@1D3D Save memory page for >1000
0088 MOVB @0006,@1D3C Save memory page for >C000
0089 MOVB @H38,@0005 Where our program is
0090 MOVB @H03,@0006 So that sound will work
0091 B @0002 Execute our program
0092 GRABRT MOVB @1D3D,@0005 Restore page number
0093 MOVB @1D3C,@0006
0094 GRABAD B @0 Return to wherever
0095 H38 BYTE >38
0096 H04 BYTE >04
0097 H03 BYTE >03
0098 EVEN
0099
0100 * Main part of program
0101 * This code is entered on _any_ interception
0102 AORG >B002 Load this into >B002
0103 MOV R1,@HWS+2 Save R1
0104 LWPI HWS Load our workspace
0105 MOV @TABADR(R1),R1 Get address from table
0106 B *R1 Execute
0107 DS1LNK DATA >0000 Saved link for DSK1
0108 DS2LNK DATA >0000 Saved link for DSK2
0109 DS3LNK DATA >0000 Saved link for DSK3
0110 DS4LNK DATA >0000 Saved link for DSK4
0111 DS5LNK DATA >0000 Saved link for DSK5
0112 DS6LNK DATA >0000 Saved link for DSK6
0113 DS7LNK DATA >0000 Saved link for DSK7
0114 HWS BSS >20 Workspace buffers
0115 TABADR DATA DSR,SCEN,SCRY,DSR2 Execution table
0116 SCANAD DATA >0000 Scan address (where >02B2 branches to)
0117 SCSVRT DATA >0000 Scan saved return address
0118 H00 BYTE >00
0119 * CODE _MUST_ start on an odd byte boundary
0120 CODE BYTE >00 Length of coding string
0121 BSS 11 Up to ten characters, plus >20 at end
0122 H02 BYTE >02
0123 H00 BYTE >0D
0124 H20 BYTE >20
0125 H42 BYTE >42
0126 H43 BYTE >43
0127 HBB BYTE >BB
0128 HFF BYTE >FF
0129 EVEN
0130 * Scan entry
0131 * Any call to the keyboard will come here first
0132 SCEN LWPI GPLWS Load GPL WS
0133 MOV R11,@SCSVRT Save return address
0134 LI R11,SCANRT Our new return address
0135 MOV @SCANAD,@GRABAD+2 Go to keyboard scan
0136 B @GRABRT Execute
0137 * Keyscan has been executed. See if hot key.
0138 SCRT CB @0375,@H03 CTRL-PB?
0139 JRC SCROT Yes!
0140 * Return to caller
0141 SCRT1 MOV @SCSVRT,@GRABAD+2 Saved return address for scan
0142 LWPI GPLWS Load GPL workspace
0143 B @GRABRT Return
0144 * Hot key pressed. First, make an audible sound
0145 SCROT LI R0,>8C1A Middle C
0146 MOVB R0,@08400 Load sound generator
0147 SWPB R0
0148 MOVB R0,@08400 Load sound generator
0149 LI R0,>909F Volume 0
0150 MOVB R0,@08400 Set volume
0151 SWPB R0 Prepare for volume 15 (silent)
0152 LI R1,>0000 Delay
0153 DEC R1
0154 JNH $-2
0155 MOVB R0,@08400 Turn off sound generator
0156 LI R0,CODE+1 Start of text area
0157 CLD R1 Length of coding string
0158 * Execute a keyscan.
0159 SCH1 LWPI GPLWS Load GPL workspace
0160 MOV @SCANAD,R3 Get address of scan routine
0161 BL *R3 Execute
0162 LWPI HWS Load our workspace again
0163 MOVB @037C,R3 Status register

```

(See Page 32)

GENEVE—

(Continued from Page 31)

0164	SRL R3,14	IQ bit on?	0230	CB R7,0003	write? vdp
0165	JNC SCH1	Nope	0231	JRQ DSR1	yes
0166	NOVB @08375,R3	Get key value	0232	CB R7,0042	read? cpu
0167	CB R3,0000	ENTER?	0233	JRQ DSR1	yes
0168	JRQ SCH2	Yes	0234	CB R7,0043	write? cpu
0169	CI R3,>2000	A function or control key?	0235	JRQ DSR1	yes
0170	JL SCH07	Yes	0236	* Return	
0171	CI R3,>8000		0237	DSRR7 LWPI GPLWS	Load GPL workspace
0172	JNE SCH07	Yes	0238	B @GRABRT	Return
0173	NOVB R3,*R0+	store in code buffer	0239	* Read or write opcode	
0174	* make a short beep		0240	DSR1 NOV @083E0+22,R10	Save return address
0175	LI R3,*8C1A	Middle C	0241	NOVB @VRD,R0	Strip byte - unneeded
0176	NOVB R3,@08400		0242	SWPB R0	Delay
0177	SWPB R3		0243	NOVB @VRD,R9	Get MSBy of VDP buffer address
0178	NOVB R3,@08400		0244	SWPB R9	
0179	LI R3,*909F		0245	NOVB @VRD,R9	Get LSBy
0180	NOVB R3,@08400	Set volume	0246	SWPB R9	
0181	SWPB R3		0247	SRL R7,9	Read or write?
0182	LI R4,*1000	Short delay	0248	JOC DSB3	Write
0183	DEC R4		0249	* DSR read. First, execute the read, then come back here to decode	
0184	JNR \$-2		0250	LWPI GPLWS	
0185	NOVB R3,@08400	Turn off sound generator	0251	LI R11,DSRR0D	DSR read entry
0186	INC R1	length	0252	B @GRABRT	Execute DSR read routine
0187	CI R1,10	At max yet?	0253	* Read has been executed	
0188	JNE SCH1	No	0254	DSR2 BL @CODER	Decode it
0189	* <ENTER> pressed_or_max length reached		0255	INCT R10	Substitute for iact in dsr
0190	* Make another beep		0256	NOV R10,@GRABAD+2	The original return address
0191	SCH2 NOVB @R20,*R0	Store space	0257	JNP DSRRT	Return
0192	LI R3,*860D	high C	0258	* Write opcode	
0193	NOVB R3,@08400		0259	DSR3 BL @CODER	Code it
0194	SWPB R3		0260	JNP DSRRT	Return
0195	NOVB R3,@08400		0261		
0196	LI R3,*909F		0262	* CODER	
0197	NOVB R3,@08400	Turn sound generator on	0263	* code the string	
0198	SWPB R3		0264	* R6 = length of record	
0199	LI R4,*3000		0265	* R7 = opcode, shifted right one bit	
0200	DEC R4		0266	* R9 = buffer address	
0201	JNR \$-2		0267	CODER NOV R11,R15	Save return address
0202	NOVB R3,@08400	Turn sound generator off	0268	NOV R14,R0	Get vdp address of start of pab
0203	SWPB R1	Length in MSBy	0269	AI R0,5	Point to character count
0204	NOVB R1,@CODE	Set length	0270	BL @SVRA	Set VDP read address
0205	SOCB @R20,@0837C	Set IQ bit	0271	NOVB @VRD,R6	Get length
0206	NOVB @RFF,@08375	No key pressed	0272	JRQ CODRT	Null string - don't do anything
0207	B @SCHT1	Return	0273	SRL R6,8	To LSBy
0208			0274	NOVB @CODE,R14	Get length of code string
0209	* DSR entry point		0275	SRL R14,8	To LSBy
0210	* Get dsr link address		0276	SRL R7,6	CPU or VDP?
0211	DSR NOV @08356,R0	Get pointer to character past last char of device name (e.g. the period)	0277	JOC COD03	CPU
0212	*		0278	* VDP	
0213	DEC R0	Point to last character in device name	0279	NOV R9,R0	VDP address of string
0214	BL @SVRA	Set VDP read address	0280	COD01 NOV R14,R1	Get length of code string
0215	NOVB @VRD,R0	Get character	0281	LI R13,CODE+1	
0216	SRL R8,8	To lsby	0282	COD02 BL @SVRA	Set vdp addr
0217	AI R8,->31	From ascii to hex	0283	NOVB @VRD,R2	Get byte
0218	SLA R8,1	2 bytes / word	0284	SWPB R2	
0219	NOV @DS1LWK(R0),@GRABAD+2	Get link address	0285	NOVB @VRD,R2	Get next byte
0220	CB @CODER,@R00	Is coding activated?	0286	SWPB R2	
0221	JRQ DSRRT	No - don't code	0287	NOV *R13+,R3	Get XOR code
0222	* Get start address of PAB		0288	XOR R3,R2	Code it
0223	S @08354,R0	Minus name length	0289	BL @SVVA	Set VDP write address
0224	AI R0,-9	R0 now points to start of PAB	0290	NOVB R2,@VND	Write first byte
0225	NOV R0,R14	Save for future reference	0291	DEC R6	Decrement length - are we done?
0226	BL @SVRA	Set vdp read address	0292	JRQ CODRT	Yes
0227	NOVB @VRD,R7	Get i/o opcode	0293	SWPB R2	Get second byte in MSBy
0228	CB R7,0002	read? vdp	0294	NOVB R2,@VND	Write second byte
0229	JRQ DSR1	yes	0295	DEC R6	Decrement length - are we done?

(See Page 33)

TI-Base

A new approach to data management for the TI

By **BILL GASKILL**

This is not a product review. Rather it is a collection of the author's initial impressions of the operation and features of TI-Base. A review of the product will follow next month.—Ed.

When MICROpendium asked me to review Texament's TI-Base I envisioned it as being yet another flat-file list manager, that would be unexciting and one-dimensional in its view of how data can be managed. When I cracked open the manual I knew within five minutes that I was absolutely wrong!

After reading the documentation from cover-to-cover and then loading the program, it appeared that the king of 99/4A data file managers, Bill Warren's PR-BASE, was about to be unseated as the premier file management tool for the 99/4A. After working with TI-Base for a couple of hours I discovered that I was wrong again. Version 1.0 of TI-Base is not going to oust PRBASE from the top spot in 99/4A data management applications, but it is well on the way. If a few modifications are made in the areas of error trapping, printer control and documentation, TI-Base will be impossible to beat, simply because it has no competition.

Like Ashton-Tate's DBASE II, III and III+ for the IBM computer world, TI-Base is the kind of program that will spur ex-

perienced users to write books and articles on different ways to take advantage of its power or perhaps spur them to create templates that shelter the novice user from some of the harsher realities of data management. It is that powerful!

The idea of having such an application for the 99/4A community is nothing short of exciting.

One of the all too apparent trade-offs to program power is often a high degree of complexity in use. To the inexperienced data base user the TI-Base program will appear "unfriendly." But that would be an unfair assessment to make for all levels of user-experience. While it is not designed for the first time computer user, it is a most capable and learnable tool for the intermediate and advanced enthusiast.

TI-Base appears to be aimed at the user who wants to take complete control of data management. It is obviously not designed just for such elementary tasks such as mailing list management, though it could certainly perform those functions. Rather it contains the tools to allow serious users to get into the meat of what they are trying to do with date management.

OVERVIEW: The user-interface (the way a program interacts with the operator) built into TI-Base is unique in the 99/4A community. Where every other 99/4A data base application that I have worked with

uses a menu-driven interface between the program and the user, TI-Base uses a dot prompt (a period at the lower-left corner of the screen) similar to the DBASE II or Informix data managers available for PCs. That means that TI-Base offers no instructions to choose from in deciding how to start using the program. On your first go around with it you will just have to read the manual or refer to the on-line help that is available by pressing the F7 (AID) keys.

With the exception of the LOAD program that boots TI-Base from XBASIC, it is 100 percent assembly language coded.

Hardware requirements include 32K memory expansion, a disk drive and either the Editor/Assembler, Extended BASIC, Mini-Memory or Super Extended BASIC modules. It supports any type of printer but does not require one. It also operates out of a single-side, single-density disk drive, but two disk drives are more convenient. It has been tested on the TI and Myarc controller cards and on the Myarc RAMdisk and it works flawlessly. It has not been tested using the CorComp controller card yet, nor has it been tested on the Geneve. I would anticipate that it will eventually be compatible with both if it is not already.

TI-Base is a large program that takes a full two minutes to load, but once it is up and running it accesses routines quickly.

(See Page 34)

GENEVE—

(Continued from Page 32)

0296	JRQ	CODRT	Yes	0314	DEC	R6	Decrement length - done?
0297	INCT	#0	Buffer address	0315	JRQ	CODRT	Yes
0298	DECT	R1	Code string length	0316	DECT	R1	Code string length - any more left to it?
0299	JGT	COD#2	Still code string left	0317	JGT	COD#4	Yes
0300	JMP	COD#1	Back to start of code string	0318	JMP	COD#3	Start with start of coding string again
0301	*	CPD		0319	CODRT	B *R15	Return
0302	COD#3	NOV	R14,R1	0320			
0303	LI	R13,COD#1	Start of code string	0321	*	Set VDP write address	
0304	COD#4	NOVB	*R9,R2	0322	SVWA	ORI	R0,>4000
0305	SWPB	R2	To LSBy	0323	*	Set VDP read address	
0306	NOVB	#1(R9),R2	Get second character	0324	SVRA	SWPB	R0
0307	SWPB	R2	Swap back	0325	NOVB	R0,#VWA	
0308	NOV	*R13+,R3	Get IOR code	0326	SWPB	R0	
0309	IOR	R3,R2	Code it	0327	NOVB	R0,#VWA	
0310	NOVB	R2,*R9+	Save first byte	0328	ANDI	R0,>3FFF	
0311	DEC	R6	Decrement length - done?	0329	RT		
0312	JRQ	CODRT	Yes	0330			
0313	NOVB	R2,*R9+	Save second byte	0331	PRGEND	END	START

Automatically execute START when program is

TI-BASE—

(Continued from Page 33)

It uses a 40-column display that shows only a status bar at the base of the screen when it is loaded. There are no advertisements, borders, copyright notices or other clutter on the screen. Just the status bar information and the dot prompt.

If you are intimidated by the lack of information on the screen you need only press FCTN 7 and a menu appears that lets you access help files on:

- 1-How to create data bases
- 2-How to input data
- 3-How to access data
- 4-How to display data
- 5-List directives.

Directives are the commands used in manipulating data. More on them later.

Basic data base management features available in TI-Base are:

- Ascending sorts on any field.
- Custom file design of up to 255 characters per field, 17 fields per record and 8192 records per file.
- Custom screen design.
- Data display and printing capabilities.
- Full record editing and deleting capabilities.
- Global operations such as deletes, recalls and replacements.
- Support for math functions including addition, subtraction, multiplication, division, exponentiation, squaring, logarithms, anti-logarithms, sine, cosine, tangent and arc-tangent.
- Support of both logical and relational

operators including less than, greater than, equal to, not equal to; arithmetic, AND, NOT and OR.

—String manipulation routines for concatenation (joining of multiple strings of data into a single string) and TRIMming of trailing blank spaces.

UNIQUE FEATURES: TI-Base was written by Dennis Faherty (a data processing professional for 23 years) of Inscobot (pronounced IN-SKE-BOTT) Inc. Inscobot, you will recall, is the software house that brought us TI-Artist, the standard in graphics drawing applications for the 99/4A. No doubt because of the author's strong professional background, TI-Base is crammed with many of the hallmarks of professionally designed, commercial quality software.

Besides its unique command language interface that lets the user design just about any data manipulation scheme, TI-Base:

- Provides a "hook" that allows users or application developers to gain immediate access to a pre-defined command language file on start-up.
- Allows custom menus or other applications to be written that can completely mask the default "dot prompt" interface.
- Supports up to five active data files at the same time.
- Allows processing of multiple files by a single command file.
- Supports link-field relationships between different files as long as each file shares a common field and all of them have been activated.

—Contains data security features for recall of deleted records and recovery of damaged files.

—Supports the definition of local variables so that a user-specified value can be referenced anywhere in a file(s) by name (similar to naming a cell in a spreadsheet).

—Provides disk management functions accessible from the main program for cataloging, copying, deleting and formatting.

—Possesses the ability to be "fixed" by patches to the program code.

The hook written into TI-Base is accessed by including command language instructions in a command file named SETUP. This is similar to writing a set of instructions in Extended BASIC and then

naming the program LOAD when it is saved. Virtually any function supported by TI-Base is accessible via a command file and thus is also accessible upon initial start-up of the program. Because TI-Base also provides the tools to design custom screens (though without the graphic borders and such that PRBASE or Turbo Dataman support) and it can be programmed to accept input from anywhere on the screen, one could design any kind of "run upon load" application within the SETUP file.

They can even include commands within one file that will RUN another command file. An application developer could design a custom template for TI-Base, write in a menuing system to appear on start-up and thereby provide the user with a ready-made tool for any task. With TI-Base's ability to nest routines in command files and also call other command files from within the one currently running, the possibilities seem limitless.

Writing a command file to display your own instructions, menus or whatever on start-up is a straightforward task. It took me about a minute to create one, which I then loaded by editing the SETUP file so that SETUP would call my command file when TI-Base was ready to go. It was a simple matter of using WRITE directives to create the file and then including a DO "FILENAME" directive in the SETUP file. Also, I could have written the instructions in the SETUP file itself.

TI-Base uses a concept called "SLOTS" to separate the various files that may be activated at one time. You choose a SLOT by SELECTing it. For example, SELECT 2 will move from the current SLOT to SLOT two. SELECT 1 would move back from SLOT 2 to SLOT 1. Since these directives may be used in a command file, TI-Base allows you to perform data processing in one data base and then, if some condition is met (or even if it is not) such as the FINDing of a specific record, you could program the command file to switch to another open file and perform some data processing operation on it only when the conditions you specified for the first file exist. That is data processing power!


Another hallmark of professionally designed data base managers I have used on IBM PC type computers is the ability

(See Page 35)

**HARDWARE MANUAL
FOR THE
TI 99/4A**

IT DESCRIBES:

- CONSOLE DESIGN
- CUSTOM CHIP OPERATION
- TMS 9900 H/W ORGANIZATION
- TMS 9900 INSTRUCTION SET
- INTERFACING PITFALLS
- CONSOLE SCHEMATICS
- PEB CARD DESCRIPTION
- GROM SIMULATOR DESIGN
- EXTENDED BASIC MODULE DESCRIPTION & SCHEMATICS



WEEKEND HARDWARE SEMINAR
(INFORMATION AVAILABLE ON REQUEST)

Send \$19.95 Check or Money Order To:
(CANADA & FOREIGN SEND \$23.00 U.S. FUNDS)
(VOLUME RATES AVAILABLE ON REQUEST)

THE BUNYARD GROUP
PO BOX 53171, LUBBOCK, TX 79453

TI-BASE—

(Continued from Page 34)

to delete records so that they are masked (hidden) as far as having any impact on data processing operations, but they can be reactivated if needed as long as they have not been purged. TI-Base will allow you to do the same thing. It uses a DELETE directive to mark a record for deletion and a RECALL directive to reactivate it. Sorting a file will also reactivate deleted records.

A truly unique feature of TI-Base is the ability to define local variables, either from the keyboard or from within a command file. Because this concept can be a bit confusing I will try to illustrate it.

If you had a NAME, ADDRESS, CITY, STATE and ZIPCODE file that you wanted to print mailing labels for, and you needed to "push" the printed information five spaces to the right of the left edge of the label, you could design a LOCAL (which we will name "SPACES") to do the job for you.

Either in a command file or at the dot prompt you would type in the following statement: LOCAL SPACES C 5

Translated, this tells TI-Base to declare a LOCAL named SPACES that is made up of Characters and allocate 5 bytes for it. You would then issue the command REPLACE SPACES WITH " " to make the contents of SPACES five blank characters. Then to print your mailing labels you would simply include the following in a command file to print the labels:

```
PRINT SPACES NAME
PRINT SPACES ADDRESS
PRINT SPACES CITY
PRINT SPACES STATE
PRINT SPACES ZIPCODE
```

While working with TI-Base I noticed an unusual quirk where a FCTN 3 (ERASE) keypress in the APPEND (add records) mode caused a tone sound to go off that I could not get rid of. While it did not affect program performance nor data integrity, it was annoying. Turning the volume control on my monitor down eliminated the annoyance but did not fix the problem. A call to Texaments resulted in my discovering that the problem was the result of an improper return from a GPL "beep" access, designed to tell the user that an invalid key has been pressed. Apparently,

the bug exists only in the first few copies sent out and they gave me a patch that would fix the problem (see below). To use it I simply type it into the SETUP file so that it would be activated each time the program was used. You don't have to understand what it does or even what it means, because I sure don't.

```
CHANGE FFC0 0420
CHANGE FFC2 2108
CHANGE FFC4 0300
CHANGE FFC6 0001
CHANGE FFC8 0300
CHANGE FFCA 0000
CHANGE FFCE BD66
CHANGE BD62 0460
CHANGE BD64 FFC0
```

Patch to fix GPL beep

Here is a list of the command directives of TI-Base:

```
APPEND, BOTTOM, BREAK, CASE,
CATALOG, CHANGE, CLEAR,
CLOSE, COLOR, COPY, CREATE,
DELETE, DISPLAY, DO, DOCASE,
EDIT, ELSE, ENDCASE, ENDF, END-
WHILE, FIND, FORMAT, IF, LOAD,
LOCAL, MODIFY, MOVE, PACK,
PRINT, QUIT, READ, RECALL,
RECOVER, REPLACE, RETURN,
SAVE, SCROLL, SELECT, SET, SORT,
TOP, TRIM, USE, WAIT, WHILE,
WRITE.
```

The command language is the most powerful feature of TI-Base. Without it, the program would only perform rudimentary, single-phase operations. Directives used in the command language environment are required for most repetitive or global operations. For instance, you can do almost anything you want to do on a single record from the dot prompt by simply typing in the directive. But you can't perform the same function on multiple records unless you type in the same command for each record. Thus the ability to cause recurring operations is almost totally dependent upon the existence of the command language.

The exceptions to this are apparent in the DISPLAY and PRINT directives. With them you may attach an ALL statement to display or print ALL records in a file. For

example, in a file that I created to index the May issue of MICROpendium I built the following fields: SUBJECT, AUTHOR, TYPE, DATE and PAGE.

With the DISPLAY or PRINT directive I can issue the following command from the dot prompt: PRINT ALL SUBJECT AUTHOR TYPE DATE PAGE and get an immediate printout of the file. If I want a report printed with the field names as headings over the appropriate columns I just issue a SET HEADING=ON command from the dot prompt and then type in the PRINT statement shown above. I can also change the printed order of the fields by simply typing them in in a different order.

While the dependence on the command language may seem limiting to some, it should not be. The essence of TI-Base is to provide total data management capabilities to the user. Where other programs of this genre limit the user to menu driven options (what you see is what you get) TI-Base leaves it up to you to decide what you want to do with your data. Within the limitations of the available directives and your own abilities to conceptualize how to go about the task, TI-Base offers a free-form design tool for data manipulation.

One of the things that I found especially nice about the keyboard commands in TI-Base is their similarity to common commands used in PC-type programs. For instance, there is an ESCape key (F9) an EX-Ecute key (F8) and there are paging keys (F5 and F6) to scroll through records in ascending or descending order. There is also an INSert-on/off toggle (F2). The only variation from the PC-type programs I detected is the use of the F7 (AID) key for help. This usually shows up as F1 in PC computer programs. While this may not mean much to some users, it is just one more "perk" that TI-Base offers to the experienced data base user.

TI-BASE retails for \$24.95 and comes on two SS/SD disks with a 38-page manual. One of the disks is the program disk, the other a tutorial. The manual needs to include more examples and clearer instructions, but it is adequate as it comes.

The program is available from Texaments; 53 Center St.; Patchogue, NY 11772; 516-475-3480.

More progress on an index

This continues Elton Schooling's BASIC index of MICROpendium. Several months ago we published a list of abbreviations and definitions. This installment marks the beginning of the BASIC program and DATA statements for 1984. The remainder of the program with 1984 entries will be published next month.

```
10 REM INDEX84 MICROpendium
INDEX for 1984. Publisher John
Koloen, editor Laura Burns. !146
20 REM Compiled by Elton Schooling,
4014 57th St., Sacramento, CA 95820 !173
30 REM Sort routine by Jim (Tigercub)
Peterson. For use with printer or with
screen display. !124
40 REM For your printer you may need to
change line 160. !200
50 REM For longer dwell time on screen
increase the DELAY number in line 300. !201
60 OPTION BASE 1 !137
70 CALL CLEAR !200
80 DIM N$(210) !199
90 INPUT "OUTPUT TO PRINTER? (Y/N)"; P$ !247
100 CALL CLEAR !200
110 PRINT "WORKING" !139
120 FOR I=1 TO 210 :: READ N$(I) :: NEXT I !062
130 CALL LONGSHELL(210,N$( )) !115
140 CALL CLEAR !200
150 IF P$="Y" THEN 160 ELSE 280 !083
160 OPEN #1:"PIO" :: PRINT #1:CHR$(27);"H" !001
170 PRINT #1:TAB(24);"MICROpendium INDEX, 1984" !154
180 PRINT #1: : : : !103
190 FOR J=1 TO 210 :: IF J=105 THEN 200 ELSE 210 !105
200 PRINT #1: : : : : PRINT #1:TAB(35);"PAGE 3" :: PRINT #1: : : : : !122
210 IF J/2=INT(J/2) THEN 230 !239
220 PRINT #1:N$(J); : : GOTO 240 !230
230 PRINT #1:TAB(40);N$(J) !188
```

```
240 NEXT J !224
250 PRINT #1: : : !178
260 PRINT #1:TAB(31);"PAGE 4 , INDEX "84" !083
270 GOTO 330 !154
280 CALL CLEAR !200
285 CALL SOUND(500,110,0,131,0,196,0) !005
290 PRINT TAB(7);"MICROpendium INDEX, 1984" :: PRINT : : !251
300 PRINT "DATA AND PAGE NO. ARE LISTED TOGETHER. JAN 85 p. 16 BECOMES 1/85/16." : : !001
310 FOR J=1 TO 210 :: PRINT N$(J) :: FOR DELAY=1 TO 200 : : NEXT DELAY : : NEXT J !016
315 PRINT : : : !187
320 PRINT "DATA AND PAGE NO. ARE LISTED TOGETHER. JAN 85 p. 16 BECOMES 1/85/16." : : GOTO 360 !028
330 PRINT #1: : : !178
340 PRINT #1:"DATE AND PAGE NO. ARE LISTED TOGETHER. JAN 85 p. 16 BECOMES 1/85/16." !146
350 CLOSE #1 !151
360 END !139
370 DATA BOMBER GA REV 2/84/14, TM100-2 DSKIR REV 2/84/15 , VOID GA REV 2/84/16, BRANSTALIK GA REV 2/84/17, MICROGURGE ON GA REV 2/84/18 !111
380 DATA TANDONDR TM100-2 REV 2/84/15, PRINTR PROWRITER REV 3/84/19, PROWRITER PRINTR REV 3/84/19, TELISPEECH USNO 5/84/21 !201
390 DATA GRAPHED REV 2/84/19 , DABASE500 REV 2/84/20, PASSWORD USNO 2/84/22, ENCHM USNO 2/84/22, GROMFIX USNO 2/84/22 , DRIVEOFF USNO 2/84/22 !104
400 DATA MODCLIPS USNO 2/84/22, CS1FIX USNO 2/84/22, DIALER USNO 2/84/22, DSKIR TM100-2 REV 2/84/15, GROM FEEDB 3/84/4, FEHFIXS 3/84/4 !240
410 DATA LOGIC BOOLEAN 3/84/12, BOOLEAN LOGIC 3/84/12, BIN LOGIC 3/84/13, STARTREK GA REV 3/84/14, ESC GA REV 3/84/15 !072
```

```
420 DATA GETAWAY GA REV 3/84/16, DIVER GA REV 3/84/17, MAILCALL REV 3/84/18, PROWRITER REV 3/84/19, TUNNELS OF DOOM USNO 3/84/22 !252
430 DATA LIST SPEECH USNO 3/84/22, CHIMES USNO 3/84/22, SCROLL USNO 3/84/22, NOQUIT USNO 3/84/22, REM USNO 3/84/22, MEM USNO 3/84/22 !181
440 DATA PROGRAMMERS 4/84/7, WYC FORTH 4/84/11, BUDGETMASTER REV 4/84/13, BUDGETS 4/84/12, BUDGETMASTER REV 4/84/14 , FORTHWYC 4/84/11 !197
450 DATA HOME BUDGET REV 4/84/15, THIEF GA REV 4/84/17, KHE SANH REV 4/84/18, DONKEYKONG REV 4/84/19, REM USNO 4/84/21 !184
460 DATA TIPS USNO 4/84/21, PROTECT USNO 4/84/21, TESTSCR USNO 4/84/21, SCROLL USNO 4/84/22, ENCHM USNO 4/84/22 !229
470 DATA CURSOR USNO 4/84/22 , ADVENTURE VOCAB USNO 4/84/22 , DISPLAY USNO 4/84/22, TUNNEL 5/84/3, KEYFIX FEEDB 5/84/4 !044
480 DATA PROGRAMMERS 5/84/11 , WDPROC COMPANION REV 5/84/13, COMPANION WDPROC REV 5/84/13, QBERT GA REV 5/84/16 !250
490 DATA MADDOG GA REV 5/84/17, PROGR BOOK REV 5/84/18, BOOK PROGR REV 5/84/18, TESTMODES USNO 5/84/21, ENCHM USNO 5/84/21 !090
500 DATA SPEECHTEII USNO 5/84/21 !060
510 DATA DRIVEOFFON USNO 5/84/22, WIPES USNO 5/84/22, CTRL FNCTINKEYS USNO 5/84/22, DSKLI FE USNO 5/84/22, ENCHM FEEDB 6/84/3 !059
520 DATA TIWR FEEDB 6/84/4, TIBBS 6/84/8, ACCTS REV 6/84/13, DRDC9400 REV 6/84/15, STARSHIP GA REV 6/84/16, LOGTTREASURE GA REV 6/84/17 !111
530 DATA CXC9400R REV 6/84/15, BUGS USNO 6/84/21 !222
```

(Continued Next Month)

TI BASE

The Ultimate TI-99/4a Database

For years many 99ers like yourself have settled for nothing more than fancy mailing list programs to fulfill their database needs. And although they have managed small mailing lists well, these programs are too limited for any serious database work. It's now time to stop settling, and start using TI BASE: the only database system that lets you get serious.

With TI BASE you can create, access, manipulate, report, and print information the way you want, not the way some abstract programmer forces you to do. TI BASE lets you design your own database; it literally puts you in the driver's seat. Like dBASE, the most popular database system for the IBM PC, TI BASE gives you a complete procedural command language that allows you to "program" your own database system. No longer will you have to "fill-in-the-blanks" other databases force you to do. After all, aren't you the ultimate user? We think so too.

The Language

Unlike any other database system for the 99/4a, TI BASE employs a database "engine" that is controlled by a procedural command language. This command language, which consists of 45 different commands, allows you to access your own custom databases on-the-fly, or create powerful command (program) files for automatic and complex data processing.

The following capabilities are supported by the command language implemented within TI BASE:

- Database creation and deletion; adding, editing, deleting, searching, and sorting records within a database.
- Formatted display and print capabilities; character manipulation, screen scrolling, color changing, and more.
- Free interchange of data; numerical, character, date and local variables.
- Structured command language; local variable creation, nested command files, and complete logical language.
- Complete mathematical functions; arithmetic, logical, trigonometric, and Boolean.
- Disk management functions; catalog and format disks, copy and delete files.

The System

TI BASE offers many features and capabilities not currently found in any other 99/4a database system, such as:

- Database capabilities: supports five active databases; each database can consist of 16129 records, with 17 fields per record, and 255 characters per field.
- Command (program) file editor.
- Powerful command (program) language.
- System status/setup; allows the definition of disk location, printer configuration, date stamping, and other miscellaneous functions.

Not only is TI BASE powerful, but it is affordable as well. For only \$24.95 (plus \$2.50 for shipping) you get the TI BASE system disk, a TI BASE tutorial disk, a TI BASE keyboard overlay, and a comprehensive instruction manual. To start using TI BASE you will need a disk system, 32K memory expansion, and either an Extended BASIC, Editor/Assembler, or Mini Memory cartridge.

TEXAMENTS

53 Center Street, Patchogue, New York 11772

Office (516)475-3480 BBS: (516)475-6463

Please add the following shipping charges to your order: \$2.50 for domestic first class delivery, \$8.00 for foreign air mail (insured) delivery. Orders are usually shipped within a 48 hour period. All C.O.D. orders must be placed by phone. No credit card orders will be accepted. Prices, specifications, and availability are subject to change without notice. Dealer and User Group inquiries are invited. Contact our office for more details and special offers.

Captain's Wheel 32K Expansion Memory with varied options

By BOB CARMANY

A while back, one of my consoles terminated its existence in a rather spectacular "crash." As if that wasn't bad enough, it managed to take my only 32K standalone memory expansion with it.

Once the initial panic subsided, I began to search for a replacement. In my wanderings through volumes of advertising literature, I came across some information from an outfit called "The Captain's Wheel." Among the other things they advertised was a 32K standalone with some intriguing options.

Basically, three options were offered:

- 1) Duplicate any 8K block of memory.
- 2) Add up to three additional blocks counting the software loader as a block.
- 3) Order a loader to allow the transfer of code from disk to tape or vice versa.

Each option was \$10. So, for a 32K with all three options (two banks of memory and the loader software) you would only have to come up with \$79. That compares quite favorably with the CorComp 32K standalone for \$99. (*MICROpendium strongly recommends contacting manufacturers for current prices for any hardware items.* — Ed.)

I didn't order the fully expanded 32K although I now wish I had ordered another bank of memory. I did, however, order the 32K with an optional bank of memory at >6000 — a 32K and 8K "SuperCart" all in one unit!

Performance: The standalone 32K was everything that I had hoped for! In fact, with the extra bank at >6000 (the GROM port), it exceeded my expectations by a good measure. Once connected to the console, it ran all of the programs that required 32K. I could discern no timing problems or any other difference between the standalone and the 32K PEB card.

The real "eye-opener" came when I decided to exercise the optional bank of memory. The first thing I tried it on was Funnelweb. After entering XB and bringing up the F'WEB loader, I just switched the cartridge port expander to an empty slot and ran C8TRAM (the specialized loader that came with F'WEB). The screen went back to the TI title screen, and, when a key was pressed, there was Funnelweb

Review

Report Card

Performance.....	A
Ease of Use.....	A
Documentation	B
Value.....	A
Final Grade.....	A

Cost:\$49

Manufacturer: The Captain's Wheel, 17295 Chippendale Ave., Farmington, MN 55024

Requirements: Console, monitor or TV, cartridge port expander, disk system

as a menu option! In fact the >6000 bank and Funnelweb make an amazing pair! By following the same basic procedure and substituting the Funnelweb E/A Load and Run loader, I was able to load a wide variety of programs initially designed to run on Dave Romer's "SuperCart" and had no problems whatever! Once you get used to the procedure, a couple of keystrokes will let you enter a new world. In fact, MEGALOAD will also fit nicely into the 8K of memory in the optional memory bank.

Ease of Use: I probably covered most of this topic under "Performance" but let's recap it anyway. The 32K simply plugs into the console. It has to be immediately next to it in line because it draws its power from the console. That is all there is to it — just make sure it is plugged in rightside-up and it is ready to go!

The load procedure for utilizing the optional memory banks is quite easy and straightforward. Just remember that two memory banks cannot be addressed at the same address at the same time. That means you cannot have a cartridge being addressed at the same time you want to use the RAM at >6000. That is where F'WEB and the cartridge expander come in. Once F'WEB is loaded and the appropriate loader selected, you can move the port selector on the expander to an empty slot. Then, flip the switch to enable the bank of memory and run the loader. The program will load into >6000 assuming that it has been properly AORGed into that location. Press

FCTN= and when the title screen appears, press any key and your program will appear as an option. That's all there is to it!

Documentation: The 32K comes with a seven-page brochure that fully covers connecting the memory expansion. Even the most inexperienced user can follow. It is clear, concise and to the point. After the connection is discussed, there are sections on "Using the 32K Memory" and a brief section on "Troubleshooting."

There are about two pages of CALL LOADs and CALL PEEKs you can use with the additional 32K of memory. Some are new and others are of the "I've seen them before" variety. A brief discussion of the Captain's Wheel Load Interrupt Switch follows and a single line on the optional memory bank. The brevity of this discussion of the optional memory bank is the primary reason for the "Documentation" grade. The docs for the optional program loader V. 1.0 are also included.

Value: The listed price, \$49, for the basic unit is extremely attractive if you are in the market for a 32K memory expansion. In fact, the advertisement says that the basic unit price is \$39 if two or more are ordered! My unit cost \$59 and for that price I got not only a 32K unit that has proved to be reliable, but the equivalent of a "SuperCart" as well! Even with the "full package" of three options, the unit comes in at about \$20 less than the comparable CorComp standalone 32K.

Final Grade: Despite the sometimes brief documentation, the over-all performance and ease of use of the Captain's Wheel 32K makes it a real winner! With the requisite hardware and the "fairware" Funnelweb package, you can load programs that, quite frankly, I had never seen before.

The only drawback I have found with the optional memory bank at >6000 is that it leads you to want more programs you can use with the Captain's Wheel 32K. One excellent source is David R. Romer (of Horizon RAMdisk fame), P.O. Box 554, Walbridge, OH43465. He has a collection of programs called "CARTSTUFF" or, you can follow his instructions (*MICROpendium* July '85) for creating a program header and "roll your own."

Desk Top Publisher v1.0

Useful for unexpanded systems

By RON PREWETT

Desk Top Publisher is a cartridge program produced by DataBioTics that allows the user to create a graphic picture and then include the picture in text. The text can be printed in one to three columns with an Epson compatible printer.

The cartridge can be used with just a console and cassette recorder. Expanded memory is not required nor are other peripherals except for an RS232 interface and printer.

Performance: The documentation recommends that the console be turned off when inserting the cartridge module. The title of the module will appear on the master selection list as "2" on the TI or Myarc and "3" on the CorComp controller card. The documentation doesn't mention that you must use the space bar to get to the secondary selection screen with the CorComp card, otherwise the module does not function.

The program consists of three major sections that are selected from the main menu. These are PICTURE MAKER, WORD MAKER and PRINT PAGE.

The PICTURE MAKER is a graphics or drawing program that has many of the drawing functions of other graphic programs like TI-Artist and Graphx. The drawing modes are represented by icons that are selected by a single key input. The drawing modes are Draw, Point, Frame, Box, Circle, Disc, Fill, Line, Connected Line, and Rays Horizontal.

The crosshair-shaped cursor can be moved about with either the joystick or the FCTN "arrow" keys. The mode is activated by either the ENTER key or joystick fire button. A text mode lets you type in the drawing area. You can select different sized fonts with the FCTN and 1 through 0 keys. The other functions are Clear to clear the work area, Save Picture to disk or cassette and Load Picture from disk or cassette. There is no mention of being able to use pictures created by any other drawing programs.

WORD MAKER is the text input program. You will first be asked to choose 1, 2 or 3 columns for inputting your text. Choosing 1, 2 or 3 columns will allow input of 78, 39 or 26 characters per line,

Review

Report Card

Performance.....	B
Ease of Use.....	B
Documentation.....	C
Value.....	C
Final Grade.....	B-

Cost: \$69.95

Manufacturer: DataBioTics, P.O. Box 1194, Palos Verdes Estates, CA 90274
Requirements: Console, monitor or TV, cassette recorder, RS232 interface and printer.

respectively.

Making this selection will then take you to the text editor screen. The first task is to position the picture that was created or loaded from the PICTURE MAKER. Using the FCTN "arrow" keys or the joystick will position the picture anyplace on the page. To set the picture position, use ENTER or the joystick fire button. This will make the text editor ready to accept your input. The editor will display only five lines of text on the upper part of the screen and a maximum of 26 characters per line at one time. The lines can be scrolled up or down one line at a time with the FCTN "arrow" keys or five lines at

a time with the FCTN 4 or 6 keys. The screen can be scrolled horizontally to view the entire line. The very top line of the screen shows the location of the cursor by column, row and the position within the line.

The bottom of the screen displays a graphic representation of the entire page showing the position of the cursor and the picture. The screen also has framed areas that show several status conditions.


The editor functions are Delete Character, Insert Character, Delete Line and Insert Line. There are no Move, Copy, Replace String or Reformat functions.

Other utility commands are Roll-Up, Roll-Down, Page-Right to scroll to the right, Word-Wrap toggle, Previous Menu, Save-Text, Load-Text, Place-Picture and Select Text-Style. The last four functions can be selected from either assigned function keys or the Editor Menu.

The saved text should be reloaded in the same 1, 2 or 3 column mode in which it was originally created and saved. Loading text that was saved as 1-column when you are in 3-column mode will truncate the text beyond position 26.

The Text-Style function allows the selection of several type styles. The type style chosen will affect the entire line. No capability exists to limit the type style to one or several words. The type styles

(See Page 41)



TEXLINK BBS

The more you use it, the better it is

By CYNTHIA BECKER

There are all kinds of bulletin board programs, ranging from the original program that Mark Hoogendoorn wrote for the TI/994A (and which has been customized by many a sysop), to the Techie BBS program by Monte Schmidt, the TIKS by Scott Darling, the TIBBS program by Ralph Fowler (most commonly used on TI systems nationwide), the Paradigm system by Mike Kimball and Travis Watford, and others. Which brings me to TEXLINK, a bulletin board program recently put on the commercial market by the Ottawa TI User Group.

This program was developed over the past two years, originally having been written by Benoit Tanguay, with further development by Lloyd Galenzoski and other members of the club (Bob Boone, Jane LaFlamme, Tom Bentley and Peter Arpin). It is now being tended to by Charles Earl, author of TELCO.

A little background might prove interesting here.

About two years ago, I was reading the BBS listing on the back of one of the Miller's Graphics flyers, and came across the number for the Ottawa user group. What impressed me most was the size of the group's software library. On the strength of that, and out of curiosity, I logged on one Saturday evening. The system at the time was a "secure system" (new users had to be validated). I waited for clearance.

The software the Ottawa board was running was unlike anything I had ever seen. The security was stringent! You had to leave your voice phone number, address, and other information. Finally, the sysop, Peter Arpin, called me to verify my information and assigned me a password.

They were not running TEXLINK at the time, but a bulletin mentioned the fact that Tanguay was working on an all-assembly BBS program, and was beta testing it as a running sister board. I called it. Although a diamond in the rough, it had potential, and I liked the speed. It was fast. It had some bugs, but Tanguay was working them out slowly but surely.

They had it running intermittently on a

Review

Report Card

Performance.....	A
Documentation.....	A
Ease of Use.....	A
Value.....	A
Final Grade.....	A

Cost: \$40 U.S.

Manufacturer: Ottawa TI User Group,
P.O. Box 2144 Station D, Ottawa, Ontario, Canada K1P 5W3

Requirements: Console, memory expansion, serial interface with two ports free, Hayes-compatible modem, one DS/SD disk drive, TI-Writer or Editor/Assembler cartridge

regular basis at the regular phone number while perfecting it on the basis of user input.

I followed the chatter over the months, following the program's development as well as the club's planned purchase of a hard disk drive to add to the speed and storage capacity of the very popular bulletin board. Even then, the message base had a fast turnover.

I was amazed at the transformation of this fledgling BBS system into one of the finest bulletin board programs bar none. It has lots of latitude and flexibility. Sysops can set it up to reflect their personalities, as most bulletin board systems eventually do.

The Ottawa user group is currently running its own TEXLINK BBS on a 99/4A with a 10 megabyte hard drive and a Super Cart. The use of the Super Cart allows the system to maintain a user base of 408 users. The Ottawa board has nine download areas (by category) and three message bases: general, Geneve and programming. There are news and information sections as well.

The system comes on three disks labelled TEXLINK BBS, SYSTEM DISK A and SYSTEM DISK B. Also included is a handsomely packaged user manual, outlining the program and how to set it up,

along with cable diagram, and lots of information to help you get your own system up and running. The A and B disks are used to run a sample copy of the BBS to see how it works and to give budding sysop some ideas on how to set up your own.

The program is being sold through the Ottawa user group for roughly \$40 in U.S. funds, and each program is numbered. The minimum system requirements of the program are listed with the report card above. Optional equipment includes: additional disk drives, Horizon or CorComp RAM-disks, hard disk, clock (the program supports both MBP and Triple Tech), Super Cart (or any cartridge that provides RAM >6000 >7FFF).

Menus are clear and understandable. From the main menu, you can select to read the bulletins, check out exchange/sales, who the last 10 callers were, get the numbers of other BBS systems, your parameters (you can change your password or toggle the help online), chat with the sysop, or go to a file transfer area (you can set up as many as nine download sections).

The message base allows you to Expedite, Kill, Preview, Read or Selectively Read messages. Once a caller has entered a message, he or she enters a period on the next available line and is prompted to save it or redo or edit a line, or whatever.

There are clear instructions in the manual regarding the pinouts for the cable you will need to use. They are as follows:

MODEM	RS232
Ground 1	Ground 1
Transmit 2	Receive 3
Receive 3	Transmit 2
Ground 7	Ground 7
Carrier 8	DTR 19 (uses port #2)
DTR 20	CTS 5

The filenames on the main system disk are: BULLETIN1, LASTTEN, BULLETIN2, MSGBAND, BULLETIN3, MESSAGEHEAD, BULLETIN4, OTIB, BULLETIN5, PRIVATEBBS, BULLETIN6, SYSTEMLOG, ECHS, USERLOG, GOODBYE, WELCOMEALL, HELLO-GUEST, WELCOMEMENU and HONL.

(See Page 41)

DESK TOP PUBLISHER—

(Continued from Page 39)

are Normal, Italics, Bold, Emphasized and Underline. Combinations may be utilized for a line: for example, Bold and Emphasized.

The text buffer will hold only one page regardless of column format. If you need additional pages for your text input, they must be created and saved in separate files.

The PRINT PAGE section is pretty straightforward. It allows input of printer device (the default is "PIO.CR") and whether to include the picture in the printed output.

Ease of use: The program is fairly easy to use. Almost everything is menu driven with easy-to-follow prompts.

One thing that would make the program a lot easier to use is being able to reformat the text. Although lines can be inserted, you end up having to retype a lot of text to eliminate having a really short line.

Another inconvenience is losing the special type styles you have set when the text is saved and then loaded back in from disk. They are not lost when saved and loaded back in from cassette.

Another feature that would have made it easier is Right-Justify to eliminate the ragged right edge of the text. This can be done manually by turning off the Word-Wrap mode and inserting additional blank spaces between words.

It would also have helped if the program automatically caused the text to bypass the Picture area. Typing text in the Picture area will overlay the text on the picture when printed. An on-screen status box indicates when your text is in the Picture area, but it is still easy to end up with text in this area when you're busily typing in your text. You also have to remember that if you insert lines the type styles you have set will be off by the number of lines inserted. The PICTURE MAKER would have been more functional if it had the capability to work with pixels in a zoom or magnify mode. Being able to use pictures from other graphics programs would have been helpful also.

Documentation: The documentation consists of a seven-page booklet including the Contents and In Case of Difficulty pages. There is also an addendum insert of corrections to the booklet. This still provided only "bare bones" information.


There is no explanation of the Status Boxes or that some of the type styles could be used together on the same line.

These are just a couple of examples of information that could have been provided.

Value: The value is greater for those with an unexpanded system. It is a minimal text processor that allows you to pre-

pare your text in one, two or three columns.

Although the ads show a page in a printer almost full of graphics, the Picture area is actually only about 7 rows by 27 columns of text. There is only the capability to use one picture per page.



TEXLINK—

(Continued from Page 40)

Using the utility files, you can customize the BBS to your liking (within reason, of course.)

From the SYSOP level, you can create bulletins and announcements without removing the program from memory. A nice feature of this program. There are at least six user-levels, ranging from 0 to 6.

The manual covers everything you need to know about setting up and running the program. And the user group is very supportive if you should happen to have questions or particular needs or problems.

The long and the short of it is this: if you are serious about setting up and running a bulletin board system, I highly recommend you consider TEXLINK. It is easy to run, and easy for people who call to navigate. I ought to know. I call just about every week, and it has one of the fastest moving message bases I have seen.

If you want to see the system in action, give Ottawa a call at (613)738-0617, on the weekend when the phone rates are lowest, and take it for a test-drive.

Overall, I give the program all A's!

Cynthia Becker is an assistant sysop on the QACS BBS (206)361-0895. —Ed.

The program is being sold through the Ottawa user group for roughly \$40 in U.S. funds, and each program is numbered. The minimum system requirements of the program are listed with the report card above. Optional equipment includes: additional disk drives, Horizon or CorComp RAMdisks, hard disk, clock (the program supports both MBP and Triple Tech), Super Cart (or any cartridge that provides RAM >6000 >7FFF.

UK software available

Parco Electric, of Honiton, Devon, United Kingdom, holds stocks of products produced for the TI by a leading UK publisher just before TI "pulled the plug," according to Stephen Shaw of the UK's TI99/4A user group.

Four titles make up the Collins packs, each consisting of a book and cassette. The titles are Starter Pack 1 and 2 and Games Writer Pack 1 and 2.

Bulk purchases are available. Costs for the U.S. are 10 packs, \$23 and 90 packs \$115, air mail; and 10 packs \$14 and 90 packs \$90, surface mail (U.S. funds). Costs for Australia are 10 packs, \$50 and 90 packs \$300, air mail; and 10 packs \$21 and 90 packs \$145, surface mail (Australian funds). Insurance is extra. Write for other prices. For information or to order, write Parco Electric, 1 Manor Close, Weston, Honiton, Devon, UK, EX14 0PE.

Newsbytes

Program designed to speed up X BASIC

A new program, X BASIC Speeder/Protector, has been released by Nick Iacovelli Jr.

Iacovelli says the program will speed up and hide the contents of most Extended BASIC programs.

The program sells for \$10. For further information, or to order, write Iacovelli at 1411 N. 36th, Melrose Park, IL 60160.

Companion disks added to programs

A.K. Kiddoo has added Companions 1 and 2 to his Artist+Graphx programs. He says the disk-based programs will allow exact placement of graphics and text.

TI-Artist is required. Graphx+Artist is \$10. Companions 1 and 2 are \$6 each or \$10 for the two.

The programs are available from Kiddoo at 120 Boys City Dr., Winona Lake IN 46590.

Plug-in for Super XB

John P. Guion of Dallas, Texas, says he plans release of a plug-in upgrade usable only by owners of the Triton Super Extended BASIC module. The upgrade provides the user with Editor/Assembler, TI-Writer and Disk Manager III in addition to Super Extended BASIC. Price is \$22.95 for the upgrade kit, instruction manual and one disk with additional support programs.

For a brochure containing complete information, write Guion at 11923 Quincy Lane, Dallas, TX 75230-2651.

Changes occur for Villa-TI BBS

The Villa-TI BBS of the Front Range 99ers of Colorado Springs has a new area code, so the number is now (719) 574-2567.

Joe Nuvolini, sysop, says the board now operates at 300 to 2400 baud and supports both TI and IBM. The board is running The Message HUB, shareware written by Thom Foulks of Colorado Springs. Nuvolini says it is also running a 20 meg hard disk, so it is "very fast."

Mail order only for Pilgrim's Pride

Pilgrim's Pride, of Hatboro, Pennsylvania, has closed its retail store and is selling TI products by mail order only, according to Scott O'Gorman of the company.

For further information, write Pilgrim's Pride, 5 Williams Lane, Hatboro, PA 19040.

Print Wizard offered

Print Wizard, available from Trio+ Software, consists of several programs which give the user the ability to design and print cards, signs, letterheads and banners.

Print Wizard consists of a manual and three disks, one program disk and two data disks. Which data disk the user uses depends on the type of printer. The program operates on the TI99/4A and the Geneve 9640.

Included are borders, fonts and graphics, and a utility to convert artwork and fonts created with TI-Artist.

The program sells for \$25 and is available from Trio+ Software, Box 115, Liscomb, IA 50148.

Computer Exposition set for October

The Central PA 99/4A Users Group has announced that its 1988 Computer Exposition will be held from 7 a.m. to 2 p.m. Oct. 16 at the Carlisle Fair Grounds, Carlisle, Pennsylvania, in partnership with the Cumberland County Amateur Radio Society.

Barry Long says that because of the success of last year's exposition, which was held in a tent at the Colonial Park Shopping Center, this year the group will have an entire building devoted to the TI and TI-related equipment.

Some table space has already been reserved, he notes. For further information, contact the Central PA Users Group, P.O. Box 14126, Harrisburg, PA 17104-0126.

Chicago Faire set

The 1988 Chicago TI-Faire will be held Nov. 12 at the Holiday Inn in Rolling Meadows, Illinois, sponsored by the Chicago Users Group. Contact Marcy Brun, 380 Park, Elgin IL 60120 or (312) 695-9291.

User Group updates

The following are additions and updates to our user group listings, which we began publishing in the May 1987 issue.

California

Sacramento 99ers (formerly Central Valley User Group), c/o John Riley, 7661 Plaid Circle, North Highlands, CA 95660. Meets at 8 p.m. second Thursday of the month at the Rancho Cordova Library, 9845 Folsom Blvd.

South Bay TI Users Group, c/o Mike Ewell, President, P.O. Box 23447, San Jose, CA 95153-3447. Phone: (408) 370-7988. Approximately 70 members. Meets at 7 p.m. first Tuesday of the month at the Saratoga Library, 13650 Saratoga Ave., San Jose, California. Has 150 disks of public domain and fairware. Annual dues: \$15.

Florida

Greater Tampa Bay TI Users Group, 2620 Tulip Tree Circle, Seffner, FL 33584. Formerly Brandon TI Users Group. Thomas Austin, president. BBS.

Washington

Tri-Cities User Group voted to disband.

Outside U.S.

Belgium

Texsoft Club, Kerkevelstr. 28, 2280 Grobbendonk, Belgium. Phone 014/513012 (new address).

Canada

New 99er Users Co-op, 216-10th Ave., New Westminster, British Columbia, Canada V3L 2B2 (new address). PUBBS Data Line (604) 526-3389. Founded spring 1984. General meetings second Thursday of month, games night first Thursday, tutorials third Thursday, copying library programs fourth Thursday. All meetings at 7 p.m. at the Cameron Recreational Center, 9523 Cameron St., Burnaby, B.C. Approximately 50 members. Library with more than 500 disks, newsletter, hardware and software support. Annual dues \$30.

User Notes

Right justify with Writerease

Keith Emmett, of Brantford, Ontario, has a program for use with Writerease that will right justify any file created in wordwrap mode with the word processor.

Unlike TI-Writer, Writerease does not use embedded format commands when creating a text file. When creating a Writerease text file in wordwrap mode, it is necessary to indent each paragraph. The file will print exactly as it appears on the screen. In fact, in Writerease the left margin is set by the writer. Wordwriter will automatically adjust the number of words per line in wordwrap mode. The right justify program will not adjust the number of words per line. That is, it will not reduce or increase the length of the line except to add spaces to right justify the text.

It is recommended that a right margin of 72 for 80 columns, 86 for 96 columns or 122 for 136 columns be used. The program allows the user to set his own right margin. The right margin setting should not be set less than the length of the line.

This program will add spaces in any lines which do not have a carriage return at the end of the line. Therefore, any line that is not to be right justified must end in a carriage return.

The print pitch is also set at either 10, 12 or 17 characters per inch. The pitch may also be inserted in the text file with the special character mode. Any print pitch commands in the text file will override the right justify program's print pitch settings.

The program will ask for the file name only and assumes that the file is in DSK1. If a different drive is desired, change line 590. The program will search for the file and determine the file size and then load the file. If the file doesn't load, check the file to see if there is any text to the right of the right margin.

The program will handle up to 150 lines per text. If more lines are required, change the dimension statement in line 120.

The program adds spaces in the following sequence:

1. Add spaces at the end of punctuation marks, starting from the end of the line and going backwards.

2. Adds spaces at the end of each word

(including words ending in punctuation marks) from the end of the word and going backwards.

3. If more spaces are required, 1 and 2 are repeated.

This program will also print Wordwriter files saved to disk with the Print File function.

The main advantage of Writerease is its flexible line length of up to 255 characters. One could also add a page numbering routine to this program.

```

100 REM FILL FOR WRITEREASE
-- ANY DV SIZE: XBASIC !174
110 REM BY KEITH EMMETT (PUBLISHED MICROPENDIUM 6/88 !095
120 DIM A$(150) !189
130 CALL CLEAR :: RM=0 !169
140 DISPLAY AT(2,1): "WRITEREASE PRINTER" !116
150 DISPLAY AT(4,1): "THIS PROGRAM WILL FILL" !074
160 DISPLAY AT(5,1): "AND ADJUST ANY FILE THAT" !149
170 DISPLAY AT(6,1): "WAS CREATED IN WORD-WRAP" !188
180 DISPLAY AT(7,1): "MODE WITH WRITEREASE" !216
190 DISPLAY AT(9,1): "IT ASSUMES ONE USES 80,96," !211
200 DISPLAY AT(10,1): "OR 136 COLUMNS PER PAGE." !121
210 DISPLAY AT(12,1): "RIGHT MARGIN DEFAULTS:" !121
220 DISPLAY AT(13,1): "72 FOR 80 COLUMNS" !160
230 DISPLAY AT(14,1): "86 FOR 96 COLUMNS" !173
240 DISPLAY AT(15,1): "122 FOR 136 COLUMNS" !022
250 DISPLAY AT(18,1): "FILENAME?" !228
260 ACCEPT AT(18,11)BEEP SIZE(10): FILE$ !125
270 DISPLAY AT(19,1): "USE DEFAULT RIGHT MARGIN? Y" !189
280 ACCEPT AT(19,27)BEEP VALIDATE("YnN")SIZE(-1): YN$ !097
290 IF YN$="Y" OR YN$="y" THEN GOTO 300 !222
300 DISPLAY AT(20,1): "NEW RIGHT MARGIN:" !005
310 ACCEPT AT(20,19)BEEP VALIDATE(DIGIT)SIZE(3): RM !254

```

```

320 IF RM=0 OR RM>255 THEN GOTO 300 !135
330 DISPLAY AT(21,1): "PRINT PITCH: 1) 10 CPI" !193
340 DISPLAY AT(22,1): "2) 12 CPI" !230
350 DISPLAY AT(23,1): "3) 17 CPI" !237
360 DISPLAY AT(24,1): "PITCH? 1" !104
370 ACCEPT AT(24,8)BEEP VALIDATE("123")SIZE(-1): D !171
380 REM CHECK FILE + SIZE !254
390 SZ=0 !100
400 OPEN #2: "DSK1.", INPUT, RELATIVE, INTERNAL !237
410 INPUT #2: P$, J, J, K !171
420 FOR LOOP=1 TO 50 !094
430 INPUT #2: Q$, A, J, K !163
440 IF LEN(Q$)=0 THEN GOTO 500 !230
450 IF FILE$<>Q$ THEN GOTO 490 !166
460 SZ=K !182
470 IF ABS(A)<>2 THEN GOTO 500 !107
480 GOTO 520 !009
490 NEXT LOOP !208
500 CLOSE #2 :: DISPLAY AT(22,1): "FILE NOT FOUND" :: FOR I=1 TO 1000 :: NEXT I !249
510 GOTO 130 !200
520 CLOSE #2 !152
530 IF RM>0 THEN GOTO 580 !224
540 IF SZ=80 THEN RM=72 !032
550 IF SZ>80 AND SZ<=96 THEN RM=86 !134
560 IF SZ>96 AND SZ<=136 THEN RM=122 !225
570 IF SZ>136 THEN GOTO 130 !215
580 REM READ IN FILE !205
590 OPEN #1: "DSK1."&FILE$, INPUT, DISPLAY, VARIABLE SZ !065
600 I=0 !000
610 IF EOF(1) THEN 650 !186
620 I=I+1 !011
630 LINPUT #1: A$(I) !113
640 GOTO 610 !179
650 NLINES=I :: CLOSE #1 !233

```

User Notes

(Continued from Page 43)

```

660 REM MAIN CONTROL LOOP !1
22
670 FOR I=1 TO N LINES !007
675 DISPLAY AT(1,1): "PROCESS
ING LINE: "; I !174
680 B$=A$(1) !063
690 IF LEN(B$)=0 THEN GOTO 9
80 !185
700 IF ASC(SEG$(B$,LEN(B$),1
))=13 THEN GOTO 980 !066
710 IF LEN(B$)=RM THEN GOTO
980 !095
720 SPACES=RM-LEN(B$) !134
730 IF SPACES<=0 THEN GOTO 9
80 !143
740 REM FIND FIRST LETTER IN
LINE !114
750 FOR M=1 TO LEN(B$) !234
760 C=ASC(SEG$(B$,M,1)) !162
770 IF C>32 THEN GOTO 790 !
141
780 NEXT M !227
790 FIRST=C !214
800 REM INSERT SPACES IN LIN
E !109
810 CHECK=0 !021
820 FLAG=1 !210
830 FOR LL=LEN(B$)-1 TO FIRS
TC STEP -1 !048
840 R=ASC(SEG$(B$,LL,1)) !252
850 IF FLAG=2 THEN GOTO 880
!201
860 IF R=46 OR R=44 OR R=59
OR R=33 OR R=63 OR R=58 THEN
GOTO 900 !068
870 GOTO 940 !254
880 IF R>32 THEN GOTO 900 !
010
890 GOTO 940 !254
900 IF ASC(SEG$(B$,LL+1,1))<
>32 THEN GOTO 940 !135
910 B$=SEG$(B$,1,LL)&" "&SEG
$(B$,LL+1,255) !234
920 SPACES=SPACES-1 !248
930 IF SPACES=0 THEN GOTO 97
0 !198
940 NEXT LL !046
950 CHECK=CHECK+1 :: IF CHEC
K>RM+2 THEN GOTO 980 !138
960 IF FLAG=1 THEN FLAG=2 ::
GOTO 830 :: ELSE GOTO 820 !
116
970 A$(I)=B$ !063
980 NEXT I !223
990 OPEN #1: "PIO", VARIABLE S

```

```

Z !030
1000 PRINT #1: CHR$(27)&CHR$(
66)&CHR$(D); !226
1010 FOR I=1 TO N LINES !007
1020 PRINT #1: A$(I) !099
1030 NEXT I !223
1040 PRINT #1: CHR$(27)&CHR$(
66)&CHR$(1); !152
1050 CLOSE #1 !151
1060 CALL CLEAR !200
1070 DISPLAY AT(22,1): "PRINT
ANOTHER FILE? Y" !033
1080 ACCEPT AT(22,21) BEEP VA
LIDATE("YyNn") SIZE(-1): YN$ !
085
1090 IF YN$="Y" OR YN$="y" T
HEN GOTO 130 !051

```

NX-10 tip

This comes from Jim Uzzell, of Houston, Texas:

To print out the DIP switch settings for the NX-10 printer from the TI-Writer Editor, enter the following: CTRL U, FCTN R, SHIFT 2, CTRL U. The print through the editor using Print File, PIO.

To print the DIP switch settings through Extended BASIC, use this line:
100 OPEN #1: "PIO": PRINT #1: CHR\$(27);CHR\$(0)

Temporary fix for clock

Paul E. Flesner, of Prospect Heights, Illinois, writes:

I have been using the following short program, which runs out of Extended BASIC, to set the correct day of the week until the new version of MDOS corrects the "leap year bug."

```

10 CALL INIT :: CALL PEEK(-3273
8,A) :: A=A+1 :: CALL LOAD(-327
38,A)

```

Lithium coin cell for Mini-Memory

This comes from Steven Lisonbee, of Orem, Utah:

For people who have always been looking for a source for the Mini-Memory battery, which is hard to find, this may be of interest.

Recently I took the battery out of my Mini-Memory cartridge to prevent possible damage from leakage. While it was apart, I thought about wiring in a lithium coin cell holder so the battery would be easier to replace and I could use the regular lithium coin cells.

While looking at the circuit board, I noticed a hole close to where the ground wire from the battery is connected. To make the story short, I put a coin cell holder on top of the circuit board and, to my surprise, it fit as if the board was made for it. The small hole on the negative side was opened up with a soldering iron and a solder sucker and the coin cell holder put on. It had an almost perfect fit.

Now my Mini-Memory cartridge has a lithium coin cell holder soldered to the circuit board as if it were installed at the factory. Now all I have to do is go down to the local Radio Shack and buy a CR2032 lithium coin cell and slip it into the holder. No more unsoldering and resoldering batteries.

One source for the lithium coin cell holder is DIGI-KEY Corp. (Box 677, Thief River Falls, MN 56701). The part number is 107K-ND and the cost is \$1.09, plus service charge (\$0-\$9.99 is \$2; \$10-\$24.99 is \$2.75).

The company also has a battery (part number P189 for \$1.53) which is the CR2032 lithium coin cell. A heavier duty battery (part number P187 for \$1.90) is a BR2330 lithium coin cell. However, the BR2330 will just barely fit into the cell holder.

Readers who undertake any hardware modification do so at their own risk.—Ed.

Cable for Multisync and the Geneve

David G. Knapp submitted the following item for those who want to connect an NEC 1401 Multisync monitor to the 9640. As usual, readers undertake any hardware modification at their own risk.

I have made about a half-dozen cables using the attached diagram without any problems. This cable will work only with the 1401 Multisync and not the newer 1402 Multisync.

Knapp notes that he is willing to make
(See Page 45)

User Notes

(Continued from Page 44)

a tested, four-foot monitor cable for the 1401 for a reasonable price. For more information, contact him at 15 Jones Lane, Long Valley, NJ 07853, 201-876-3685. He may also be reached on CompuServe. His ID is 73300,1010.

Talking typewriter

This comes from Elaine Chan, Ph.D., of Seattle, Washington.

In order to teach young children the names of the letters of the alphabetical keyboard the following program waits for a keypress, displays the letter in double-size capitals in the middle of the screen and says the name of the letter. It requires Extended BASIC and a speech synthesizer. 100 REM TALKING TYPEWRITER, EXTENDED BASIC REQUIRED

```
110 CALL CLEAR
120 CALL KEY(0,K,S)
130 IF S=0 THEN 120
140 IF K>90 THEN 120
150 IF K<65 THEN 120
161 CALL CLEAR
162 CALL SPRITE(#1,K,2,85,120)
164 CALL MAGNIFY(2)
170 CALL SAY(CHR$(K))
180 GOTO 120
```

By removing lines 162, 164 and 170 and inserting the following lines, the program will run with Terminal Emulator II and a speech synthesizer. The characters will be normal size.

```
165 CALL HCHAR(12,14,K)
105 OPEN #1: "SPEECH",OUTPUT
170 PRINT #1: CHR$(K)
```

Modifications to Multicol program

Ralph W. Mills, of Selkirk, Manitoba, writes:

After reading *Printing in multiple columns* and typing the program MULTICOL (MICROpendium, January and February 1988), I encountered difficulties.

In lines 740 and 890, the expression (in part) — LEN(B\$(I))=0 — appears. The makes a line with only a carriage return or line feed symbol (ie. a blank line) after the control code is removed (by line 960 or 930) seem like the last line to be printed. Changing the expression to —

Monitor adapter cable for the Geneve to a NEC 1401 Multisync monitor

Geneve

NEC

5	RED	1
6	GREEN	2
7	BLUE	3


8	SYNC OPEN	4 5
---	--------------	--------

2	---GROUND and/or	---	6
	GROUND Shields:	---	7
	GROUND	---	8
	---GROUND	---	9

3 TO AN EXTERNAL AUDIO AMPLIFIER
2 GROUND TO AUDIO AMP.

Notes

1. Resistor needed to reference Sync. to Ground
2. Add capacitors in range of .2 microFarads to .2 picoFarads Mylar to eliminate random noise on display. (Add as needed.)
3. NEC will take 10-20 seconds to PHASE LOCK after Geneve is turned on.
4. RG174 shielded cable is recommended to reduce interference.



LEN(B\$(I))=-1 -- corrected the problem.

In lines 560 and 970, the statement — IF ASC(B\$(I))>127 THEN B\$(I)=" — is used. My computer, with Extended BASIC Ver. 110, doesn't like this, and returns ERROR 74 during loading from a file. A similar statement occurs in line 940 — IF ASC(A\$)>127 — etc., and causes no problem. Changing lines 560 and 970 to — IF ASC("B\$(I)")>127 — etc. makes the computer happy.

The TI-Writer version I use is part of Funnelweb Ver. 4.0. Although I can see what these statements will do, I don't understand their need. In addition, in line 550 — IF ASC(B\$(I))>127 — etc. is outside the input loop, whereas in lines 940 and 970, it is inside the input loop.

In line 370, the 'C' and 'N' should be interchanged to coincide with the text article, and the file characteristics. Line 370 should read:

```
370 DISPLAY AT(6,2):"save FILE
PRESS 'C' :: DISPLAY AT(8,2):"P
rint File PRESS 'N'"
```

Tinygram plays ballpark music

This comes Mike Stanfill of the Dallas TI Home Computer Group. It appeared in the group's newsletter.

Look at the program below. Looks kind of weird, don't it. Well sir, it's something that I've been wanting to do for a long time. An entirely, 100 percent, All-American CALL LOAD Tinygram. Ballpark is a compilation of a lot of things, but what it is mainly is a music program. *Take Me Out to the Ballgame* to be exact. The special thing about it is that it loads itself into low memory and *stays there*. The only thing that'll get rid of it is to type CALL INIT, which clears the area this type of thing is stored, or shut off the console.

Save a copy of it and run it. In only a second or two you'll see the cursor flashing at you. This is your cue to enter CALL LINK("S").

Instantly you'll hear those familiar strains. You can LINK to this program over and over if you like.

Now the fun stuff. Don't like LINKING (See Page 46)

User Notes

(Continued from Page 45)

to "S"? No sweat. Go to line 4 and right after 16376 you'll see 83 (that's the ASCII code for the S) and five 32s (ASCII number for the space symbol). Just pick a six-letter or less word that you'd prefer to LINK to, break it down into its ASCII characters and insert it in line 4 in the 83, 32, 32, 32, 32, 32 space.

Also, try this: from lines 8-10, everytime you see a 3 look one number ahead of it. It's usually an 18. These control the speed. These can be anywhere between 1 and 256. 1 is the fastest, 256 is the slowest.

```

1 CALL INIT !157
3 !*****
  * BALLPARK-A TINYGRAM *
  * BY MIKE STANFILL *
  * DALLAS TI U.G. *
  ****** !
113
4 CALL LOAD(16376,83,32,32,3
2,32,32,36,246,"",8194,37,11
4,63,248)!232
5 CALL LOAD(9460,4,91,2,0,16
,0,2,1,37,44,2,2,0,70,4,32,3
2,36,200,0,131,204)!102
6 CALL LOAD(9482,216,32,37,4
2,131,206,248,32,37,42,131,2
53,4,199,3,0,0,2,3,0,0,0)!17
7
7 CALL LOAD(9501,152,7,131,2
06,22,1,16,231,4,91,1,0,3,14
0,26,144,36,3,134,13,144,18)
!067
8 CALL LOAD(9526,3,142,15,14
4,18,3,141,17,144,18,3,131,2
1,144,18,3,141,17,144,54,3,1
41)!232
9 CALL LOAD(9548,23,144,54,3
,140,26,144,36,3,134,13,144,
18,3,142,15,144,18,3,141,17,
144)!037
10 CALL LOAD(9570,18,3,131,2
1,144,18,3,141,17,144,54,3,1
59,191,223,0,68,73)!057

```

Using RAMdisks with the Geneve

This item is excerpted from a column by Don Jones that appears monthly in the Chicago Times newsletter of the Chicago TI User Group. It dispels a rumor that the Geneve can't recognize a Horizon

RAMdisk.

Using DOS 1.0 and GPL loader 0.98, finding the built-in RAMdisk or a Horizon RAMdisk is no problem either at the DOS level or the GPL (TI mode) level. In fact, the latest version of MDOS was written with the idea of helping you to find your Horizon RAMdisk.

In order to use a Horizon RAMdisk (HRD) with the Geneve, the HRD must sit at the CRU >1400 and take the drive name DSK6. If you do this, you will have no trouble "finding" your HRD and won't have to alter MDOS with a sector editor, which was necessary with MDOS 0.97 and 0.98.

Bomb-proofing ACCEPT AT

This Extended BASIC programming tip appeared in TI*MES, the newsletter of the TI 99/4A User Group United Kingdom. It is by John Seager.

Using ACCEPT AT for a numeric variable, how do you idiot-proof it so the program will not bomb? You can insert a default input value, and use a negative size, and also use VALIDATE.

However, the user can blank the default variable with CLEAR, and if the input variable is a numeric variable, trying to input a blank will cause an error condition.

Authors frequently input all numbers into a string variable. Inputting a blank does not cause an error, and you can test for a null input and go back if required.

```

You don't have to do it that way. Using
ON WARNING NEXT will test for the
null input and go back for you. Try it.
100 ON WARNING NEXT
110 ACCEPT AT(4,5)ERASE ALL VA
IDATE(DIGIT):A
120 GOTO 110

```

```

Seager also points this interesting tip.
Examine the following lines.
100 ON ERROR 600
110 RUN "DSK1.NOFILE"
....

```

```
600 ON ERROR 600 :: RETURN
```

The RETURN will fail as the failed RUN seems to remove the internal pointers. This is a deliberate ploy by TI to avoid the "accidental" removal of the List Protection flag — which happens with Ver. 100 of Extended BASIC.

You need to use the format RETURN XXX, where XXX is a line number to go to which will RUN the original program again. You could use RUN 110 or something if required. The second RUN will, of course, reset all required pointers.

Routine sets listing line length

This tip appeared in TopIcs, the newsletter of the Los Angeles 99ers. It was used in Chick De Marti's column. He credited the Aloha newsletter as the source.

The program allows the user to set the line length for program listings. As it appears here, the program instructs the printer to print 28-character lines in elite pitch.

With Extended BASIC, save the program in MERGE format. Load the program you want to list and MERGE this routine into it. With the printer turned on, run the programs. The routine will send instructions to the printer and then stop. Then, delete lines 2-6 and enter LIST "PIO".

The program can be used in BASIC by running it through the printer and then loading the program you want to list.

The printer codes are for Epson-compatibles. Line 3 selects elite pitch — CHR\$(77). Line 4 sets the right margin — CHR\$(81) — and sets the number of characters to print per line — CHR\$(N+28).

```



2 OPEN #2:"PIO"
3 PRINT #2:CHR$(27)&CHR$(77)&CHR$(N)
4 PRINT #2:CHR$(27)&CHR$(81)&CHR$(N+28)
5 CLOSE #2
6 STOP

```

User Notes is a column of tips and ideas designed to help readers put their computers to better use. The information provided here comes from many sources, including TI user group newsletters. MICROpendium pays \$10 for any item sent in by readers that appears in this column. Mail User Notes to: MICROpendium User Notes, P.O. Box 1343, Round Rock, TX 78680.



Classified

Software



FIELD BOOK & OWNER KIT CENTER/

FIELD OR ON CENTER LIKE A BOOK



CHECKBOOK RECONCILE \$29.95
 Balance to the penny every month. Rocketman Checkbook Program. See our program review in August 1987 MICROpendium. California Programs, 4426 Appian Way, El Sobrante, Ca. 94803. 415-222-1626. v5n9

CHEAP MODULES
 Invaders & Tombstone City for Super-space or experiment. 4 mods @ \$8.50, incl. ship. Mirage 90 N.E. 159 St Miami, FL. 33162 v5n5

Wanted

WANTED TO BUY
 Morning Star CP/M card or 128K card, COBAL cartridge for 99/4A. Need 32K standalone, and PHP 1800 disk controller, Term Emulator I. Wanted Hexbus, Modem, RS232, video interface for CC-40, TI Forth manual, Myarc WDS/100 system, drive. MBX. Call: L. Renda (216) 793-3684 11 AM-8 PM. v5n5

Systems

SEVERAL EXPANDED 99/4A SYSTEMS. Console, P-box, 32K, RS232, SS/SD, DS/DD. Steve 316-685-2096 Days, Curtis 417-869-3802 Days. v5n8

Policy

The cost of classified advertising is 25 cents per word. Classified display (i.e., special formatting or graphics) is \$9 per column inch. Classified advertisements must be paid in advance. Classified advertisers may request a category under which they would like their advertisement to appear, but the final placement decision is the responsibility of the publisher.

Classified deadlines will be kept open for as long as practical. For the purpose of classified advertising deadlines, any classified ad received later than the first day of any month cannot be assured of placement in the next edition. We will do our best to include every advertisement that is submitted in the earliest possible edition.

The publisher offers no guarantee that any advertisement will be published in any particular issue. Any damages that result either from errors in copy or for failure to be included in any particular edition will be limited to the amount of the cost of the advertisement itself. The publisher reserves the right to reject any advertisement.

The advertiser may elect to publish the advertisement in subsequent editions at the same charge, payable prior to publication. The deadline for carryover classifieds is the same as for new advertising.

In submitting an ad, please indicate whether you would like a refund if it is not published in the requested edition or whether you would like us to hold it for the next edition. Cancellations and refunds cannot be made after the second day of the month.

Send classified advertising to: MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

Systems

FOR SALE

T199/4A Computer, color monitor, 2 disk drives, 2 printers, software and games. \$600. Call Jim 615-267-6337. v5n5

FOR SALE

T199/4A, PEB, RS232, 32K, 2-SS DRIVES, SPEECH, EXTRA T199/4A, SUPER XB, MULTIPLAN, WRITEREASE/Dictionary, 4A/TALK, 50 DISKS FULL OF FREEWARE, 14 CARTRIDGES, BOOKS, DOCS., MUCH MORE \$450.00 B.O. ROB 315-685-8807. v5n5

FOR SALE

T199/4A with PEB, RS232, 32K, 2 DSDD-drive, Extended BASIC & other Software. \$399.00. Geneve with X1-Key-board \$399.00. Jason Diaz, 11071 NW 7 St. #105, Miami, Fla 33172 (305) 552-0730. v5n5

FOR SALE...BEST OFFER

T199/4A BLACK CONSOLE, P.E. BOX, & 32K SA, ETC., modem & software, MBX box & 3 voice rec. cartridges & joystick (mike), multiplan, ti. writer, all ti. manuals, voice synthesizer, cart. & 7 adventure series, checkbook manager program, ti. magazine tape progs., t.v. cable & disk programs, "BIG BOSS STICK", CALL..203 673-6190 now! v5n5

Miscellaneous

NX10" (Booklet and interactive disk)—\$14.95; "HOW TO CONTROL ANY PRINTER FROM ANY COMPUTER"; Workbook—\$16.95; Plenty of hardware and software available. Send \$2 for catalog: McWARE, Dept TIM, P.O. Box 2784, Fairfax, VA 22031. v5n5

99/4A P-CODE CARD WITH ALL DISKS AND MANUALS	\$150
P-CODE CARD ALONE	\$ 90
PE-BOX/RS232/32K/DRIVE/CONTRLR	\$349
TI WRITER NEW	\$ 19
18' P-BOX FLAT EXTENSION CABLE	\$ 22
PARALLEL PRINTER CABLE	\$ 15
WORD WRITER +	\$ 49
STAND ALONE DISK DRIVE (NEW)	\$ 89
TI ORIGINAL 32K MEMORY CARD	\$ 79
TI ORIGINAL COLOR MONITOR	\$150
HAYES COMPATIBLE MODEM CABLE	\$ 12
AVATEX MODEM 1200HC	\$ 99

PLUS SHIPPING. CALL OR WRITE

JIM LESHER, 722 HUNTLEY DALLAS, TX. 75214, 214 821 9274 v5n5

MICROpendium magazine holders are in!

\$3 per set of 12. (Texas residents add 7.5% sales tax.) Send check or money order to Holders, MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

Miscellaneous

PRINTER CONTROL & MORE
 "FAST AND EASY TUTOR FOR STAR

The LEADING monthly devoted to the T199/4A

Subscription Fees

\$20 for 12 issues via domestic second class mail
 \$25.25 (U.S. funds) Canadian or Mexican delivery
 \$23.50 (U.S. funds) for 12 issues foreign delivery
 via surface mail
 \$37.00 (U.S. funds) for 12 issues foreign delivery
 via air mail
**Outside U.S., pay via postal or international
 money order; personal checks from non-U.S.
 banks will be returned**

Address Changes

Subscribers who move may have the delivery of their most recent issue(s) delayed unless MICROpendium is notified six weeks in advance of address changes. Please include your old address as it appears on your mailing label when making an address change.

Back Issue Policy

Back issues of MICROpendium are available to subscribers only. Those wishing back issues may notify us of the issue(s) desired and include \$2.00 per issue desired in a check or money order. No shipping charge in U.S., Canada and Mexico; Texas residents add 7.5% sales tax. For foreign delivery, add 50 cents per issue surface mail, \$2 per issue surface mail. No discounts on orders of sets. All prices U.S. funds. **OUT OF STOCK: Vol 1, nos. 1-2**

Tell us about it

Please let us what columns or features you like the most about MICROpendium. Rank your selections in order of preference using this form. Return it to us when you renew your subscription.

1. _____
2. _____
3. _____
4. _____

Other suggestions: _____

Send me the next 12 issues of MICROpendium. I am enclosing \$ _____ in a check or money order in U.S. funds. Mail to: MICROpendium, P.O. Box 1343, Round Rock, TX 78680

Name _____

Address _____

City _____

State _____ **ZIP** _____

The set of numbers on the left of your mailing label indicates the cover date of your last issue.